

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	2/23/2021	7:28:00 AM	2/23/2021	11:20:00 AM	3/8/2021	9:36:08 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	2530 mg/L		0.85	250	3/9/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	2/23/2021	7:28:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 4500-O-G	Dissolved Oxygen	Total	10.5 mg/L			0.1	2/23/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	2/23/2021	7:28:00 AM	2/23/2021	11:20:00 AM	2/23/2021	11:44:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	16 CFU/100mL			1	2/24/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	2/23/2021	7:28:00 AM	2/23/2021	11:20:00 AM	2/23/2021	2:22:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	7 mg/L			1	2/25/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	2/23/2021	7:28:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 2550	Temperature	Total	0.5 deg C			0.1	2/23/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	2/23/2021	7:28:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.49 SU			0.1	2/23/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	2/23/2021	7:28:00 AM	2/23/2021	11:20:00 AM	3/2/2021	3:35:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.24 mg/L		0.091	0.4	3/2/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	2/23/2021	7:28:00 AM	2/23/2021	11:20:00 AM	2/26/2021	9:23:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.12 mg/L		0.015	0.1	2/26/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	2/23/2021	7:28:00 AM	2/23/2021	11:20:00 AM	2/23/2021	4:26:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	4 mg/L			2	3/1/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	2/23/2021	7:28:00 AM	2/23/2021	11:20:00 AM	3/3/2021	10:15:57 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.36 mg/L		0.046	0.1	3/4/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	2/23/2021	7:28:00 AM	2/23/2021	11:20:00 AM	2/24/2021	8:55:00 AM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	<0.10 mg/L		0.011	0.041	2/24/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	2/23/2021	7:28:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	8310 umhos/cm			1	2/23/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	2/23/2021	7:28:00 AM	2/23/2021	11:20:00 AM	2/23/2021	2:23:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3 mg/L			1	2/25/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	2/23/2021	8:00:00 AM	2/23/2021	11:20:00 AM	2/23/2021	2:23:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3 mg/L			1	2/25/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	2/23/2021	8:00:00 AM	2/23/2021	11:20:00 AM	3/8/2021	9:36:08 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	2260 mg/L		0.85	250	3/9/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	2/23/2021	8:00:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.5 SU			0.1	2/23/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	2/23/2021	8:00:00 AM	2/23/2021	11:20:00 AM	2/23/2021	2:22:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	8 mg/L			1	2/25/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	2/23/2021	8:00:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	7700 umhos/cm			1	2/23/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	2/23/2021	8:00:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 2550	Temperature	Total	0.9 deg C			0.1	2/23/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	2/23/2021	8:00:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 4500-O-G	Dissolved Oxygen	Total	10.8 mg/L			0.1	2/23/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	2/23/2021	8:00:00 AM	2/23/2021	11:20:00 AM	2/23/2021	11:44:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	>2420 CFU/100mL			1	2/24/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	2/23/2021	8:00:00 AM	2/23/2021	11:20:00 AM	2/23/2021	4:26:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	1 mg/L			2	3/1/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	2/23/2021	8:00:00 AM	2/23/2021	11:20:00 AM	2/24/2021	8:55:00 AM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	<0.10 mg/L		0.011	0.041	2/24/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	2/23/2021	8:00:00 AM	2/23/2021	11:20:00 AM	3/2/2021	3:35:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.11 mg/L		0.091	0.4	3/2/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	2/23/2021	8:00:00 AM	2/23/2021	11:20:00 AM	3/3/2021	10:15:57 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.41 mg/L		0.046	0.1	3/4/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	2/23/2021	8:00:00 AM	2/23/2021	11:20:00 AM	2/26/2021	9:23:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.14 mg/L		0.015	0.1	2/26/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	2/23/2021	8:17:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 4500-O-G	Dissolved Oxygen	Total	11.7 mg/L			0.1	2/23/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	2/23/2021	8:17:00 AM	2/23/2021	11:20:00 AM	2/26/2021	9:23:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.16 mg/L		0.015	0.1	2/26/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	2/23/2021	8:17:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	8000 umhos/cm			1	2/23/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	2/23/2021	8:17:00 AM	2/23/2021	11:20:00 AM	2/23/2021	2:22:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	4 mg/L			1	2/25/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	2/23/2021	8:17:00 AM	2/23/2021	11:20:00 AM	2/23/2021	2:23:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3 mg/L			1	2/25/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	2/23/2021	8:17:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 2550	Temperature	Total	0.5 deg C			0.1	2/23/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	2/23/2021	8:17:00 AM	2/23/2021	11:20:00 AM	3/2/2021	3:35:00 PM	Water	APHA	SM 4500N org C	TKN	Total	0.92 mg/L		0.091	0.4	3/2/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	2/23/2021	8:17:00 AM	2/23/2021	11:20:00 AM	2/23/2021	4:26:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2 mg/L			2	3/1/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	2/23/2021	8:17:00 AM	2/23/2021	11:20:00 AM	2/23/2021	11:44:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	488 CFU/100mL			1	2/24/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	2/23/2021	8:17:00 AM	2/23/2021	11:20:00 AM	3/3/2021	10:15:57 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.47 mg/L		0.046	0.1	3/4/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	2/23/2021	8:17:00 AM	2/23/2021	11:20:00 AM	2/24/2021	8:55:00 AM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	<0.10 mg/L		0.011	0.041	2/24/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	2/23/2021	8:17:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.51 SU			0.1	2/23/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	2/23/2021	8:17:00 AM	2/23/2021	11:20:00 AM	3/8/2021	9:36:08 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	2470 mg/L		0.85	250	3/9/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	2/23/2021	8:53:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.65 SU			0.1	2/23/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	2/23/2021	8:53:00 AM	2/23/2021	11:20:00 AM	2/24/2021	8:55:00 AM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	<0.10 mg/L		0.011	0.041	2/24/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	2/23/2021	8:53:00 AM	2/23/2021	11:20:00 AM	3/2/2021	3:35:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.29 mg/L		0.091	0.4	3/2/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	2/23/2021	8:53:00 AM	2/23/2021	11:20:00 AM	2/23/2021	2:22:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	7 mg/L			1	2/25/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	2/23/2021	8:53:00 AM	2/23/2021	11:20:00 AM	3/8/2021	9:36:08 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	1460 mg/L		0.85	100	3/9/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	2/23/2021	8:53:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 2550	Temperature	Total	0.8 deg C			0.1	2/23/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	2/23/2021	8:53:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	5270 umhos/cm			1	2/23/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	2/23/2021	8:53:00 AM	2/23/2021	11:20:00 AM	2/26/2021	9:23:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	2 mg/L		0.015	0.1	2/26/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	2/23/2021	8:53:00 AM	2/23/2021	11:20:00 AM	3/3/2021	10:15:57 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.53 mg/L		0.046	0.1	3/4/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	2/23/2021	8:53:00 AM	2/23/2021	11:20:00 AM	2/23/2021	11:44:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	185 CFU/100mL			1	2/24/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	2/23/2021	8:53:00 AM	2/23/2021	11:20:00 AM	2/23/2021	2:23:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3 mg/L			1	2/25/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	2/23/2021	8:53:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 4500-O-G	Dissolved Oxygen	Total	12.6 mg/L			0.1	2/23/2021
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-HEPA	2/23/2021	9:05:00 AM	2/23/2021	11:20:00 AM	3/2/2021	3:35:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.22 mg/L		0.091	0.4	3/2/2021
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-HEPA	2/23/2021	9:05:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	6240 umhos/cm			1	2/23/2021
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-HEPA	2/23/2021	9:05:00 AM	2/23/2021	11:20:00 AM	2/23/2021	2:22:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	6 mg/L			1	2/25/2021
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-HEPA	2/23/2021	9:05:00 AM	2/23/2021	11:20:00 AM	2/23/2021	2:23:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3 mg/L			1	2/25/2021
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-HEPA	2/23/2021	9:05:00 AM	2/23/2021	11:20:00 AM	2/23/2021	12:26:00 PM	Water	APHA	SM 2550	Temperature	Total	1 deg C				

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	2/24/2021	9:55:00 AM	2/24/2021	11:30:00 AM	2/24/2021	4:45:01 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	7 mg/L			1	2/25/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	2/24/2021	9:55:00 AM	2/24/2021	11:30:00 AM	2/24/2021	10:19:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	3 mg/L			1	2/25/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	2/24/2021	9:55:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:23:00 PM	Water	APHA	SM 2550	Temperature	Total	1.3 deg C			0.1	2/24/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	2/24/2021	9:55:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:23:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.52 SU			0.1	2/24/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	2/24/2021	9:55:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:23:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	12.31 mg/L			0.1	2/24/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	2/24/2021	9:55:00 AM	2/24/2021	11:30:00 AM	2/24/2021	11:06:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	363 CFU/100mL			1	2/25/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	2/24/2021	9:55:00 AM	2/24/2021	11:30:00 AM	3/3/2021	10:15:57 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.65 mg/L	0.046		0.1	3/4/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	2/24/2021	9:55:00 AM	2/24/2021	11:30:00 AM	3/1/2021	5:44:50 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10 mg/L	0.011		0.041	3/2/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	2/24/2021	9:55:00 AM	2/24/2021	11:30:00 AM	8/9/2021	9:36:08 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	1090 mg/L	0.85		100	3/9/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	2/24/2021	9:55:00 AM	2/24/2021	11:30:00 AM	2/24/2021	6:14:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.5 mg/L	0.015		0.1	2/24/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	2/24/2021	10:19:00 AM	2/24/2021	11:30:00 AM	3/2/2021	3:35:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.13 mg/L	0.091		0.4	3/2/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	2/24/2021	10:19:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:23:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.62 SU			0.1	2/24/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	2/24/2021	10:19:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:23:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	5020 umhos/cm			1	2/24/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	2/24/2021	10:19:00 AM	2/24/2021	11:30:00 AM	2/24/2021	4:45:01 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	4 mg/L			1	2/25/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	2/24/2021	10:19:00 AM	2/24/2021	11:30:00 AM	2/24/2021	10:19:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	3 mg/L			1	2/25/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	2/24/2021	10:19:00 AM	2/24/2021	11:30:00 AM	2/24/2021	6:14:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.47 mg/L	0.015		0.1	2/24/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	2/24/2021	10:19:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:23:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	12.6 mg/L			0.1	2/24/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	2/24/2021	10:19:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:34:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2 mg/L			2	3/1/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	2/24/2021	10:19:00 AM	2/24/2021	11:30:00 AM	2/24/2021	11:06:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	411 CFU/100mL			1	2/25/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	2/24/2021	10:19:00 AM	2/24/2021	11:30:00 AM	3/4/2021	12:19:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.63 mg/L	0.046		0.1	3/4/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	2/24/2021	10:19:00 AM	2/24/2021	11:30:00 AM	3/1/2021	5:44:50 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.17 mg/L	0.011		0.041	3/2/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	2/24/2021	10:19:00 AM	2/24/2021	11:30:00 AM	3/8/2021	9:36:08 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	1470 mg/L	0.85		100	3/9/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	2/24/2021	10:19:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:23:00 PM	Water	APHA	SM 2550	Temperature	Total	1.1 deg C			0.1	2/24/2021
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-HEPA	2/24/2021	10:35:00 AM	2/24/2021	11:30:00 AM	2/25/2021	12:30:00 PM	Water	USEPA	SM 2540 D	Total Suspended Solids	Total	6 mg/L			1	2/26/2021
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-HEPA	2/24/2021	10:35:00 AM	2/24/2021	11:30:00 AM	3/1/2021	5:44:50 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.13 mg/L	0.011		0.041	3/2/2021
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-HEPA	2/24/2021	10:35:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:23:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	4990 umhos/cm			1	2/24/2021
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-HEPA	2/24/2021	10:35:00 AM	2/24/2021	11:30:00 AM	2/25/2021	12:36:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	3 mg/L			1	2/26/2021
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-HEPA	2/24/2021	10:35:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:23:00 PM	Water	APHA	SM 2550	Temperature	Total	1.1 deg C			0.1	2/24/2021
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-HEPA	2/24/2021	10:35:00 AM	2/24/2021	11:30:00 AM	3/8/2021	9:36:08 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	1420 mg/L	0.85		100	3/9/2021
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-HEPA	2/24/2021	10:35:00 AM	2/24/2021	11:30:00 AM	2/24/2021	6:14:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.46 mg/L	0.015		0.1	2/24/2021
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-HEPA	2/24/2021	10:35:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:23:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	12.7 mg/L			0.1	2/24/2021
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-HEPA	2/24/2021	10:35:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:34:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	3 mg/L			2	3/1/2021
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-HEPA	2/24/2021	10:35:00 AM	2/24/2021	11:30:00 AM	2/24/2021	11:06:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	365 CFU/100mL			1	2/25/2021
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-HEPA	2/24/2021	10:35:00 AM	2/24/2021	11:30:00 AM	3/3/2021	10:15:57 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.72 mg/L	0.046		0.1	3/4/2021
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-HEPA	2/24/2021	10:35:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:23:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.7 SU			0.1	2/24/2021
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-HEPA	2/24/2021	10:35:00 AM	2/24/2021	11:30:00 AM	3/2/2021	3:35:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.43 mg/L	0.091		0.4	3/2/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	2/24/2021	10:50:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:23:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	12.9 mg/L			0.1	2/24/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	2/24/2021	10:50:00 AM	2/24/2021	11:30:00 AM	2/24/2021	6:14:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.42 mg/L	0.015		0.1	2/24/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	2/24/2021	10:50:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:23:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	5120 umhos/cm			1	2/24/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	2/24/2021	10:50:00 AM	2/24/2021	11:30:00 AM	2/24/2021	4:45:01 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	5 mg/L			1	2/25/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	2/24/2021	10:50:00 AM	2/24/2021	11:30:00 AM	2/24/2021	10:19:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	3 mg/L			1	2/25/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	2/24/2021	10:50:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:23:00 PM	Water	APHA	SM 2550	Temperature	Total	1.2 deg C			0.1	2/24/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	2/24/2021	10:50:00 AM	2/24/2021	11:30:00 AM	3/2/2021	3:35:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.6 mg/L	0.091		0.4	3/2/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	2/24/2021	10:50:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:34:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2 mg/L			2	3/1/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	2/24/2021	10:50:00 AM	2/24/2021	11:30:00 AM	2/24/2021	11:06:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	488 CFU/100mL			1	2/25/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	2/24/2021	10:50:00 AM	2/24/2021	11:30:00 AM	3/3/2021	10:15:57 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.65 mg/L	0.046		0.1	3/4/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	2/24/2021	10:50:00 AM	2/24/2021	11:30:00 AM	3/1/2021	5:44:50 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10 mg/L	0.011		0.041	3/2/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	2/24/2021	10:50:00 AM	2/24/2021	11:30:00 AM	2/24/2021	1:23:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.76 SU			0.1	2/24/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	2/24/2021	10:50:00 AM	2/24/2021	11:30:00 AM	3/8/2021	9:36:08 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	1520 mg/L	0.85		100	3/9/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	2/25/2021	9:49:00 AM	2/25/2021	11:45:00 AM	3/8/2021	9:36:08 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	852 mg/L	0.85		100	3/9/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	2/25/2021	9:49:00 AM	2/25/2021	11:45:00 AM	2/25/2021	12:30:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	13 mg/L			1	2/26/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	2/25/2021	9:49:00 AM	2/25/2021	11:45:00 AM	3/1/2021	5:44:50 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.37 mg/L	0.011		0.041	3/2/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	2/25/2021	9:49:00 AM	2/25/2021	11:45:00 AM	2/25/2021	1:09:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	2970 umhos/cm			1	2/25/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	2/25/2021	9:49:00 AM	2/25/2021	11:45:00 AM	2/25/2021	12:36:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	3 mg/L			1	2/26/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	2/25/2021	9:49:00 AM	2/25/2021	11:45:00 AM	2/25/2021	1:09:00 PM	Water	APHA	SM 2550	Temperature	Total	3.3 deg C			0.1	2/25/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	2/25/2021	9:49:00 AM	2/25/2021	11:45:00 AM	2/25/2021	1:09:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	11.6 mg/L			0.1	2/25/2021
NBCRWW	NSWRD</																				

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-HEPA	2/25/2021	9:32:00 AM	2/25/2021	11:45:00 AM	3/2/2021	3:35:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.66 mg/L		0.091	0.4	3/2/2021
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-HEPA	2/25/2021	9:32:00 AM	2/25/2021	11:45:00 AM	2/25/2021	2:33:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	3 mg/L			2	3/2/2021
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-HEPA	2/25/2021	9:32:00 AM	2/25/2021	11:45:00 AM	2/25/2021	8:18:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	>2420 CFU/100mL			1	2/26/2021
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-HEPA	2/25/2021	9:32:00 AM	2/25/2021	11:45:00 AM	3/4/2021	12:19:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	1.58 mg/L		0.046	0.5	3/4/2021
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-HEPA	2/25/2021	9:32:00 AM	2/25/2021	11:45:00 AM	3/1/2021	5:44:50 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.19 mg/L		0.011	0.041	3/2/2021
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-HEPA	2/25/2021	9:32:00 AM	2/25/2021	11:45:00 AM	2/25/2021	1:09:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.69 SU			0.1	2/25/2021
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-HEPA	2/25/2021	9:32:00 AM	2/25/2021	11:45:00 AM	3/15/2021	6:13:33 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	1290 mg/L		0.85	100	3/16/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	2/25/2021	10:11:00 AM	2/25/2021	11:45:00 AM	3/2/2021	3:35:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.44 mg/L		0.091	0.4	3/2/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	2/25/2021	10:11:00 AM	2/25/2021	11:45:00 AM	2/26/2021	9:23:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.3 mg/L		0.015	0.1	2/26/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	2/25/2021	10:11:00 AM	2/25/2021	11:45:00 AM	2/25/2021	12:30:00 PM	Water	APHA	SM 2540 G	Total Suspended Solids	Total	28 mg/L			1	2/26/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	2/25/2021	10:11:00 AM	2/25/2021	11:45:00 AM	2/25/2021	12:36:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<5 mg/L			1	2/26/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	2/25/2021	10:11:00 AM	2/25/2021	11:45:00 AM	2/25/2021	1:09:00 PM	Water	APHA	SM 2550	Temperature	Total	3.1 deg C			0.1	2/25/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	2/25/2021	10:11:00 AM	2/25/2021	11:45:00 AM	3/15/2021	6:13:33 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	1370 mg/L		0.85	100	3/16/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	2/25/2021	10:11:00 AM	2/25/2021	11:45:00 AM	2/25/2021	1:09:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.68 SU			0.1	2/25/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	2/25/2021	10:11:00 AM	2/25/2021	11:45:00 AM	2/25/2021	1:09:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	12.3 mg/L			0.1	2/25/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	2/25/2021	10:11:00 AM	2/25/2021	11:45:00 AM	2/25/2021	2:33:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	3 mg/L			2	3/2/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	2/25/2021	10:11:00 AM	2/25/2021	11:45:00 AM	2/25/2021	8:18:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	>2420 CFU/100mL			1	2/26/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	2/25/2021	10:11:00 AM	2/25/2021	11:45:00 AM	3/1/2021	5:44:50 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.19 mg/L		0.011	0.041	3/2/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	2/25/2021	10:11:00 AM	2/25/2021	11:45:00 AM	2/25/2021	1:09:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	4550 umhos/cm			1	2/25/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	2/25/2021	10:11:00 AM	2/25/2021	11:45:00 AM	3/4/2021	12:19:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	1.54 mg/L		0.046	0.5	3/4/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	2/23/2021	7:40:00 AM	2/23/2021	11:20:00 AM	3/3/2021	10:15:57 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	<0.10 mg/L		0.046	0.1	3/4/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	2/23/2021	7:40:00 AM	2/23/2021	11:20:00 AM	2/24/2021	8:55:00 AM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10 mg/L		0.011	0.041	2/24/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	2/23/2021	7:40:00 AM	2/23/2021	11:20:00 AM	2/23/2021	2:22:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	<1 mg/L			1	2/25/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	2/23/2021	7:40:00 AM	2/23/2021	11:20:00 AM	2/23/2021	2:23:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<1 mg/L			1	2/25/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	2/23/2021	7:40:00 AM	2/23/2021	11:20:00 AM	3/8/2021	9:36:08 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	<5 mg/L		0.85	5	3/9/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	2/23/2021	7:40:00 AM	2/23/2021	11:20:00 AM	3/2/2021	3:35:00 PM	Water	APHA	SM 4500N org C	TKN	Total	<0.50 mg/L		0.091	0.4	3/2/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	2/23/2021	7:40:00 AM	2/23/2021	11:20:00 AM	2/24/2021	6:14:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10 mg/L		0.015	0.1	2/24/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	2/23/2021	7:40:00 AM	2/23/2021	11:20:00 AM	2/23/2021	4:26:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1 mg/L			2	3/1/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	2/23/2021	7:40:00 AM	2/23/2021	11:20:00 AM	2/23/2021	11:44:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	<1 CFU/100mL			1	2/24/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	5/13/2021	9:21:00 AM	5/13/2021	11:05:00 AM	5/13/2021	7:43:00 AM	Water	APHA	SM 2550	Temperature	Total	13 deg C			0.1	5/14/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	5/13/2021	9:21:00 AM	5/13/2021	11:05:00 AM	5/13/2021	7:43:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	9.11 mg/L			0.1	5/14/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	5/13/2021	9:21:00 AM	5/13/2021	11:05:00 AM	5/13/2021	12:24:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2 mg/L			2	5/19/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	5/13/2021	9:21:00 AM	5/13/2021	11:05:00 AM	5/13/2021	9:44:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	137 CFU/100mL			1	5/14/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	5/13/2021	9:21:00 AM	5/13/2021	11:05:00 AM	5/24/2021	8:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.97 mg/L		0.011	0.082	5/25/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	5/13/2021	9:21:00 AM	5/13/2021	11:05:00 AM	6/3/2021	8:08:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.34 mg/L		0.091	0.4	6/4/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	5/13/2021	9:21:00 AM	5/13/2021	11:05:00 AM	5/18/2021	3:19:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	14.1 mg/L		0.046	0.1	5/19/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	5/13/2021	9:21:00 AM	5/13/2021	11:05:00 AM	5/14/2021	2:05:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10 mg/L		0.015	0.1	5/17/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	5/13/2021	9:55:00 AM	5/13/2021	11:05:00 AM	5/13/2021	7:43:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	8.76 mg/L			0.1	5/14/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	5/13/2021	9:55:00 AM	5/13/2021	11:05:00 AM	5/13/2021	7:43:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.94 SU			0.1	5/14/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	5/13/2021	9:55:00 AM	5/13/2021	11:05:00 AM	5/14/2021	2:05:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.18 mg/L		0.015	0.1	5/17/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	5/13/2021	9:55:00 AM	5/13/2021	11:05:00 AM	5/13/2021	7:43:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	1474 umhos/cm			1	5/14/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	5/13/2021	9:55:00 AM	5/13/2021	11:05:00 AM	5/13/2021	2:22:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	20 mg/L			1	5/14/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	5/13/2021	9:55:00 AM	5/13/2021	11:05:00 AM	5/13/2021	2:22:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3 mg/L			1	5/14/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	5/13/2021	9:55:00 AM	5/13/2021	11:05:00 AM	5/13/2021	7:43:00 AM	Water	APHA	SM 2550	Temperature	Total	13.4 deg C			0.1	5/14/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	5/13/2021	9:55:00 AM	5/13/2021	11:05:00 AM	6/3/2021	8:08:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.96 mg/L		0.091	0.4	6/4/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	5/13/2021	9:55:00 AM	5/13/2021	11:05:00 AM	5/13/2021	12:24:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2 mg/L			2	5/19/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	5/13/2021	9:55:00 AM	5/13/2021	11:05:00 AM	5/13/2021	9:44:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	361 CFU/100mL			1	5/14/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	5/13/2021	9:55:00 AM	5/13/2021	11:05:00 AM	5/18/2021	3:19:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	13.8 mg/L		0.046	0.1	5/19/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	5/13/2021	9:55:00 AM	5/13/2021	11:05:00 AM	5/24/2021	8:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	1.11 mg/L		0.011	0.082	5/25/2021
NBCRWW	Northern La	MF17	HCCC-09	Middle Fork	Non-HEPA	5/13/2021	9:55:00 AM	5/13/2021	11:05:00 AM	5/20/2021	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	1.7 ug/L			5	5/24/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	5/13/2021	9:55:00 AM	5/13/2021	11:05:00 AM	5/19/2021	8:22:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	347 mg/L		0.85	5	5/25/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	5/12/2021	10:05:00 AM	5/12/2021	11:00:00 AM	5/21/2021	4:54:00 PM	Water	APHA	SM 4500N org C	TKN	Total	2.63 mg/L		0.091	0.4	6/4/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	5/12/2021	10:05:00 AM	5/12/2021	11:00:00 AM	5/14/2021	2:05:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.11 mg/L		0.015	0.1	5/17/2021
NBCRWW	Northern La	SR18	HCCD-10	Skokie River	Non-HEPA	5/12/2021	10:05:00 AM	5/12/2021	11:00:00 AM	5/20/2021	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	1.8 ug/L			1	5/24/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	5/12/2021	10:05:00 AM	5/12/2021	11:00:00 AM	5/12/2021	7:22:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	1363 umhos/cm			1	5/14/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	5/12/2021	10:05:00 AM	5/12/2021	11:00:00 AM	5/12/2021	12:22:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	20 mg/L			1	5/13/2021
NBCRWW	NSWRD	SR																			

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	5/13/2021	9:38:00 AM	5/13/2021	11:05:00 AM	5/24/2021	4:30:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	544	mg/L	0.85	5	5/25/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	5/13/2021	9:38:00 AM	5/13/2021	11:05:00 AM	5/14/2021	2:05:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.19	mg/L	0.015	0.1	5/17/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	5/13/2021	9:38:00 AM	5/13/2021	11:05:00 AM	6/3/2021	8:08:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.54	mg/L	0.091	0.4	6/4/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	5/13/2021	9:38:00 AM	5/13/2021	11:05:00 AM	5/13/2021	2:22:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	24	mg/L		1	5/14/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	5/13/2021	9:38:00 AM	5/13/2021	11:05:00 AM	5/13/2021	7:43:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	2080	umhos/cm		1	5/14/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	5/13/2021	9:38:00 AM	5/13/2021	11:05:00 AM	5/13/2021	2:22:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<7	mg/L		1	5/14/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	5/13/2021	9:38:00 AM	5/13/2021	11:05:00 AM	5/13/2021	7:43:00 AM	Water	APHA	SM 2550	Temperature	Total	13.6	deg C		0.1	5/14/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	5/13/2021	9:38:00 AM	5/13/2021	11:05:00 AM	5/13/2021	7:43:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	8.95	mg/L		0.1	5/14/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	5/13/2021	9:38:00 AM	5/13/2021	11:05:00 AM	5/13/2021	12:24:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	5	mg/L		2	5/19/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	5/13/2021	9:38:00 AM	5/13/2021	11:05:00 AM	5/13/2021	9:44:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	326	CFU/100mL		1	5/14/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	5/13/2021	9:38:00 AM	5/13/2021	11:05:00 AM	5/24/2021	8:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.56	mg/L	0.011	0.041	5/25/2021
NBCRWW	Northern La	WF25	HCCB-01	West Fork	Non-HEPA	5/13/2021	9:38:00 AM	5/13/2021	11:05:00 AM	5/20/2021	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	40	ug/L		1	5/24/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	5/13/2021	9:38:00 AM	5/13/2021	11:05:00 AM	5/13/2021	7:43:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	8.44	SU		0.1	5/14/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	5/13/2021	9:38:00 AM	5/13/2021	11:05:00 AM	5/18/2021	3:19:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	1.81	mg/L	0.046	0.1	5/19/2021
NBCRWW	Northern La	Field Blank			Non-HEPA	5/14/2021	7:25:00 AM	5/14/2021	10:30:00 AM	5/20/2021	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0	ug/L		1	5/24/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	5/14/2021	7:25:00 AM	5/14/2021	10:30:00 AM	5/24/2021	8:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	5/25/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	5/14/2021	7:25:00 AM	5/14/2021	10:30:00 AM	5/14/2021	1:50:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	<5	mg/L		1	5/17/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	5/14/2021	7:25:00 AM	5/14/2021	10:30:00 AM	5/19/2021	8:22:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	<1	mg/L	0.85	5	5/25/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	5/14/2021	7:25:00 AM	5/14/2021	10:30:00 AM	5/21/2021	4:54:00 PM	Water	APHA	SM 4500N org C	TKN	Total	<0.50	mg/L	0.091	0.4	6/4/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	5/14/2021	7:25:00 AM	5/14/2021	10:30:00 AM	5/24/2021	12:54:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	6/9/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	5/14/2021	7:25:00 AM	5/14/2021	10:30:00 AM	5/14/2021	1:10:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	5/19/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	5/14/2021	7:25:00 AM	5/14/2021	10:30:00 AM	5/18/2021	3:19:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	<0.10	mg/L	0.046	0.1	5/19/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	5/14/2021	7:25:00 AM	5/14/2021	10:30:00 AM	5/14/2021	1:50:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<1	mg/L		1	5/18/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	5/14/2021	7:25:00 AM	5/14/2021	10:30:00 AM	5/14/2021	6:58:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	<1	CFU/100mL		1	5/17/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	5/12/2021	7:22:00 AM	5/12/2021	11:00:00 AM	5/12/2021	7:22:00 AM	Water	APHA	SM 2550	Temperature	Total	8.9	deg C		0.1	5/14/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	5/12/2021	7:22:00 AM	5/12/2021	11:00:00 AM	5/12/2021	9:30:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	119	CFU/100mL		1	5/13/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	5/12/2021	7:22:00 AM	5/12/2021	11:00:00 AM	5/12/2021	7:22:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	1142	umhos/cm		1	5/14/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	5/12/2021	7:22:00 AM	5/12/2021	11:00:00 AM	5/12/2021	12:23:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	3	mg/L		1	5/13/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	5/12/2021	7:22:00 AM	5/12/2021	11:00:00 AM	5/19/2021	8:22:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	257	mg/L	0.85	5	5/25/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	5/12/2021	7:22:00 AM	5/12/2021	11:00:00 AM	5/12/2021	7:22:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.33	SU		0.1	5/14/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	5/12/2021	7:22:00 AM	5/12/2021	11:00:00 AM	5/21/2021	4:54:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.33	mg/L	0.091	0.4	6/4/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	5/12/2021	7:22:00 AM	5/12/2021	11:00:00 AM	5/14/2021	2:05:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	5/17/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	5/12/2021	7:22:00 AM	5/12/2021	11:00:00 AM	5/12/2021	4:34:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2	mg/L		2	5/17/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	5/12/2021	7:22:00 AM	5/12/2021	11:00:00 AM	5/18/2021	3:19:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.44	mg/L	0.046	0.1	5/19/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	5/12/2021	7:22:00 AM	5/12/2021	11:00:00 AM	5/24/2021	8:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	5/25/2021
NBCRWW	Northern La	SR1	HCCD-12	Skokie River	Non-HEPA	5/12/2021	7:22:00 AM	5/12/2021	11:00:00 AM	5/20/2021	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	1	ug/L		1	5/24/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	5/12/2021	7:22:00 AM	5/12/2021	11:00:00 AM	5/12/2021	12:22:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	19	mg/L		1	5/13/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	5/12/2021	7:45:00 AM	5/12/2021	11:00:00 AM	5/24/2021	8:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	5/25/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	5/12/2021	7:45:00 AM	5/12/2021	11:00:00 AM	5/12/2021	7:22:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.58	SU		0.1	5/14/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	5/12/2021	7:45:00 AM	5/12/2021	11:00:00 AM	5/12/2021	7:22:00 AM	Water	APHA	SM 2550	Temperature	Total	8.2	deg C		0.1	5/14/2021
NBCRWW	Northern La	SR2	HCCD-07	Skokie River	Non-HEPA	5/12/2021	7:45:00 AM	5/12/2021	11:00:00 AM	5/20/2021	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	1.5	ug/L		1	5/24/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	5/12/2021	7:45:00 AM	5/12/2021	11:00:00 AM	5/12/2021	7:22:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	1978	umhos/cm		1	5/14/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	5/12/2021	7:45:00 AM	5/12/2021	11:00:00 AM	5/12/2021	12:23:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3	mg/L		1	5/13/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	5/12/2021	7:45:00 AM	5/12/2021	11:00:00 AM	5/19/2021	8:22:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	554	mg/L	0.85	5	5/25/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	5/12/2021	7:45:00 AM	5/12/2021	11:00:00 AM	5/21/2021	4:54:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.33	mg/L	0.091	0.4	6/4/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	5/12/2021	7:45:00 AM	5/12/2021	11:00:00 AM	5/12/2021	7:22:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	8.34	mg/L		0.1	5/14/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	5/12/2021	7:45:00 AM	5/12/2021	11:00:00 AM	5/12/2021	4:34:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	5/17/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	5/12/2021	7:45:00 AM	5/12/2021	11:00:00 AM	5/18/2021	3:19:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.1	mg/L	0.046	0.1	5/19/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	5/12/2021	7:45:00 AM	5/12/2021	11:00:00 AM	5/14/2021	2:05:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	5/17/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	5/12/2021	7:45:00 AM	5/12/2021	11:00:00 AM	5/12/2021	12:22:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	7	mg/L		1	5/13/2021
NBCRWW	NSWRD	SR2	HCC																		

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-HEPA	5/14/2021	7:48:00 AM	5/14/2021	10:30:00 AM	5/14/2021	6:58:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	222	CFU/100mL		1	5/17/2021
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-HEPA	5/14/2021	7:48:00 AM	5/14/2021	10:30:00 AM	5/18/2021	3:19:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	<0.10	mg/L	0.046	0.1	5/19/2021
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-HEPA	5/14/2021	7:48:00 AM	5/14/2021	10:30:00 AM	5/21/2021	4:54:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.68	mg/L	0.091	0.4	6/4/2021
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-HEPA	5/14/2021	7:48:00 AM	5/14/2021	10:30:00 AM	5/19/2021	8:22:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	800	mg/L	0.85	5	5/25/2021
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-HEPA	5/14/2021	7:48:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	3030	umhos/cm		1	5/17/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	5/14/2021	8:10:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	7.93	mg/L		0.1	5/17/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	5/14/2021	8:10:00 AM	5/14/2021	10:30:00 AM	5/21/2021	4:54:00 PM	Water	APHA	SM 4500N org C	TKN	Total	2.37	mg/L	0.091	0.4	6/4/2021
NBCRWW	Northern La	MF10	HCCC-14	Middle Fork	Non-HEPA	5/14/2021	8:10:00 AM	5/14/2021	10:30:00 AM	5/20/2021	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	1	ug/L		1	5/24/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	5/14/2021	8:10:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	2150	umhos/cm		1	5/17/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	5/14/2021	8:10:00 AM	5/14/2021	10:30:00 AM	5/14/2021	1:50:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	8	mg/L		1	5/17/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	5/14/2021	8:10:00 AM	5/14/2021	10:30:00 AM	5/14/2021	1:50:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3	mg/L		1	5/18/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	5/14/2021	8:10:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 2550	Temperature	Total	12.1	deg C		0.1	5/17/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	5/14/2021	8:10:00 AM	5/14/2021	10:30:00 AM	5/14/2021	2:05:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	5/17/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	5/14/2021	8:10:00 AM	5/14/2021	10:30:00 AM	5/14/2021	1:10:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	5/19/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	5/14/2021	8:10:00 AM	5/14/2021	10:30:00 AM	5/14/2021	6:58:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	980	CFU/100mL		1	5/17/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	5/14/2021	8:10:00 AM	5/14/2021	10:30:00 AM	5/18/2021	3:19:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	<0.10	mg/L	0.046	0.1	5/19/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	5/14/2021	8:10:00 AM	5/14/2021	10:30:00 AM	5/24/2021	8:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	5/25/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	5/14/2021	8:10:00 AM	5/14/2021	10:30:00 AM	5/19/2021	8:22:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	652	mg/L	0.85	5	5/25/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	5/14/2021	8:10:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.45	SU		0.1	5/17/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	5/14/2021	8:10:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	6.14	mg/L		0.1	5/17/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	5/14/2021	8:25:00 AM	5/14/2021	10:30:00 AM	5/21/2021	4:54:00 PM	Water	APHA	SM 4500N org C	TKN	Total	2.35	mg/L	0.091	0.4	6/4/2021
NBCRWW	Northern La	MF11	HCCC-13	Middle Fork	Non-HEPA	5/14/2021	8:25:00 AM	5/14/2021	10:30:00 AM	5/20/2021	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	4.1	ug/L		1	5/24/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	5/14/2021	8:25:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	2140	umhos/cm		1	5/17/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	5/14/2021	8:25:00 AM	5/14/2021	10:30:00 AM	5/14/2021	1:50:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	36	mg/L		1	5/17/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	5/14/2021	8:25:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.58	SU		0.1	5/17/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	5/14/2021	8:25:00 AM	5/14/2021	10:30:00 AM	5/14/2021	1:50:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<5	mg/L		1	5/18/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	5/14/2021	8:25:00 AM	5/14/2021	10:30:00 AM	5/24/2021	8:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	5/25/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	5/14/2021	8:25:00 AM	5/14/2021	10:30:00 AM	5/14/2021	1:10:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	3	mg/L		2	5/19/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	5/14/2021	8:25:00 AM	5/14/2021	10:30:00 AM	5/14/2021	6:58:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	116	CFU/100mL		1	5/17/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	5/14/2021	8:25:00 AM	5/14/2021	10:30:00 AM	5/18/2021	3:19:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	<0.10	mg/L	0.046	0.1	5/19/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	5/14/2021	8:25:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 2550	Temperature	Total	13.3	deg C		0.1	5/17/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	5/14/2021	8:25:00 AM	5/14/2021	10:30:00 AM	5/19/2021	8:22:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	626	mg/L	0.85	5	5/25/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	5/14/2021	8:25:00 AM	5/14/2021	10:30:00 AM	5/14/2021	2:05:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	5/17/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	5/14/2021	8:46:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	8.87	mg/L		0.1	5/17/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	5/14/2021	8:46:00 AM	5/14/2021	10:30:00 AM	6/3/2021	8:08:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.02	mg/L	0.091	0.4	6/4/2021
NBCRWW	Northern La	MF12	HCCC-12	Middle Fork	Non-HEPA	5/14/2021	8:46:00 AM	5/14/2021	10:30:00 AM	5/20/2021	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	3.1	ug/L		1	5/24/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	5/14/2021	8:46:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	2270	umhos/cm		1	5/17/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	5/14/2021	8:46:00 AM	5/14/2021	10:30:00 AM	5/14/2021	1:50:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	8	mg/L		1	5/17/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	5/14/2021	8:46:00 AM	5/14/2021	10:30:00 AM	5/14/2021	1:50:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3	mg/L		1	5/18/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	5/14/2021	8:46:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 2550	Temperature	Total	14	deg C		0.1	5/17/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	5/14/2021	8:46:00 AM	5/14/2021	10:30:00 AM	5/14/2021	2:05:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	5/17/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	5/14/2021	8:46:00 AM	5/14/2021	10:30:00 AM	5/14/2021	1:10:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2	mg/L		2	5/19/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	5/14/2021	8:46:00 AM	5/14/2021	10:30:00 AM	5/14/2021	6:58:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	78	CFU/100mL		1	5/17/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	5/14/2021	8:46:00 AM	5/14/2021	10:30:00 AM	5/20/2021	8:31:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	<0.10	mg/L	0.046	0.1	5/21/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	5/14/2021	8:46:00 AM	5/14/2021	10:30:00 AM	5/24/2021	8:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	5/25/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	5/14/2021	8:46:00 AM	5/14/2021	10:30:00 AM	5/19/2021	8:22:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	641	mg/L	0.85	5	5/25/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	5/14/2021	8:46:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.68	SU		0.1	5/17/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	5/14/2021	9:11:00 AM	5/14/2021	10:30:00 AM	5/19/2021	8:22:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	646	mg/L	0.85	5	5/25/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	5/14/2021	9:11:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 2550	Temperature	Total	14.4	deg C		0.1	5/17/2021
NBCRWW	Northern La	MF13	HCCC-11	Middle Fork	Non-HEPA	5/14/2021	9:11:00 AM	5/14/2021	10:30:00 AM	5/20/2021	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	2.2	ug/L		1	5/24/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	5/14/2021	9:11:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	2210	umhos/cm		1	5/17/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	5/14/2021	9:11:00 AM	5/14/2021	10:30:00 AM	5/20/2021	8:31:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	<0.10	mg/L	0.046	0.1	5/21/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	5/14/2021	9:11:00 AM	5/14/2021	10:30:00 AM	5/14/2021	12:28:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.76	SU		0.1	5/17/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	5/14/2021	9:11:00 AM	5/14/2021	10:30:00 AM	5/14/2021	1:50:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3	mg/L		1	5/18/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	5/14/2021	9:11:00 AM	5/14/2021	10:30:00 AM	6/3/2021	8:08:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.05	mg/L	0.091	0.4	6/4/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	5/14/2021	9:11:00 AM	5/14/2021	10:30:00 AM	5/14/2021	2:05:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<				

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	7/27/2021	9:35:00 AM	7/27/2021	10:30:00 AM	7/27/2021	1:43:00 PM	Water	APHA	SM 2550	Temperature	Total	24.3	deg C		0.1	7/27/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	7/27/2021	9:35:00 AM	7/27/2021	10:30:00 AM	8/2/2021	9:21:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	420	mg/L	0.85	5	8/2/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	7/27/2021	9:35:00 AM	7/27/2021	10:30:00 AM	7/27/2021	1:43:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.77	SU		0.1	7/27/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	7/27/2021	9:35:00 AM	7/27/2021	10:30:00 AM	7/27/2021	2:52:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	8/3/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	7/27/2021	9:35:00 AM	7/27/2021	10:30:00 AM	7/27/2021	1:43:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	6.92	mg/L		0.1	7/27/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	7/27/2021	9:35:00 AM	7/27/2021	10:30:00 AM	7/30/2021	2:09:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.16	mg/L	0.011	0.041	7/30/2021
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-HEPA	7/28/2021	7:30:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.16	SU		0.1	7/28/2021
NBCRWW	Northern La	WF20	HCCB-07	West Fork	Non-HEPA	7/28/2021	7:30:00 AM	7/28/2021	10:30:00 AM	8/4/2021	10:32:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	10	ug/L		1	8/5/2021
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-HEPA	7/28/2021	7:30:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	1294	umhos/cm		1	7/28/2021
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-HEPA	7/28/2021	7:30:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 2550	Temperature	Total	23.1	deg C		0.1	7/28/2021
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-HEPA	7/28/2021	7:30:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	3.8	mg/L		0.1	7/28/2021
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-HEPA	7/28/2021	7:30:00 AM	7/28/2021	10:30:00 AM	7/28/2021	4:01:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	4	mg/L		2	8/2/2021
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-HEPA	7/28/2021	7:30:00 AM	7/28/2021	10:30:00 AM	7/28/2021	8:57:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	326	CFU/100mL		1	7/29/2021
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-HEPA	7/28/2021	7:30:00 AM	7/28/2021	10:30:00 AM	8/17/2021	8:47:00 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.15	mg/L	0.046	0.1	8/17/2021
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-HEPA	7/28/2021	7:30:00 AM	7/28/2021	10:30:00 AM	8/2/2021	9:21:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	304	mg/L	0.85	5	8/2/2021
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-HEPA	7/28/2021	7:30:00 AM	7/28/2021	10:30:00 AM	7/30/2021	2:09:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.33	mg/L	0.011	0.041	7/30/2021
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:57:00 AM	7/28/2021	10:30:00 AM	7/28/2021	4:01:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	>21	mg/L		2	8/2/2021
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:57:00 AM	7/28/2021	10:30:00 AM	7/28/2021	8:57:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	>2420	CFU/100mL		1	7/29/2021
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:57:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	3.68	mg/L		0.1	7/28/2021
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:57:00 AM	7/28/2021	10:30:00 AM	8/2/2021	9:21:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	232	mg/L	0.85	5	8/2/2021
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:57:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 2550	Temperature	Total	23.2	deg C		0.1	7/28/2021
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:57:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	1057	umhos/cm		1	7/28/2021
NBCRWW	Northern La	WF21	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:57:00 AM	7/28/2021	10:30:00 AM	8/4/2021	10:32:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	1	ug/L		1	8/5/2021
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:57:00 AM	7/28/2021	10:30:00 AM	8/17/2021	8:47:00 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.41	mg/L	0.046	0.1	8/17/2021
NBCRWW	NSWRD	WF21DUP	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:58:00 AM	7/28/2021	10:30:00 AM	7/28/2021	4:01:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	>21	mg/L		2	8/2/2021
NBCRWW	Northern La	WF21DUP	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:58:00 AM	7/28/2021	10:30:00 AM	8/4/2021	10:32:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0.6	ug/L		1	8/5/2021
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:57:00 AM	7/28/2021	10:30:00 AM	7/30/2021	2:09:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.39	mg/L	0.011	0.041	7/30/2021
NBCRWW	NSWRD	WF21DUP	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:58:00 AM	7/28/2021	10:30:00 AM	7/28/2021	8:57:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	>2420	CFU/100mL		1	7/29/2021
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:57:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.26	SU		0.1	7/28/2021
NBCRWW	NSWRD	WF21DUP	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:58:00 AM	7/28/2021	10:30:00 AM	8/17/2021	8:47:00 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.35	mg/L	0.046	0.1	8/17/2021
NBCRWW	NSWRD	WF21DUP	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:58:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	3.54	mg/L		0.1	7/28/2021
NBCRWW	NSWRD	WF21DUP	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:58:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.32	SU		0.1	7/28/2021
NBCRWW	NSWRD	WF21DUP	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:58:00 AM	7/28/2021	10:30:00 AM	8/2/2021	9:21:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	225	mg/L	0.85	5	8/2/2021
NBCRWW	NSWRD	WF21DUP	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:58:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 2550	Temperature	Total	23	deg C		0.1	7/28/2021
NBCRWW	NSWRD	WF21DUP	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:58:00 AM	7/28/2021	10:30:00 AM	8/20/2021	3:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.4	mg/L	0.011	0.041	8/20/2021
NBCRWW	NSWRD	WF21DUP	HCCB-06	West Fork	Non-HEPA	7/28/2021	7:58:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	1069	umhos/cm		1	7/28/2021
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-HEPA	7/28/2021	8:15:00 AM	7/28/2021	10:30:00 AM	8/17/2021	8:47:00 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	2	mg/L	0.046	0.1	8/17/2021
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-HEPA	7/28/2021	8:15:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 2550	Temperature	Total	23.2	deg C		0.1	7/28/2021
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-HEPA	7/28/2021	8:15:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.3	SU		0.1	7/28/2021
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-HEPA	7/28/2021	8:15:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	1129	umhos/cm		1	7/28/2021
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-HEPA	7/28/2021	8:15:00 AM	7/28/2021	10:30:00 AM	7/28/2021	8:57:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	>2420	CFU/100mL		1	7/29/2021
NBCRWW	Northern La	WF22	HCCB-03	West Fork	Non-HEPA	7/28/2021	8:15:00 AM	7/28/2021	10:30:00 AM	8/4/2021	10:32:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	3	ug/L		1	8/5/2021
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-HEPA	7/28/2021	8:15:00 AM	7/28/2021	10:30:00 AM	8/20/2021	3:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.77	mg/L	0.011	0.041	8/20/2021
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-HEPA	7/28/2021	8:15:00 AM	7/28/2021	10:30:00 AM	7/28/2021	4:01:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	>21	mg/L		2	8/2/2021
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-HEPA	7/28/2021	8:15:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	4.96	mg/L		0.1	7/28/2021
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-HEPA	7/28/2021	8:39:00 AM	7/28/2021	10:30:00 AM	8/2/2021	9:21:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	243	mg/L	0.85	5	8/2/2021
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-HEPA	7/28/2021	8:39:00 AM	7/28/2021	10:30:00 AM	7/28/2021	8:57:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	80	CFU/100mL		1	7/29/2021
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-HEPA	7/28/2021	8:39:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	8.35	mg/L		0.1	7/28/2021
NBCRWW	Northern La	WF23	HCCB-12	West Fork	Non-HEPA	7/28/2021	8:39:00 AM	7/28/2021	10:30:00 AM	8/4/2021	10:32:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	24	ug/L		1	8/5/2021
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-HEPA	7/28/2021	8:39:00 AM	7/28/2021	10:30:00 AM	7/28/2021	1:21:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	1262	umhos/cm		1	7

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	trans-Chlordane	Total	<0.038	ug/L	0.0069	0.038	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Toxaphene	Total	<0.38	ug/L	0.19	0.38	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/20/2021	10:06:00 PM	Water	USEPA	8082A	PCB-1260	Total	<0.38	ug/L	0.067	0.38	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,3-Dichlorobenzene	Total	<1.0	ug/L	0.4	1	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Endosulfan I	Total	<0.040	ug/L	0.0039	0.038	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	4-Methyl-2-pentanone (MIBK)	Total	<5.0	ug/L	2.2	5	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,1-Dichloroethene	Total	<1.0	ug/L	0.39	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,2-Dibromo-3-Chloropropane	Total	<5.0	ug/L	2	5	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,2-Dichlorobenzene	Total	<1.0	ug/L	0.33	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	2-Chloroethyl vinyl ether	Total	<2.0	ug/L	0.77	2	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,2-Dichloropropane	Total	<1.0	ug/L	0.43	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Acenaphthylene	Total	<0.81	ug/L	0.21	0.77	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,4-Dichlorobenzene	Total	<1.0	ug/L	0.36	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	2-Butanone (MEK)	Total	<5.0	ug/L	2.1	5	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,1-Dichloroethane	Total	<1.0	ug/L	0.41	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	2-Hexanone	Total	<5.0	ug/L	1.6	5	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/20/2021	10:06:00 PM	Water	USEPA	8082A	Polychlorinated biphenyls, Total	Total	<0.38	ug/L	0.19	0.38	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Acetone	Total	<10.0	ug/L	1.7	5	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,2-Dichloroethane	Total	<1.0	ug/L	0.39	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Styrene	Total	<1.0	ug/L	0.39	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	cis-1,2-Dichloroethene	Total	<1.0	ug/L	0.41	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Bromoform	Total	<1.0	ug/L	0.48	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Endrin aldehyde	Total	<0.038	ug/L	0.0079	0.038	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Carbon disulfide	Total	<2.0	ug/L	0.45	2	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Carbon tetrachloride	Total	<1.0	ug/L	0.38	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Methoxychlor	Total	<0.076	ug/L	0.022	0.077	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Chloromethane	Total	<1.0	ug/L	0.32	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Benzo[g,h,i]perylene	Total	<0.81	ug/L	0.29	0.77	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	cis-1,3-Dichloropropene	Total	<1.0	ug/L	0.42	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Dibromochloromethane	Total	<1.0	ug/L	0.49	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Dichlorodifluoromethane	Total	<3.0	ug/L	0.67	2	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Ethylbenzene	Total	<0.50	ug/L	0.18	0.5	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Methylene chloride	Total	<5.0	ug/L	1.6	5	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Tetrachloroethene	Total	<1.0	ug/L	0.37	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Chloroethane	Total	<1.0	ug/L	0.51	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Acenaphthene	Total	<0.81	ug/L	0.24	0.77	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Chloroform	Total	<2.0	ug/L	0.37	2	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Toluene	Total	<0.50	ug/L	0.15	0.5	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	<1.0	ug/L	0.35	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	<1.0	ug/L	0.36	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Trichloroethene	Total	<0.50	ug/L	0.16	0.5	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Trichlorofluoromethane	Total	<1.0	ug/L	0.43	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Xylenes, Total	Total	<1.0	ug/L	0.22	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Bromodichloromethane	Total	<1.0	ug/L	0.37	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Benzo[k]fluoranthene	Total	<0.16	ug/L	0.05	0.15	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Methyl-tert-butyl ether	Total	<1.0	ug/L	0.39	1	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Anthracene	Total	<0.81	ug/L	0.26	0.77	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Benzo[a]anthracene	Total	<0.16	ug/L	0.044	0.15	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Benzo[a]pyrene	Total	<0.16	ug/L	0.077	0.15	9/3/2021
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021															

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Anthracene	Total	<0.84	ug/L	0.26	0.77	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Acenaphthylene	Total	<0.84	ug/L	0.21	0.77	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Bromomethane	Total	<3.0	ug/L	0.8	2	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Xylenes, Total	Total	<1.0	ug/L	0.22	1	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Naphthalene	Total	<0.84	ug/L	0.24	0.77	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Trichlorofluoromethane	Total	<1.0	ug/L	0.43	1	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	<1.0	ug/L	0.35	1	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Phenanthrene	Total	<0.84	ug/L	0.23	0.77	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Pyrene	Total	<0.84	ug/L	0.33	0.77	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Arsenic	Total	1.4	ug/L	0.23	1	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Acenaphthene	Total	<0.84	ug/L	0.24	0.77	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Cadmium	Total	<0.50	ug/L	0.17	0.5	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Benzo[b]fluoranthene	Total	<0.17	ug/L	0.062	0.15	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Copper	Total	3.9	ug/L	0.5	2	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Fluoranthene	Total	<0.84	ug/L	0.35	0.77	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Lead	Total	<0.50	ug/L	0.19	0.5	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Nickel	Total	<2.0	ug/L	0.63	2	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Silver	Total	<0.50	ug/L	0.12	0.5	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Zinc	Total	<20	ug/L	6.9	20	9/3/2021
NBCRWW	Northern Lab	SR1	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:00:00 AM	8/17/2021	10:40:00 AM	8/25/2021	10:59:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	3.5	ug/L			9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Chromium	Total	<5.0	ug/L	1.1	5	9/3/2021
NBCRWW	Test America	SR1DUP	HCCD-12	Skokie River	Non-HEPA	8/17/2021	7:01:00 AM	8/17/2021	10:40:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Barium	Total	35	ug/L	0.73	2.5	9/3/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	8/17/2021	7:37:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:54:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	6.8	SU		0.1	8/17/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	8/17/2021	7:37:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:54:00 PM	Water	APHA	SM 2550	Temperature	Total	19.7	deg C		0.1	8/17/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	8/17/2021	7:37:00 AM	8/17/2021	10:40:00 AM	8/17/2021	9:16:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	269	CFU/100mL		1	8/18/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	8/17/2021	7:37:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:18:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	8	mg/L		1	8/18/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	8/17/2021	7:37:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:54:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	1343	umhos/cm		1	8/17/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	8/17/2021	7:37:00 AM	8/17/2021	10:40:00 AM	8/17/2021	1:57:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<2	mg/L		1	8/18/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	8/17/2021	7:37:00 AM	8/17/2021	10:40:00 AM	8/23/2021	9:29:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.12	mg/L	0.015	0.1	8/25/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	8/17/2021	7:37:00 AM	8/17/2021	10:40:00 AM	8/17/2021	3:30:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	8/30/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	8/17/2021	7:37:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:54:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	5.38	mg/L		0.1	8/17/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	8/17/2021	7:37:00 AM	8/17/2021	10:40:00 AM	8/25/2021	7:09:00 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrites	Dissolved	0.36	mg/L	0.046	0.1	9/9/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	8/17/2021	7:37:00 AM	8/17/2021	10:40:00 AM	8/23/2021	4:08:00 PM	Water	APHA	SM 4500N org C	TKN	Total	0.52	mg/L	0.091	0.4	9/3/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	8/17/2021	7:37:00 AM	8/17/2021	10:40:00 AM	8/20/2021	3:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.11	mg/L	0.011	0.041	8/20/2021
NBCRWW	Northern Lab	SR2	HCCD-07	Skokie River	Non-HEPA	8/17/2021	7:37:00 AM	8/17/2021	10:40:00 AM	8/25/2021	10:59:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0.4	ug/L			9/3/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	8/17/2021	7:37:00 AM	8/17/2021	10:40:00 AM	8/24/2021	12:27:00 PM	Water	APHA	SM 4500-CL E	Chloride	Total	350	mg/L	0.85	5	8/25/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	8/17/2021	7:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:54:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	5.74	mg/L		0.1	8/17/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	8/17/2021	7:55:00 AM	8/17/2021	10:40:00 AM	8/23/2021	4:08:00 PM	Water	APHA	SM 4500N org C	TKN	Total	0.59	mg/L	0.091	0.4	9/3/2021
NBCRWW	Northern Lab	SR3	HCCD-11	Skokie River	Non-HEPA	8/17/2021	7:55:00 AM	8/17/2021	10:40:00 AM	8/25/2021	10:59:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0.4	ug/L			9/3/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	8/17/2021	7:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:54:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	1220	umhos/cm		1	8/17/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	8/17/2021	7:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:18:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	5	mg/L		1	8/18/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	8/17/2021	7:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	1:57:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3	mg/L		1	8/18/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	8/17/2021	7:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:54:00 PM	Water	APHA	SM 2550	Temperature	Total	19.6	deg C		0.1	8/17/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	8/17/2021	7:55:00 AM	8/17/2021	10:40:00 AM	8/23/2021	9:29:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.15	mg/L	0.015	0.1	8/25/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	8/17/2021	7:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	3:30:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	8/30/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	8/17/2021	7:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	9:16:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	74	CFU/100mL		1	8/18/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	8/17/2021	7:55:00 AM	8/17/2021	10:40:00 AM	8/25/2021	7:09:00 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrites	Dissolved	0.34	mg/L	0.046	0.1	9/9/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	8/17/2021	7:55:00 AM	8/17/2021	10:40:00 AM	8/20/2021	3:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.15	mg/L	0.011	0.041	8/20/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	8/17/2021	7:55:00 AM	8/17/2021	10:40:00 AM	8/24/2021	12:27:00 PM	Water	APHA	SM 4500-CL E	Chloride	Total	308	mg/L	0.85	5	8/25/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	8/17/2021	7:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:54:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.35	SU		0.1	8/17/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	8/17/2021	8:22:00 AM	8/17/2021	10:40:00 AM	8/24/2021	12:27:00 PM	Water	APHA	SM 4500-CL E	Chloride	Total	294	mg/L	0.85	5	8/25/2021
NBCRWW	Northern Lab	SR4	HCCD-06	Skokie River	Non-HEPA	8/17/2021	8:22:00 AM	8/17/2021	10:40:00 AM	8/25/2021	10:59:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0	ug/L			9/3/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	8/17/2021	8:22:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:54:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.08	SU		0.1	8/17/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	8/17/2021	8:22:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:54:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	1222	umhos/cm		1	8/17/2021
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-HEPA	8/17/2021	8:22:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:18:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	2	mg/L		1	8/18/2021
NBCRWW	NSWRD	SR4	HCCD																		

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/20/2021	10:06:00 PM	Water	USEPA	8082A	PCB-1254	Total	<0.42	ug/L	0.19	0.38	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/20/2021	10:06:00 PM	Water	USEPA	8082A	PCB-1016	Total	<0.42	ug/L	0.064	0.38	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 PM	Water	USEPA	8081B	Chlordane	Total	<0.084	ug/L	0.038	0.077	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,1,1-Trichloroethane	Total	<1.0	ug/L	0.38	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 PM	Water	USEPA	8081B	beta-BHC	Total	<0.042	ug/L	0.0098	0.038	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,1,2-Trichloroethane	Total	<1.0	ug/L	0.35	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,1-Dichloroethane	Total	<1.0	ug/L	0.41	1	9/3/2021
NBCRWW	NSWRD	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/26/2021	6:06:00 PM	Water	APHA	SM 3111 B	Sodium	Total	380	mg/L	0.22	0.5	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,1-Dichloroethane	Total	<1.0	ug/L	0.39	1	9/3/2021
NBCRWW	Northern Lab	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/25/2021	10:59:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	3.8	ug/L			9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/20/2021	10:06:00 PM	Water	USEPA	8082A	PCB-1260	Total	<0.42	ug/L	0.067	0.38	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/20/2021	10:06:00 PM	Water	USEPA	8082A	Polychlorinated biphenyls, Total	Total	<0.42	ug/L	0.19	0.38	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Acrolein	Total	<100	ug/L	23	100	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Iron	Total	460	ug/L	47	100	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,4-Dichlorobenzene	Total	<1.0	ug/L	0.36	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	2-Butanone (MEK)	Total	<5.0	ug/L	2.1	5	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	2-Chloroethyl vinyl ether	Total	<2.0	ug/L	0.77	2	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Bromomethane	Total	<3.0	ug/L	0.8	2	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,2-Dichloropropane	Total	<1.0	ug/L	0.43	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Carbon disulfide	Total	<2.0	ug/L	0.45	2	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,2-Dichloroethane	Total	<1.0	ug/L	0.39	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Acrylonitrile	Total	<20.0	ug/L	4.5	20	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Benzene	Total	<0.50	ug/L	0.15	0.5	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Vinyl chloride	Total	<1.0	ug/L	0.2	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Bromoform	Total	<1.0	ug/L	0.48	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Toluene	Total	<0.50	ug/L	0.15	0.5	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	2-Hexanone	Total	<5.0	ug/L	1.6	5	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	4-Methyl-2-pentanone (MIBK)	Total	<5.0	ug/L	2.2	5	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Dichlorodifluoromethane	Total	<3.0	ug/L	0.67	2	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Benzo[a]anthracene	Total	<0.17	ug/L	0.044	0.15	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Chlorobenzene	Total	<1.0	ug/L	0.39	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Chloroethane	Total	<1.0	ug/L	0.51	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Chloroform	Total	<2.0	ug/L	0.37	2	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Chloromethane	Total	<1.0	ug/L	0.32	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,3-Dichlorobenzene	Total	<1.0	ug/L	0.4	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	cis-1,3-Dichloropropene	Total	<1.0	ug/L	0.42	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Carbon tetrachloride	Total	<1.0	ug/L	0.38	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Methylene chloride	Total	<5.0	ug/L	1.6	5	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Bromodichloromethane	Total	<1.0	ug/L	0.37	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Styrene	Total	<1.0	ug/L	0.39	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Tetrachloroethene	Total	<1.0	ug/L	0.37	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Ethylbenzene	Total	<0.50	ug/L	0.18	0.5	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Acetone	Total	<10.0	ug/L	1.7	5	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	cis-1,2-Dichloroethene	Total	<1.0	ug/L	0.41	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Indeno[1,2,3-cd]pyrene	Total	<0.17	ug/L	0.058	0.15	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Trichlorofluoromethane	Total	<1.0	ug/L	0.43	1	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Acenaphthene	Total	<0.84	ug/L	0.24	0.77	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Phenanthrene	Total	<0.84	ug/L	0.23	0.77	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Anthracene	Total	<0.84	ug/L	0.26	0.77	9/3/2021
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-HEPA	8/18/2021	7:01:00 AM	8/18/2021	10:30:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Naphthalene	Total	<0.84	ug/L	0.24		

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-HEPA	8/18/2021	9:22:00 AM	8/18/2021	10:30:00 AM	8/24/2021	12:27:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	571 mg/L	0.85	5	8/25/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/26/2021	6:06:00 PM	Water	APHA	SM 3111 B	Sodium	Total	320 mg/L	0.22	0.5	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	4,4'-DDE	Total	<0.042 ug/L	0.0036	0.038	9/3/2021	
NBCRWW	Northern Lab	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/25/2021	10:59:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0.9 ug/L			9/3/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/18/2021	12:06:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	1855 umhos/cm		1	8/18/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/18/2021	12:15:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	5 mg/L		1	8/19/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/18/2021	12:15:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	1 mg/L		1	8/20/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/25/2021	7:09:00 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.12 mg/L	0.046	0.1	9/9/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Aldrin	Total	<0.042 ug/L	0.0051	0.038	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	4,4'-DDD	Total	<0.042 ug/L	0.013	0.038	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water			sur: Toluene-d8	Total	97 %			9/3/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/24/2021	12:27:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	560 mg/L	0.85	5	8/25/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/18/2021	12:06:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.47 SU		0.1	8/18/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/30/2021	3:21:00 PM	Water	APHA	SM 4500N org C	TKN	Total	<0.50 mg/L	0.091	0.4	9/3/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/23/2021	9:29:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.14 mg/L	0.015	0.1	8/25/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/18/2021	12:06:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	6.97 mg/L		0.1	8/18/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/26/2021	6:06:00 PM	Water	APHA	SM 3111 B	Calcium	Total	54 mg/L	0.027	0.5	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Dieldrin	Total	<0.042 ug/L	0.012	0.038	9/3/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/18/2021	12:06:00 PM	Water	APHA	SM 2550	Temperature	Total	23.8 deg C		0.1	8/18/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/20/2021	3:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.15 mg/L	0.011	0.041	8/20/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water			sur: 1,2-Dichloroethane-d4	Total	101 %			9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	3:55:00 PM	Water			sur: 2-Fluorobiphenyl	Total	66 %			9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/20/2021	10:06:00 PM	Water			sur: DCB Decachlorobiphenyl	Total	83 %			9/3/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/18/2021	8:16:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	354 CFU/100mL		1	8/19/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/26/2021	6:06:00 PM	Water	APHA	SM 3111 B	Magnesium	Total	25 mg/L	0.019	0.5	9/3/2021	
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/18/2021	4:02:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1 mg/L		2	8/30/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	3:55:00 PM	Water			sur: Nitrobenzene-d5	Total	67 %			9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	3:55:00 PM	Water			sur: Terphenyl-d14	Total	104 %			9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water			sur: Trichloro-m-xylene	Total	62 %			9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,2-Dibromo-3-Chloropropane	Total	<5.0 ug/L	2	5	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	4,4'-DDT	Total	<0.042 ug/L	0.0031	0.038	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water			sur: 4-Bromofluorobenzene	Total	91 %			9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Endrin	Total	<0.042 ug/L	0.014	0.038	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	beta-BHC	Total	<0.042 ug/L	0.0098	0.038	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/20/2021	10:06:00 PM	Water	USEPA	8082A	PCB-121	Total	<0.42 ug/L	0.19	0.38	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	delta-BHC	Total	<0.042 ug/L	0.0099	0.038	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Methoxychlor	Total	<0.085 ug/L	0.022	0.077	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Endosulfan I	Total	<0.042 ug/L	0.0039	0.038	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,1-Dichloroethene	Total	<1.0 ug/L	0.39	1	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Endosulfan sulfate	Total	<0.042 ug/L	0.011	0.038	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,1-Dichloroethane	Total	<1.0 ug/L	0.41	1	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Endrin aldehyde	Total	<0.042 ug/L	0.0079	0.038	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Endrin ketone	Total	<0.042 ug/L	0.016	0.038	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	gamma-BHC (Lindane)	Total	<0.042 ug/L	0.0054	0.038	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Heptachlor	Total	<0.042 ug/L	0.013	0.038	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Heptachlor epoxide	Total	<0.042 ug/L	0.013	0.038	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water			sur: Dibromofluoromethane	Total	102 %			9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Endosulfan II	Total	<0.042 ug/L	0.0027	0.038	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/20/2021	10:06:00 PM	Water	USEPA	8082A	PCB-1254	Total	<0.42 ug/L	0.19	0.38	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	alpha-BHC	Total	<0.042 ug/L	0.0025	0.038	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/2021	9:43:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Chlordane	Total	<0.085 ug/L	0.038	0.077	9/3/2021	
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-HEPA	8/18/20															

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	trans-Chlordane	Total	<0.040	ug/L	0.0069	0.038	9/3/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/26/2021	6:06:00 PM	Water	APHA	SM 3111 B	Sodium	Total	110	mg/L	0.22	0.5	9/3/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/26/2021	6:06:00 PM	Water	APHA	SM 3111 B	Magnesium	Total	26	mg/L	0.019	0.5	9/3/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/26/2021	6:06:00 PM	Water	APHA	SM 3111 B	Calcium	Total	56	mg/L	0.027	0.5	9/3/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:54:00 PM	Water	APHA	SM 2550	Temperature	Total	22.4	deg C		0.1	8/17/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	1:57:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	8	mg/L		1	8/18/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:54:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	999	umhos/cm		1	8/17/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/24/2021	12:27:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	190	mg/L	0.85	5	8/25/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	surr: DCB Decachlorobiphenyl	Total	142	%		1	9/3/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:18:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	24	mg/L		1	8/18/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/25/2021	7:09:00 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	9.98	mg/L	0.046	0.1	9/9/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/23/2021	4:08:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.34	mg/L	0.091	0.4	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8081B	surr: Terphenyl-d14	Total	112	%		1	9/3/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:54:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	7.22	mg/L		0.1	8/17/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	9:16:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	733	CFU/100mL		1	8/18/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/20/2021	3:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.38	mg/L	0.011	0.041	8/20/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8081B	surr: 1,2-Dichloroethane-d4	Total	99	%		1	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8081B	surr: 2-Fluorobiphenyl	Total	71	%		1	9/3/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/23/2021	9:29:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.12	mg/L	0.015	0.1	8/25/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/20/2021	10:06:00 PM	Water	USEPA	8081B	surr: DCB Decachlorobiphenyl	Total	122	%		1	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Dieldrin	Total	<0.040	ug/L	0.012	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8081B	surr: Dibromofluoromethane	Total	102	%		1	9/3/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	12:54:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	6.76	SU		0.1	8/17/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8081B	surr: 4-Bromofluorobenzene	Total	91	%		1	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Chlordane	Total	<0.080	ug/L	0.038	0.077	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	<1.0	ug/L	0.36	1	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	surr: Toluene-d8	Total	97	%		1	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	surr: Tetrachloro-m-xylene	Total	116	%		1	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	alpha-Chlordane	Total	<0.040	ug/L	0.0042	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	alpha-BHC	Total	<0.040	ug/L	0.0025	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Aldrin	Total	<0.040	ug/L	0.0051	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	4,4'-DDT	Total	<0.040	ug/L	0.0031	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	4,4'-DDE	Total	<0.040	ug/L	0.0036	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/24/2021	11:45:00 AM	Water	USEPA	1631 E	Mercury, Low Level	Total	2.9	ng/L	0.14	0.5	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	beta-BHC	Total	<0.040	ug/L	0.0098	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Endosulfan II	Total	<0.040	ug/L	0.0027	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	4,4'-DDD	Total	<0.040	ug/L	0.013	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Endrin ketone	Total	<0.040	ug/L	0.016	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	delta-BHC	Total	<0.040	ug/L	0.0099	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Endosulfan I	Total	<0.040	ug/L	0.0039	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Endosulfan sulfate	Total	<0.040	ug/L	0.011	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Endrin	Total	<0.040	ug/L	0.014	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Endrin aldehyde	Total	<0.040	ug/L	0.0079	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/20/2021	10:06:00 PM	Water	USEPA	8081B	surr: Tetrachloro-m-xylene gamma-BHC (Lindane)	Total	101	%		1	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	4,4'-DDT	Total	<0.040	ug/L	0.0054	0.038	9/3/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/17/2021	3:30:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	3	mg/L		2	8/30/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Heptachlor epoxide	Total	<0.040	ug/L	0.013	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Toxaphene	Total	<0.40	ug/L	0.19	0.38	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA	8/17/2021	9:55:00 AM	8/17/2021	10:40:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	Heptachlor	Total	<0.040	ug/L	0.013	0.038	9/3/2021
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-HEPA</																

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:05:00 AM	Water	USEPA	8081B	surr: DCB Decachlorobiphenyl	Total	64 %			0.038	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	Endosulfan sulfate	Total	<0.040 ug/L	0.011		0.038	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	alpha-Chlordane	Total	<0.040 ug/L	0.0042		0.038	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	beta-BHC	Total	<0.040 ug/L	0.0098		0.038	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	Chlordane	Total	<0.080 ug/L	0.038		0.077	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	alpha-BHC	Total	<0.040 ug/L	0.0025		0.038	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	Dieldrin	Total	<0.040 ug/L	0.012		0.038	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	delta-BHC	Total	<0.040 ug/L	0.0099		0.038	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	Endosulfan II	Total	<0.040 ug/L	0.0027		0.038	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:05:00 AM	Water	USEPA	8082A	PCB-1242	Total	<0.40 ug/L	0.19		0.38	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	Endrin	Total	<0.040 ug/L	0.014		0.038	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	Endrin aldehyde	Total	<0.040 ug/L	0.0079		0.038	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	Endrin ketone	Total	<0.040 ug/L	0.016		0.038	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	gamma-BHC (Lindane)	Total	<0.040 ug/L	0.0054		0.038	9/7/2021
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/31/2021	3:12:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.96 mg/L	0.011		0.082	8/31/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	<1.0 ug/L	0.35		1	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	Endosulfan I	Total	<0.040 ug/L	0.0039		0.038	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,1-Dichloroethane	Total	<1.0 ug/L	0.41		1	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	Toxaphene	Total	<0.40 ug/L	0.19		0.38	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	trans-Chlordane	Total	<0.040 ug/L	0.0069		0.038	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:05:00 AM	Water	USEPA	8082A	PCB-1016	Total	<0.40 ug/L	0.064		0.38	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:05:00 AM	Water	USEPA	8082A	PCB-1221	Total	<0.40 ug/L	0.19		0.38	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:05:00 AM	Water	USEPA	8082A	PCB-1232	Total	<0.40 ug/L	0.19		0.38	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	Aldrin	Total	<0.040 ug/L	0.0051		0.038	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:05:00 AM	Water	USEPA	8082A	PCB-1248	Total	<0.40 ug/L	0.19		0.38	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:00 PM	Water	USEPA	EPA 200.8	Zinc	Total	<20 ug/L	6.9		20	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:05:00 AM	Water	USEPA	8082A	PCB-1260	Total	<0.40 ug/L	0.067		0.38	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,1,1-Trichloroethane	Total	<1.0 ug/L	0.38		1	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,1,2,2-Tetrachloroethane	Total	<1.0 ug/L	0.4		1	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,1,2-Trichloroethane	Total	<1.0 ug/L	0.35		1	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,1-Dichloroethene	Total	<1.0 ug/L	0.39		1	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	4,4'-DDT	Total	<0.040 ug/L	0.0031		0.038	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/24/2021	1:21:00 AM	Water	USEPA	8081B	Methoxychlor	Total	<0.080 ug/L	0.022		0.077	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	2-Butanone (MEK)	Total	<5.0 ug/L	2.1		5	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	2-Chloroethyl vinyl ether	Total	<2.0 ug/L	0.77		2	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,2-Dichloroethane	Total	<1.0 ug/L	0.39		1	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,2-Dichloropropane	Total	<1.0 ug/L	0.43		1	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Phenanthrene	Total	<0.86 ug/L	0.23		0.77	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Toluene	Total	<0.50 ug/L	0.15		0.5	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Bromoform	Total	<1.0 ug/L	0.48		1	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Acetone	Total	<10.0 ug/L	1.7		5	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Styrene	Total	<1.0 ug/L	0.39		1	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Bromomethane	Total	<3.0 ug/L	0.8		2	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	4-Methyl-2-pentanone (MIBK)	Total	<5.0 ug/L	2.2		5	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Acrolein	Total	<100 ug/L	23		100	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Acrylonitrile	Total	<20.0 ug/L	4.5		20	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Benzene	Total	<0.50 ug/L	0.15		0.5	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Bromodichloromethane	Total	<1.0 ug/L	0.37		1	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,3-Dichlorobenzene	Total	<1.0 ug/L	0.4		1	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Methylene chloride	Total	<5.0 ug/L	1.6		5	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[a]pyrene	Total	<0.17 ug/L	0.077		0.15	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Dichlorodifluoromethane	Total	<3.0 ug/L	0.67		2	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8260B	surr: Nitrobenzene-d5	Total	73 %				9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Chloroform	Total	<2.0 ug/L	0.37		2	9/7/2021
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-HEPA	8/19/2021	10:26:00 AM														

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,1-Dichloroethane	Total	<1.0	ug/L	0.41	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/24/2021	12:42:00 AM	Water	USEPA	8081B	beta-BHC	Total	<0.040	ug/L	0.0098	0.038	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/24/2021	12:42:00 AM	Water	USEPA	8081B	Methoxychlor	Total	<0.080	ug/L	0.022	0.077	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	2-Chloroethyl vinyl ether	Total	<2.0	ug/L	0.77	2	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	2-Butanone (MEK)	Total	<5.0	ug/L	2.1	5	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,2-Dichloroethane	Total	<1.0	ug/L	0.39	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Fluoranthene	Total	<0.94	ug/L	0.35	0.77	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Toluene	Total	<0.50	ug/L	0.15	0.5	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,3-Dichlorobenzene	Total	<1.0	ug/L	0.4	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Methyl-tert-butyl ether	Total	<1.0	ug/L	0.39	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Acrolein	Total	<100	ug/L	23	100	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Tetrachloroethene	Total	<1.0	ug/L	0.37	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Bromomethane	Total	<3.0	ug/L	0.8	2	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Acetone	Total	<10.0	ug/L	1.7	5	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,2-Dichloropropane	Total	<1.0	ug/L	0.43	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8260B	surr: Nitrobenzene-d5	Total		1 %			9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Benzene	Total	<0.50	ug/L	0.15	0.5	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Bromoform	Total	<1.0	ug/L	0.48	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,4-Dichlorobenzene	Total	<1.0	ug/L	0.36	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	cis-1,3-Dichloropropene	Total	<1.0	ug/L	0.42	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Chlorobenzene	Total	<1.0	ug/L	0.39	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Carbon tetrachloride	Total	<1.0	ug/L	0.38	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Chloroethane	Total	<1.0	ug/L	0.51	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Chloroform	Total	<2.0	ug/L	0.37	2	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Chloromethane	Total	<1.0	ug/L	0.32	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	2-Hexanone	Total	<5.0	ug/L	1.6	5	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Carbon disulfide	Total	<2.0	ug/L	0.45	2	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Bromodichloromethane	Total	<1.0	ug/L	0.37	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Dibromochloromethane	Total	<1.0	ug/L	0.49	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Dichlorodifluoromethane	Total	<3.0	ug/L	0.67	2	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Ethylbenzene	Total	<0.50	ug/L	0.18	0.5	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Methylene chloride	Total	<5.0	ug/L	1.6	5	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Styrene	Total	<1.0	ug/L	0.39	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	4-Methyl-2-pentanone (MIBK)	Total	<5.0	ug/L	2.2	5	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	cis-1,2-Dichloroethene	Total	<1.0	ug/L	0.41	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[a]anthracene	Total	<0.19	ug/L	0.044	0.15	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	<1.0	ug/L	0.36	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Chromium	Total	<5.0	ug/L	1.1	5	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Trichlorofluoromethane	Total	<1.0	ug/L	0.43	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Acrylonitrile	Total	<20.0	ug/L	4.5	20	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Xylenes, Total	Total	<1.0	ug/L	0.22	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Indeno[1,2,3-cd]pyrene	Total	<0.22	ug/L	0.058	0.15	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Anthracene	Total	<0.94	ug/L	0.26	0.77	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	<1.0	ug/L	0.35	1	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Trichloroethene	Total	<0.50	ug/L	0.16	0.5	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[a]pyrene	Total	<0.32	ug/L	0.077	0.15	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[b]fluoranthene	Total	<0.38	ug/L	0.062	0.15	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[g,h,i]perylene	Total	<0.94	ug/L	0.29	0.77	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[k]fluoranthene	Total	<0.19	ug/L	0.05	0.15	9/7/2021
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-HEPA	8/19/2021	7:22:														

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Trichlorofluoromethane	Total	<1.0	ug/L	0.43	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Anthracene	Total	<0.79	ug/L	0.26	0.77	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Toluene	Total	<0.50	ug/L	0.15	0.5	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	2-Chloroethyl vinyl ether	Total	<2.0	ug/L	0.77	2	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	cis-1,3-Dichloropropene	Total	<1.0	ug/L	0.42	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	2-Hexanone	Total	<5.0	ug/L	1.6	5	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Methyl-tert-butyl ether	Total	<1.0	ug/L	0.39	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Chlorobenzene	Total	<1.0	ug/L	0.39	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Chloroethane	Total	<1.0	ug/L	0.51	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Chloroform	Total	<2.0	ug/L	0.37	2	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Acetone	Total	<10.0	ug/L	1.7	5	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	cis-1,2-Dichloroethane	Total	<1.0	ug/L	0.41	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Bromomethane	Total	<3.0	ug/L	0.8	2	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Dibromochloromethane	Total	<1.0	ug/L	0.49	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Dichlorodifluoromethane	Total	<3.0	ug/L	0.67	2	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Carbon tetrachloride	Total	<1.0	ug/L	0.38	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Methylene chloride	Total	<5.0	ug/L	1.6	5	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Bromodichloromethane	Total	<1.0	ug/L	0.37	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Styrene	Total	<1.0	ug/L	0.39	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Chloromethane	Total	<1.0	ug/L	0.32	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Fluorene	Total	<0.79	ug/L	0.19	0.77	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/24/2021	12:42:00 AM	Water	USEPA	8081B	4,4'-DDD	Total	<0.039	ug/L	0.013	0.038	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Trichloroethene	Total	<0.50	ug/L	0.16	0.5	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Vinyl chloride	Total	<1.0	ug/L	0.2	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Xylenes, Total	Total	<1.0	ug/L	0.22	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Acenaphthene	Total	<0.79	ug/L	0.24	0.77	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Acenaphthylene	Total	<0.79	ug/L	0.21	0.77	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[a]pyrene	Total	<0.17	ug/L	0.077	0.15	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Naphthalene	Total	<0.79	ug/L	0.24	0.77	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[a]anthracene	Total	<0.16	ug/L	0.044	0.15	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	2-Butanone (MEK)	Total	<5.0	ug/L	2.1	5	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[g,h,i]perylene	Total	<0.79	ug/L	0.29	0.77	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[k]fluoranthene	Total	<0.16	ug/L	0.05	0.15	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Chrysene	Total	<0.16	ug/L	0.053	0.15	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Dibenzo[a,h]anthracene	Total	<0.24	ug/L	0.039	0.23	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	<1.0	ug/L	0.35	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Indeno[1,2,3-cd]pyrene	Total	<0.16	ug/L	0.058	0.15	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Chromium	Total	<5.0	ug/L	1.1	5	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[b]fluoranthene	Total	<0.19	ug/L	0.062	0.15	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Cadmium	Total	<0.50	ug/L	0.17	0.5	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Pyrene	Total	<0.79	ug/L	0.33	0.77	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Arsenic	Total	<1.7	ug/L	0.23	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	<1.0	ug/L	0.36	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Fluoranthene	Total	<0.79	ug/L	0.35	0.77	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Iron	Total	440	ug/L	47	100	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Lead	Total	0.52	ug/L	0.19	0.5	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Phenanthrene	Total	<0.79	ug/L	0.23	0.77	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Nickel	Total	2.2	ug/L	0.63	2	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Silver	Total	<0.50	ug/L	0.12	0.5	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Zinc	Total	41	ug/L	6.9	20	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,2-Dichlorobenzene	Total	<1.0	ug/L	0.33	1	9/7/2021
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-HEPA	8/19/2021	8:02:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Barium	Total	25	ug/L	0.73	2.5	9/7/2021
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-HEPA	8/19/2021	8:30:00 AM	8/19/2021	11:30:00 AM	8/31/2021	3:12:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.77	mg/L	0.011	0.082	8/31/2021
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-HEPA	8/19/2021	8:30:00 AM	8/19/2021	11:30:00 AM	9/1/2021	3:41:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.71	mg/L	0.091	0.4	9/3/2021
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-HEPA	8/19/2021	8:30:00 AM	8/19/2021	11:30:00 AM	8/19/2021	1:35:00 PM	Water	APHA	SM 4500-H+ B							

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	2-Butanone (MEK)	Total	<5.0	ug/L	2.1	5	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	cis-1,3-Dichloropropene	Total	<1.0	ug/L	0.42	1	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,1-Dichloroethene	Total	<1.0	ug/L	0.39	1	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Acenaphthylene	Total	<0.81	ug/L	0.21	0.77	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Methylene chloride	Total	<5.0	ug/L	1.6	5	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Chlorobenzene	Total	<1.0	ug/L	0.39	1	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Chloroethane	Total	<1.0	ug/L	0.51	1	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Chloroform	Total	<2.0	ug/L	0.37	2	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	4-Methyl-2-pentanone (MIBK)	Total	<5.0	ug/L	2.2	5	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	cis-1,2-Dichloroethene	Total	<1.0	ug/L	0.41	1	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Dichlorodifluoromethane	Total	<3.0	ug/L	0.67	2	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Dibromochloromethane	Total	<1.0	ug/L	0.49	1	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Carbon disulfide	Total	<2.0	ug/L	0.45	2	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Ethylbenzene	Total	<0.50	ug/L	0.18	0.5	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Benzene	Total	<0.50	ug/L	0.15	0.5	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Methyl-tert-butyl ether	Total	<1.0	ug/L	0.39	1	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Bromomethane	Total	<3.0	ug/L	0.8	2	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Chloromethane	Total	<1.0	ug/L	0.32	1	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Anthracene	Total	<0.81	ug/L	0.26	0.77	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[a]anthracene	Total	<0.16	ug/L	0.044	0.15	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	<1.0	ug/L	0.35	1	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Trichloroethene	Total	<0.50	ug/L	0.16	0.5	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Vinyl chloride	Total	<1.0	ug/L	0.2	1	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[k]fluoranthene	Total	<0.16	ug/L	0.05	0.15	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Barium	Total	<45	ug/L	0.73	2.5	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	2-Chloroethyl vinyl ether	Total	<2.0	ug/L	0.77	2	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Xylenes, Total	Total	<1.0	ug/L	0.22	1	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	Toluene	Total	<0.50	ug/L	0.15	0.5	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[a]pyrene	Total	<0.16	ug/L	0.077	0.15	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[b]fluoranthene	Total	<0.16	ug/L	0.062	0.15	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Benzo[ghi]perylene	Total	<0.81	ug/L	0.29	0.77	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Dibenzo[a,h]anthracene	Total	<0.24	ug/L	0.039	0.23	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Chrysene	Total	<0.16	ug/L	0.053	0.15	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Acenaphthene	Total	<0.81	ug/L	0.24	0.77	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Pyrene	Total	<0.81	ug/L	0.33	0.77	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Chromium	Total	<5.0	ug/L	1.1	5	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Indeno[1,2,3-cd]pyrene	Total	<0.16	ug/L	0.058	0.15	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	1,2-Dibromo-3-Chloropropane	Total	<5.0	ug/L	2	5	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Phenanthrene	Total	<0.81	ug/L	0.23	0.77	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	12:40:00 PM	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	<1.0	ug/L	0.36	1	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Arsenic	Total	<2.3	ug/L	0.23	1	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Fluorene	Total	<0.81	ug/L	0.19	0.77	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Cadmium	Total	<0.50	ug/L	0.17	0.5	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/23/2021	6:07:00 PM	Water	USEPA	8270D	Fluoranthene	Total	<0.81	ug/L	0.35	0.77	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Copper	Total	<2.8	ug/L	0.5	2	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Iron	Total	<190	ug/L	47	100	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Lead	Total	<0.50	ug/L	0.19	0.5	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Nickel	Total	<2.0	ug/L	0.63	2	9/7/2021
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-HEPA	8/19/2021	10:00:00 AM	8/19/2021	11:30:00 AM	8/27/2021	7:58:59 PM	Water	USEPA	EPA 200.8	Silver	Total	<0.50	ug/L	0.12	0.5	9/7/2021
NBCRWW	Test America	WF25	HCCB-01</																		

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Copper	Total	<2.0	ug/L	0.5	2	9/3/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/20/2021	3:27:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	8/20/2021
NBCRWW	Test America	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Phenanthrene	Total	<0.76	ug/L	0.23	0.77	9/3/2021
NBCRWW	Test America	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Pyrene	Total	<0.76	ug/L	0.33	0.77	9/3/2021
NBCRWW	Test America	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Arsenic	Total	<1.0	ug/L	0.23	1	9/3/2021
NBCRWW	Test America	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Fluorene	Total	<0.76	ug/L	0.19	0.77	9/3/2021
NBCRWW	Test America	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	Trichloroethene	Total	<0.50	ug/L	0.16	0.5	9/3/2021
NBCRWW	Test America	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/21/2021	3:55:00 PM	Water	USEPA	8270D	Fluoranthene	Total	<0.76	ug/L	0.35	0.77	9/3/2021
NBCRWW	Test America	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Chromium	Total	<5.0	ug/L	1.1	5	9/3/2021
NBCRWW	Test America	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Iron	Total	<100	ug/L	47	100	9/3/2021
NBCRWW	Test America	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Lead	Total	<0.50	ug/L	0.19	0.5	9/3/2021
NBCRWW	Test America	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Nickel	Total	<2.0	ug/L	0.63	2	9/3/2021
NBCRWW	Test America	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/22/2021	2:26:00 PM	Water	USEPA	8260B	1,2-Dichloropropane	Total	<1.0	ug/L	0.43	1	9/3/2021
NBCRWW	Test America	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/21/2021	1:58:00 AM	Water	USEPA	8081B	alpha-BHC	Total	<0.038	ug/L	0.0025	0.038	9/3/2021
NBCRWW	Test America	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Barium	Total	<2.5	ug/L	0.73	2.5	9/3/2021
NBCRWW	Test America	Field Blank			Non-HEPA	8/18/2021	7:10:00 AM	8/18/2021	10:30:00 AM	8/26/2021	6:06:00 PM	Water	USEPA	EPA 200.8	Cadmium	Total	<0.50	ug/L	0.17	0.5	9/3/2021
NBCRWW	NSWRD	MF8		Middle Fork	Non-HEPA	9/28/2021	7:02:00 AM	9/28/2021	12:05:00 PM	9/28/2021	11:52:00 AM	Water	APHA	SM 2550	Temperature	Total	17.4	deg C		0.1	10/11/2021
NBCRWW	NSWRD	MF8	HCCC-16	Middle Fork	Non-HEPA	9/28/2021	7:02:00 AM	9/28/2021	12:05:00 PM	10/11/2021	11:41:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	636	mg/L	0.85	5	10/11/2021
NBCRWW	NSWRD	MF8	HCCC-16	Middle Fork	Non-HEPA	9/28/2021	7:02:00 AM	9/28/2021	12:05:00 PM	9/28/2021	11:52:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	6.41	SU		0.1	10/11/2021
NBCRWW	NSWRD	MF8	HCCC-16	Middle Fork	Non-HEPA	9/28/2021	7:02:00 AM	9/28/2021	12:05:00 PM	9/28/2021	11:52:00 AM	Water	APHA	SM 4500-O-G	Dissolved Oxygen	Total	3.12	mg/L		0.1	10/11/2021
NBCRWW	NSWRD	MF8	HCCC-16	Middle Fork	Non-HEPA	9/28/2021	7:02:00 AM	9/28/2021	12:05:00 PM	9/28/2021	12:35:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	10/4/2021
NBCRWW	NSWRD	MF8	HCCC-16	Middle Fork	Non-HEPA	9/28/2021	7:02:00 AM	9/28/2021	12:05:00 PM	9/28/2021	8:26:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	50	CFU/100mL		1	9/29/2021
NBCRWW	NSWRD	MF8	HCCC-16	Middle Fork	Non-HEPA	9/28/2021	7:02:00 AM	9/28/2021	12:05:00 PM	9/30/2021	11:36:00 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	0.13	mg/L	0.046	0.1	9/30/2021
NBCRWW	NSWRD	MF8	HCCC-16	Middle Fork	Non-HEPA	9/28/2021	7:02:00 AM	9/28/2021	12:05:00 PM	10/4/2021	10:44:00 AM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.13	mg/L	0.011	0.041	10/4/2021
NBCRWW	Northern La	MF8	HCCC-16	Middle Fork	Non-HEPA	9/28/2021	7:02:00 AM	9/28/2021	12:05:00 PM	10/8/2021	12:55:00 PM	Water	USEPA	10200-H	Chlorophyll a	Total	6.5	ug/L		1	10/11/2021
NBCRWW	NSWRD	MF8	HCCC-16	Middle Fork	Non-HEPA	9/28/2021	7:02:00 AM	9/28/2021	12:05:00 PM	9/28/2021	11:52:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	2610	umhos/cm		1	10/11/2021
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-HEPA	9/28/2021	7:40:00 AM	9/28/2021	12:05:00 PM	9/28/2021	11:52:00 AM	Water	APHA	SM 2550	Temperature	Total	16.5	deg C		0.1	10/11/2021
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-HEPA	9/28/2021	7:40:00 AM	9/28/2021	12:05:00 PM	9/30/2021	11:36:00 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	<0.10	mg/L	0.046	0.1	9/30/2021
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-HEPA	9/28/2021	7:40:00 AM	9/28/2021	12:05:00 PM	9/28/2021	11:52:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	2300	umhos/cm		1	10/11/2021
NBCRWW	Northern La	MF9	HCCC-15	Middle Fork	Non-HEPA	9/28/2021	7:40:00 AM	9/28/2021	12:05:00 PM	10/8/2021	12:55:00 PM	Water	USEPA	10200-H	Chlorophyll a	Total	20	ug/L		1	10/11/2021
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-HEPA	9/28/2021	7:40:00 AM	9/28/2021	12:05:00 PM	9/28/2021	11:52:00 AM	Water	APHA	SM 4500-O-G	Dissolved Oxygen	Total	3.98	mg/L		0.1	10/11/2021
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-HEPA	9/28/2021	7:40:00 AM	9/28/2021	12:05:00 PM	9/28/2021	12:35:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2	mg/L		2	10/4/2021
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-HEPA	9/28/2021	7:40:00 AM	9/28/2021	12:05:00 PM	9/28/2021	8:26:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	36	CFU/100mL		1	9/29/2021
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-HEPA	9/28/2021	7:40:00 AM	9/28/2021	12:05:00 PM	10/4/2021	10:44:00 AM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.16	mg/L	0.011	0.041	10/4/2021
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-HEPA	9/28/2021	7:40:00 AM	9/28/2021	12:05:00 PM	10/11/2021	11:41:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	601	mg/L	0.85	5	10/11/2021
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-HEPA	9/28/2021	7:40:00 AM	9/28/2021	12:05:00 PM	9/28/2021	11:52:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	6.91	SU		0.1	10/11/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	9/28/2021	8:02:00 AM	9/28/2021	12:05:00 PM	9/28/2021	8:26:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	36	CFU/100mL		1	9/29/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	9/28/2021	8:02:00 AM	9/28/2021	12:05:00 PM	9/28/2021	11:52:00 AM	Water	APHA	SM 4500-O-G	Dissolved Oxygen	Total	3.15	mg/L		0.1	10/11/2021
NBCRWW	Northern La	MF10	HCCC-14	Middle Fork	Non-HEPA	9/28/2021	8:02:00 AM	9/28/2021	12:05:00 PM	10/8/2021	12:55:00 PM	Water	USEPA	10200-H	Chlorophyll a	Total	30	ug/L		1	10/11/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	9/28/2021	8:02:00 AM	9/28/2021	12:05:00 PM	9/28/2021	11:52:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	1582	umhos/cm		1	10/11/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	9/28/2021	8:02:00 AM	9/28/2021	12:05:00 PM	9/28/2021	11:52:00 AM	Water	APHA	SM 2550	Temperature	Total	17.2	deg C		0.1	10/11/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	9/28/2021	8:02:00 AM	9/28/2021	12:05:00 PM	9/28/2021	12:35:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	10/4/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	9/28/2021	8:02:00 AM	9/28/2021	12:05:00 PM	9/30/2021	11:36:00 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	<0.10	mg/L	0.046	0.1	9/30/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	9/28/2021	8:02:00 AM	9/28/2021	12:05:00 PM	10/4/2021	10:44:00 AM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.18	mg/L	0.011	0.041	10/4/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	9/28/2021	8:02:00 AM	9/28/2021	12:05:00 PM	10/11/2021	11:41:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	357	mg/L	0.85	5	10/11/2021
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-HEPA	9/28/2021	8:02:00 AM	9/28/2021	12:05:00 PM	9/28/2021	11:52:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	6.51	SU		0.1	10/11/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	9/28/2021	8:31:00 AM	9/28/2021	12:05:00 PM	10/11/2021	11:41:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	427	mg/L	0.85	5	10/11/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	9/28/2021	8:31:00 AM	9/28/2021	12:05:00 PM	9/28/2021	11:52:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	1772	umhos/cm		1	10/11/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	9/28/2021	8:31:00 AM	9/28/2021	12:05:00 PM	9/28/2021	11:52:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	6.45	SU		0.1	10/11/2021
NBCRWW	Northern La	MF11	HCCC-13	Middle Fork	Non-HEPA	9/28/2021	8:31:00 AM	9/28/2021	12:05:00 PM	10/8/2021	12:55:00 PM	Water	USEPA	10200-H	Chlorophyll a	Total	15	ug/L		1	10/11/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	9/28/2021	8:31:00 AM	9/28/2021	12:05:00 PM												

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	9/29/2021	10:25:00 AM	9/29/2021	12:05:00 PM	9/29/2021	12:02:00 PM	Water	APHA	SM 2510 B	Conductivity		1314	umhos/cm		1	10/11/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	9/29/2021	10:25:00 AM	9/29/2021	12:05:00 PM	10/11/2021	11:41:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	293	mg/L	0.85	5	10/11/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	9/29/2021	10:25:00 AM	9/29/2021	12:05:00 PM	9/29/2021	8:18:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	866	CFU/100mL		1	9/30/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	9/29/2021	10:25:00 AM	9/29/2021	12:05:00 PM	9/30/2021	11:36:00 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	2.85	mg/L	0.046	0.1	9/30/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	9/29/2021	10:25:00 AM	9/29/2021	12:05:00 PM	10/4/2021	10:44:00 AM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.42	mg/L	0.011	0.041	10/4/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	9/29/2021	10:25:00 AM	9/29/2021	12:05:00 PM	9/29/2021	12:02:00 PM	Water	APHA	SM 4500-H+ B	pH		6.5	SU		0.1	10/11/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	9/29/2021	10:25:00 AM	9/29/2021	12:05:00 PM	9/29/2021	12:02:00 PM	Water	APHA	SM 2550	Temperature		18.3	deg C		0.1	10/11/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	9/29/2021	9:02:00 AM	9/29/2021	12:05:00 PM	9/30/2021	11:36:00 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	<0.10	mg/L	0.046	0.1	9/30/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	9/29/2021	9:02:00 AM	9/29/2021	12:05:00 PM	10/4/2021	10:44:00 AM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	<0.10	mg/L	0.011	0.041	10/4/2021
NBCRWW	Northern La	Field Blank			Non-HEPA	9/29/2021	9:02:00 AM	9/29/2021	12:05:00 PM	10/8/2021	12:55:00 PM	Water	USEPA	10200-H	Chlorophyll a	Total	0	ug/L			10/11/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	9/29/2021	9:02:00 AM	9/29/2021	12:05:00 PM	10/11/2021	11:41:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	<5	mg/L	0.85	5	10/11/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	9/29/2021	9:02:00 AM	9/29/2021	12:05:00 PM	9/29/2021	4:22:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	10/4/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	9/29/2021	9:02:00 AM	9/29/2021	12:05:00 PM	9/29/2021	8:18:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	<1	CFU/100mL		1	9/30/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	10/20/2021	11:38:00 AM	10/20/2021	12:45:00 PM	10/20/2021	3:01:00 PM	Water	APHA	SM 9223 B	E. Coli	Total	178	CFU/100mL		1	10/21/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	10/20/2021	11:38:00 AM	10/20/2021	12:45:00 PM	10/25/2021	4:02:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	3.75	mg/L	0.046	0.1	10/27/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	10/20/2021	11:38:00 AM	10/20/2021	12:45:00 PM	10/26/2021	3:05:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	<0.10	mg/L	0.011	0.041	10/26/2021
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-HEPA	10/20/2021	11:38:00 AM	10/20/2021	12:45:00 PM	10/28/2021	1:33:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	293	mg/L	0.85	5	10/28/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	10/21/2021	10:28:00 AM	10/21/2021	12:00:00 PM	10/28/2021	1:33:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	199	mg/L	0.85	5	10/28/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	10/21/2021	10:28:00 AM	10/21/2021	12:00:00 PM	10/21/2021	12:44:00 PM	Water	APHA	SM 2510 B	Conductivity		1047	umhos/cm		1	10/28/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	10/21/2021	10:28:00 AM	10/21/2021	12:00:00 PM	10/21/2021	12:44:00 PM	Water	APHA	SM 4500-H+ B	pH		6.47	SU		0.1	10/28/2021
NBCRWW	Northern La	MF16	HCCC-08	Middle Fork	Non-HEPA	10/21/2021	10:28:00 AM	10/21/2021	12:00:00 PM	10/29/2021	8:47:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	3.1	ug/L			11/2/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	10/21/2021	10:28:00 AM	10/21/2021	12:00:00 PM	10/21/2021	3:16:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	33	mg/L		1	10/22/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	10/21/2021	10:28:00 AM	10/21/2021	12:00:00 PM	10/21/2021	3:17:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<5	mg/L		1	10/22/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	10/21/2021	10:28:00 AM	10/21/2021	12:00:00 PM	10/21/2021	12:44:00 PM	Water	APHA	SM 2550	Temperature		14.7	deg C		0.1	10/28/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	10/21/2021	10:28:00 AM	10/21/2021	12:00:00 PM	10/21/2021	12:44:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	7.53	mg/L		0.1	10/28/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	10/21/2021	10:28:00 AM	10/21/2021	12:00:00 PM	10/21/2021	3:39:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	3	mg/L		2	10/26/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	10/21/2021	10:28:00 AM	10/21/2021	12:00:00 PM	10/21/2021	8:37:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	345	CFU/100mL		1	10/22/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	10/21/2021	10:28:00 AM	10/21/2021	12:00:00 PM	10/26/2021	3:05:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.44	mg/L	0.011	0.041	10/26/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	10/21/2021	10:28:00 AM	10/21/2021	12:00:00 PM	10/27/2021	1:38:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.52	mg/L	0.091	0.4	10/27/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	10/21/2021	10:28:00 AM	10/21/2021	12:00:00 PM	10/25/2021	4:02:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	13.6	mg/L	0.046	0.1	10/27/2021
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-HEPA	10/21/2021	10:28:00 AM	10/21/2021	12:00:00 PM	10/29/2021	10:36:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	10/29/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	10/21/2021	11:21:00 AM	10/21/2021	12:00:00 PM	10/21/2021	12:44:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	7.32	mg/L		0.1	10/28/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	10/21/2021	11:21:00 AM	10/21/2021	12:00:00 PM	10/21/2021	12:44:00 PM	Water	APHA	SM 4500-H+ B	pH		6.52	SU		0.1	10/28/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	10/21/2021	11:21:00 AM	10/21/2021	12:00:00 PM	10/29/2021	10:36:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	10/29/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	10/21/2021	11:21:00 AM	10/21/2021	12:00:00 PM	10/21/2021	12:44:00 PM	Water	APHA	SM 2510 B	Conductivity		1052	umhos/cm		1	10/28/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	10/21/2021	11:21:00 AM	10/21/2021	12:00:00 PM	10/21/2021	3:16:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	14	mg/L		1	10/22/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	10/21/2021	11:21:00 AM	10/21/2021	12:00:00 PM	10/21/2021	3:17:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3	mg/L		1	10/22/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	10/21/2021	11:21:00 AM	10/21/2021	12:00:00 PM	10/21/2021	12:44:00 PM	Water	APHA	SM 2550	Temperature		14.7	deg C		0.1	10/28/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	10/21/2021	11:21:00 AM	10/21/2021	12:00:00 PM	10/27/2021	1:38:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.95	mg/L	0.091	0.4	10/27/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	10/21/2021	11:21:00 AM	10/21/2021	12:00:00 PM	10/21/2021	3:39:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	3	mg/L		2	10/26/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	10/21/2021	11:21:00 AM	10/21/2021	12:00:00 PM	10/21/2021	8:37:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	365	CFU/100mL		1	10/22/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	10/21/2021	11:21:00 AM	10/21/2021	12:00:00 PM	10/25/2021	4:02:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	12.7	mg/L	0.046	0.1	10/27/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	10/21/2021	11:21:00 AM	10/21/2021	12:00:00 PM	10/26/2021	3:05:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.34	mg/L	0.011	0.041	10/26/2021
NBCRWW	Northern La	MF17	HCCC-09	Middle Fork	Non-HEPA	10/21/2021	11:21:00 AM	10/21/2021	12:00:00 PM	10/29/2021	8:47:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	1.3	ug/L			11/2/2021
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-HEPA	10/21/2021	11:21:00 AM	10/21/2021	12:00:00 PM	10/28/2021	1:33:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	198	mg/L	0.85	5	10/28/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	10/19/2021	10:38:00 AM	10/19/2021	11:50:00 AM	10/27/2021	1:38:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.74	mg/L	0.091	0.4	10/27/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	10/19/2021	10:38:00 AM	10/19/2021	11:50:00 AM	10/22/2021	10:16:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.14	mg/L	0.015	0.1	10/22/2021
NBCRWW	Northern La	SR18	HCCD-10	Skokie River	Non-HEPA	10/19/2021	10:38:00 AM	10/19/2021	11:50:00 AM	10/29/2021	8:47:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	2.3	ug/L			11/2/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-HEPA	10/19/2021	10:38:00 AM	10/19/2021	11:50:00 AM	10/19/2021	11:50:00 AM	Water	APHA	SM 2510 B	Conductivity		965	umhos/cm		1	10/28/2021
NBCRWW	NSWRD	SR18	HCCD-10	Skokie																	

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	10/21/2021	11:01:00 AM	10/21/2021	1:20:00 PM	10/21/2021	12:44:00 PM	Water	APHA	SM 2550	Temperature		15 deg C			0.1	10/28/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	10/21/2021	11:01:00 AM	10/21/2021	1:20:00 PM	10/21/2021	12:44:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen		6.52 mg/L			0.1	10/28/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	10/21/2021	11:01:00 AM	10/21/2021	1:20:00 PM	10/21/2021	3:39:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2 mg/L			2	10/26/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	10/21/2021	11:01:00 AM	10/21/2021	1:20:00 PM	10/21/2021	8:37:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	435 CFU/100mL			1	10/22/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	10/21/2021	11:01:00 AM	10/21/2021	1:20:00 PM	10/26/2021	3:05:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.54 mg/L	0.011		0.041	10/26/2021
NBCRWW	Northern La	WF25	HCCB-01	West Fork	Non-HEPA	10/21/2021	11:01:00 AM	10/21/2021	1:20:00 PM	10/29/2021	8:47:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0.3 ug/L				11/2/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	10/21/2021	11:01:00 AM	10/21/2021	1:20:00 PM	10/21/2021	12:44:00 PM	Water	APHA	SM 4500-H+ B	pH		6.56 SU			0.1	10/28/2021
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-HEPA	10/21/2021	11:01:00 AM	10/21/2021	1:20:00 PM	11/2/2021	11:47:00 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	2.75 mg/L	0.046		0.5	11/2/2021
NBCRWW	Northern La	Field Blank			Non-HEPA	10/19/2021	7:31:00 AM	10/19/2021	11:50:00 AM	10/29/2021	8:47:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0 ug/L				11/2/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	10/19/2021	7:31:00 AM	10/19/2021	11:50:00 AM	10/26/2021	3:05:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10 mg/L	0.011		0.041	10/26/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	10/19/2021	7:31:00 AM	10/19/2021	11:50:00 AM	10/19/2021	4:14:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	<1 mg/L			1	10/21/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	10/19/2021	7:31:00 AM	10/19/2021	11:50:00 AM	10/28/2021	1:33:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	<5 mg/L	0.85		5	10/28/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	10/19/2021	7:31:00 AM	10/19/2021	11:50:00 AM	10/20/2021	3:12:00 PM	Water	APHA	SM 4500N org C	TKN	Total	<0.50 mg/L	0.091		0.4	10/21/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	10/19/2021	7:31:00 AM	10/19/2021	11:50:00 AM	10/22/2021	10:16:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10 mg/L	0.015		0.1	10/22/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	10/19/2021	7:31:00 AM	10/19/2021	11:50:00 AM	10/19/2021	1:17:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1 mg/L			2	10/25/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	10/19/2021	7:31:00 AM	10/19/2021	11:50:00 AM	10/25/2021	4:02:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	<0.10 mg/L	0.046		0.1	10/27/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	10/19/2021	7:31:00 AM	10/19/2021	11:50:00 AM	10/19/2021	7:16:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	<1 mg/L			1	10/20/2021
NBCRWW	NSWRD	Field Blank			Non-HEPA	10/19/2021	7:31:00 AM	10/19/2021	11:50:00 AM	10/19/2021	10:21:00 AM	Water	APHA	SM 2540 G	Volatiles Suspended Solids	Total	<1 CFU/100mL			1	10/20/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	10/19/2021	7:25:00 AM	10/19/2021	11:50:00 AM	10/19/2021	11:50:00 AM	Water	APHA	SM 2550	Temperature	Total	12.3 deg C			0.1	10/28/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	10/19/2021	7:25:00 AM	10/19/2021	11:50:00 AM	10/19/2021	11:50:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	7.4 mg/L			0.1	10/28/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	10/19/2021	7:25:00 AM	10/19/2021	11:50:00 AM	10/19/2021	10:21:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	649 CFU/100mL			1	10/20/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	10/19/2021	7:25:00 AM	10/19/2021	11:50:00 AM	10/19/2021	11:50:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	918 umhos/cm			1	10/28/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	10/19/2021	7:25:00 AM	10/19/2021	11:50:00 AM	10/19/2021	7:16:00 AM	Water	APHA	SM 2540 G	Volatiles Suspended Solids	Total	3 mg/L			1	10/21/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	10/19/2021	7:25:00 AM	10/19/2021	11:50:00 AM	10/28/2021	1:33:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	153 mg/L	0.85		5	10/28/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	10/19/2021	7:25:00 AM	10/19/2021	11:50:00 AM	10/19/2021	11:50:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.12 SU			0.1	10/28/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	10/19/2021	7:25:00 AM	10/19/2021	11:50:00 AM	10/20/2021	3:12:00 PM	Water	APHA	SM 4500N org C	TKN	Total	<0.50 mg/L	0.091		0.4	10/21/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	10/19/2021	7:25:00 AM	10/19/2021	11:50:00 AM	10/22/2021	10:16:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.13 mg/L	0.015		0.1	10/22/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	10/19/2021	7:25:00 AM	10/19/2021	11:50:00 AM	10/19/2021	1:17:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1 mg/L			2	10/25/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	10/19/2021	7:25:00 AM	10/19/2021	11:50:00 AM	10/25/2021	4:02:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	<0.10 mg/L	0.046		0.1	10/27/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	10/19/2021	7:25:00 AM	10/19/2021	11:50:00 AM	10/26/2021	3:05:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10 mg/L	0.011		0.041	10/26/2021
NBCRWW	Northern La	SR1	HCCD-12	Skokie River	Non-HEPA	10/19/2021	7:25:00 AM	10/19/2021	11:50:00 AM	10/29/2021	8:47:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0.8 ug/L				11/2/2021
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-HEPA	10/19/2021	7:25:00 AM	10/19/2021	11:50:00 AM	10/19/2021	4:14:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	14 mg/L			1	10/21/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	10/19/2021	8:00:00 AM	10/19/2021	11:50:00 AM	10/19/2021	7:16:00 AM	Water	APHA	SM 2540 G	Volatiles Suspended Solids	Total	2 mg/L			1	10/21/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	10/19/2021	8:00:00 AM	10/19/2021	11:50:00 AM	10/19/2021	11:50:00 AM	Water	APHA	SM 2550	Temperature	Total	13 deg C			0.1	10/28/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	10/19/2021	8:00:00 AM	10/19/2021	11:50:00 AM	10/19/2021	10:21:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	66 CFU/100mL			1	10/20/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	10/19/2021	8:00:00 AM	10/19/2021	11:50:00 AM	10/19/2021	11:50:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	6.43 SU			0.1	10/28/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	10/19/2021	8:00:00 AM	10/19/2021	11:50:00 AM	10/19/2021	4:14:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	9 mg/L			1	10/21/2021
NBCRWW	Northern La	SR2	HCCD-07	Skokie River	Non-HEPA	10/19/2021	8:00:00 AM	10/19/2021	11:50:00 AM	10/29/2021	8:47:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0 ug/L				11/2/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	10/19/2021	8:00:00 AM	10/19/2021	11:50:00 AM	10/22/2021	10:16:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10 mg/L	0.015		0.1	10/22/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	10/19/2021	8:00:00 AM	10/19/2021	11:50:00 AM	10/19/2021	1:17:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1 mg/L			2	10/25/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	10/19/2021	8:00:00 AM	10/19/2021	11:50:00 AM	10/19/2021	11:50:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	7.92 mg/L			0.1	10/28/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	10/19/2021	8:00:00 AM	10/19/2021	11:50:00 AM	10/25/2021	4:02:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.23 mg/L	0.046		0.1	10/27/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	10/19/2021	8:00:00 AM	10/19/2021	11:50:00 AM	10/26/2021	3:05:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10 mg/L	0.011		0.041	10/26/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	10/19/2021	8:00:00 AM	10/19/2021	11:50:00 AM	10/20/2021	3:12:00 PM	Water	APHA	SM 4500N org C	TKN	Total	<0.50 mg/L	0.091		0.4	10/21/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	10/19/2021	8:00:00 AM	10/19/2021	11:50:00 AM	10/28/2021	1:33:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	237 mg/L	0.85		5	10/28/2021
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-HEPA	10/19/2021	8:00:00 AM	10/19/2021	11:50:00 AM	10/19/2021	11:50:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	1183 umhos/cm			1	10/28/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	10/19/2021	8:28:00 AM	10/19/2021	11:50:00 AM	10/19/2021	11:50:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	8.08 mg/L			0.1	10/28/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	10/19/2021	8:28:00 AM	10/19/2021	11:50:00 AM	10/20/2021	3:12:00 PM	Water	APHA	SM 4500N org C	TKN	Total	<0.50 mg/L	0.091		0.4	10/21/2021
NBCRWW	Northern La	SR3	HCCD-11	Skokie River	Non-HEPA	10/19/2021	8:28:00 AM	10/19/2021	11:50:00 AM	10/29/2021	8:47:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0 ug/L				11/2/2021
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-HEPA	10/19/2021	8:28:00 AM	10/19/2021	11:50:00 AM	10/19/2021</											

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collecton Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	10/20/2021	8:30:00 AM	10/20/2021	12:45:00 PM	10/20/2021	3:01:00 PM	Water	APHA	SM 9223 B	E. Coli	Total	365	CFU/100mL		1	10/21/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	10/20/2021	8:30:00 AM	10/20/2021	12:45:00 PM	10/20/2021	12:45:00 PM	Water	APHA	SM 4500-H+ B	pH		6.57	SU		0.1	10/28/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	10/20/2021	8:30:00 AM	10/20/2021	12:45:00 PM	10/20/2021	3:02:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	17	mg/L		1	10/21/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	10/20/2021	8:30:00 AM	10/20/2021	12:45:00 PM	10/20/2021	12:45:00 PM	Water	APHA	SM 2550	Temperature		12.6	deg C		0.1	10/28/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	10/20/2021	8:30:00 AM	10/20/2021	12:45:00 PM	10/28/2021	1:33:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	314	mg/L	0.85	5	10/28/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	10/20/2021	8:30:00 AM	10/20/2021	12:45:00 PM	10/20/2021	12:45:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen		7.97	mg/L		0.1	10/28/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	10/20/2021	8:30:00 AM	10/20/2021	12:45:00 PM	10/27/2021	1:38:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.09	mg/L	0.091	0.4	10/27/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	10/20/2021	8:30:00 AM	10/20/2021	12:45:00 PM	10/29/2021	10:36:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	10/29/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	10/20/2021	8:30:00 AM	10/20/2021	12:45:00 PM	10/20/2021	1:11:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	1	mg/L		2	10/25/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	10/20/2021	8:30:00 AM	10/20/2021	12:45:00 PM	10/25/2021	4:02:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	<0.10	mg/L	0.046	0.1	10/27/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	10/20/2021	8:30:00 AM	10/20/2021	12:45:00 PM	10/26/2021	3:05:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	10/26/2021
NBCRWW	Northern La	MF11	HCCC-13	Middle Fork	Non-HEPA	10/20/2021	8:30:00 AM	10/20/2021	12:45:00 PM	10/29/2021	8:47:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	1.7	ug/L		1	11/2/2021
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-HEPA	10/20/2021	8:30:00 AM	10/20/2021	12:45:00 PM	10/20/2021	12:45:00 PM	Water	APHA	SM 2510 B	Conductivity		1367	umhos/cm		1	10/28/2021
NBCRWW	Northern La	MF12DUP	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:20:00 AM	10/20/2021	12:45:00 PM	10/29/2021	8:47:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	1.3	ug/L		1	11/2/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:19:00 AM	10/20/2021	12:45:00 PM	10/28/2021	1:33:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	291	mg/L	0.85	5	10/28/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:19:00 AM	10/20/2021	12:45:00 PM	10/20/2021	3:02:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	5	mg/L		1	10/21/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:19:00 AM	10/20/2021	12:45:00 PM	10/26/2021	3:05:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	10/26/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:19:00 AM	10/20/2021	12:45:00 PM	10/20/2021	12:45:00 PM	Water	APHA	SM 4500-H+ B	pH		6.48	SU		0.1	10/28/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:19:00 AM	10/20/2021	12:45:00 PM	10/27/2021	1:38:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.09	mg/L	0.091	0.4	10/27/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:19:00 AM	10/20/2021	12:45:00 PM	10/20/2021	12:45:00 PM	Water	APHA	SM 2510 B	Conductivity		1359	umhos/cm		1	10/28/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:19:00 AM	10/20/2021	12:45:00 PM	10/29/2021	10:36:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.11	mg/L	0.015	0.1	10/29/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:19:00 AM	10/20/2021	12:45:00 PM	10/20/2021	1:11:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2	mg/L		2	10/25/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:19:00 AM	10/20/2021	12:45:00 PM	10/20/2021	3:01:00 PM	Water	APHA	SM 9223 B	E. Coli	Total	77	CFU/100mL		1	10/21/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:19:00 AM	10/20/2021	12:45:00 PM	10/25/2021	4:02:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.57	mg/L	0.046	0.1	10/27/2021
NBCRWW	Northern La	MF12	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:19:00 AM	10/20/2021	12:45:00 PM	10/29/2021	8:47:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	1.1	ug/L		1	11/2/2021
NBCRWW	NSWRD	MF12DUP	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:20:00 AM	10/20/2021	12:45:00 PM	10/20/2021	12:45:00 PM	Water	APHA	SM 4500-H+ B	pH		6.74	SU		0.1	10/28/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:19:00 AM	10/20/2021	12:45:00 PM	10/20/2021	12:45:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen		5.81	mg/L		0.1	10/28/2021
NBCRWW	NSWRD	MF12DUP	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:20:00 AM	10/20/2021	12:45:00 PM	10/27/2021	1:38:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.2	mg/L	0.091	0.4	10/27/2021
NBCRWW	NSWRD	MF12DUP	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:20:00 AM	10/20/2021	12:45:00 PM	10/20/2021	3:02:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	5	mg/L		1	10/21/2021
NBCRWW	NSWRD	MF12DUP	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:20:00 AM	10/20/2021	12:45:00 PM	10/20/2021	3:03:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<2	mg/L		1	10/21/2021
NBCRWW	NSWRD	MF12DUP	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:20:00 AM	10/20/2021	12:45:00 PM	10/26/2021	3:05:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	10/26/2021
NBCRWW	NSWRD	MF12DUP	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:20:00 AM	10/20/2021	12:45:00 PM	10/28/2021	1:33:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	309	mg/L	0.85	5	10/28/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:19:00 AM	10/20/2021	12:45:00 PM	10/20/2021	12:45:00 PM	Water	APHA	SM 2550	Temperature		14.7	deg C		0.1	10/28/2021
NBCRWW	NSWRD	MF12DUP	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:20:00 AM	10/20/2021	12:45:00 PM	10/29/2021	10:36:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.11	mg/L	0.015	0.1	10/29/2021
NBCRWW	NSWRD	MF12DUP	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:20:00 AM	10/20/2021	12:45:00 PM	10/20/2021	1:11:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	1	mg/L		2	10/25/2021
NBCRWW	NSWRD	MF12DUP	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:20:00 AM	10/20/2021	12:45:00 PM	10/20/2021	3:01:00 PM	Water	APHA	SM 9223 B	E. Coli	Total	86	CFU/100mL		1	10/21/2021
NBCRWW	NSWRD	MF12DUP	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:20:00 AM	10/20/2021	12:45:00 PM	10/25/2021	4:02:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.63	mg/L	0.046	0.1	10/27/2021
NBCRWW	NSWRD	MF12DUP	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:20:00 AM	10/20/2021	12:45:00 PM	10/20/2021	12:45:00 PM	Water	APHA	SM 2510 B	Conductivity		1345	umhos/cm		1	10/28/2021
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:19:00 AM	10/20/2021	12:45:00 PM	10/20/2021	3:03:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<2	mg/L		1	10/21/2021
NBCRWW	NSWRD	MF12DUP	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:20:00 AM	10/20/2021	12:45:00 PM	10/20/2021	12:45:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen		5.94	mg/L		0.1	10/28/2021
NBCRWW	NSWRD	MF12DUP	HCCC-12	Middle Fork	Non-HEPA	10/20/2021	10:20:00 AM	10/20/2021	12:45:00 PM	10/20/2021	12:45:00 PM	Water	APHA	SM 2550	Temperature		14	deg C		0.1	10/28/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	10/20/2021	11:01:00 AM	10/20/2021	12:45:00 PM	10/28/2021	1:33:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	297	mg/L	0.85	5	10/28/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	10/20/2021	11:01:00 AM	10/20/2021	12:45:00 PM	10/20/2021	12:45:00 PM	Water	APHA	SM 2550	Temperature		14.7	deg C		0.1	10/28/2021
NBCRWW	Northern La	MF13	HCCC-11	Middle Fork	Non-HEPA	10/20/2021	11:01:00 AM	10/20/2021	12:45:00 PM	10/29/2021	8:47:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0.5	ug/L		1	11/2/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	10/20/2021	11:01:00 AM	10/20/2021	12:45:00 PM	10/20/2021	12:45:00 PM	Water	APHA	SM 2510 B	Conductivity		1371	umhos/cm		1	10/28/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	10/20/2021	11:01:00 AM	10/20/2021	12:45:00 PM	10/25/2021	4:02:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	3.58	mg/L	0.046	0.1	10/27/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	10/20/2021	11:01:00 AM	10/20/2021	12:45:00 PM	10/20/2021	12:45:00 PM	Water	APHA	SM 4500-H+ B	pH		6.5	SU		0.1	10/28/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	10/20/2021	11:01:00 AM	10/20/2021	12:45:00 PM	10/20/2021	3:03:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	2	mg/L		1	10/21/2021
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-HEPA	10/20/2021	11:01:00 AM	10/20/2021	12:45:00 PM	10/27/2021	1:38:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.33	mg/L	0.091	0.4	10/27/2021