

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Carbon tetrachloride	<4.5	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Ethylbenzene	<4.5	ug/kg, dry	3.6	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Acrylonitrile	<180	ug/kg, dry	53	300	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Benzene	<4.5	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Bromodichloromethane	<4.5	ug/kg, dry	1.5	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Bromoform	<4.5	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Acetone	<45	ug/kg, dry	33	75	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Carbon disulfide	<11.0	ug/kg, dry	3.9	19	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	4-Methyl-2-pentanone (MIBK)	<11.0	ug/kg, dry	5.5	19	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Chlorobenzene	<4.5	ug/kg, dry	2.8	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Chloroethane	<11.0	ug/kg, dry	5.5	19	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Chloroform	<4.5	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Chloromethane	<11.0	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	cis-1,2-Dichloroethene	<4.5	ug/kg, dry	2.1	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8151A	2,4-D	<740	ug/kg, dry	56	2000	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Bromomethane	<11.0	ug/kg, dry	7.1	19	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	1,2-Dichloroethane	<11.0	ug/kg, dry	5.8	19	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	1,1,1-Trichloroethane	<4.5	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	1,1,2,2-Tetrachloroethane	<4.5	ug/kg, dry	2.4	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	1,1,2-Trichloroethane	<4.5	ug/kg, dry	3.2	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	1,1-Dichloroethane	<4.5	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	1,1-Dichloroethene	<4.5	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Acrolein	<900	ug/kg, dry	460	1500	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	1,2-Dichlorobenzene	<4.5	ug/kg, dry	2.8	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Methylene chloride	<11.0	ug/kg, dry	7.4	19	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	1,2-Dichloropropane	<4.5	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	1,3-Dichlorobenzene	<4.5	ug/kg, dry	2.7	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	1,4-Dichlorobenzene	<4.5	ug/kg, dry	2.9	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	2-Butanone (MEK)	<11.0	ug/kg, dry	8.3	19	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	2-Chloroethyl vinyl ether	<11.0	ug/kg, dry	3.5	19	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	2-Hexanone	<11.0	ug/kg, dry	5.8	19	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	1,2-Dibromo-3-Chloropropane	<11.0	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Indeno[1,2,3-cd]pyrene	1200	ug/kg, dry	32	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Dibromochloromethane	<4.5	ug/kg, dry	2.4	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Benzo[k]fluoranthene	1300	ug/kg, dry	36	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Chrysene	2200	ug/kg, dry	33	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Dibenzo[a,h]anthracene	<730	ug/kg, dry	24	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Fluoranthene	3200	ug/kg, dry	23	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Benzo[b]fluoranthene	3500	ug/kg, dry	26	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Hexachlorobenzene	<1500	ug/kg, dry	28	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Benzo[a]pyrene	1900	ug/kg, dry	24	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Naphthalene	<730	ug/kg, dry	19	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Phenanthrene	820	ug/kg, dry	17	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Pyrene	2700	ug/kg, dry	24	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	9014	Cyanide	<0.65	mg/kg, dry	0.6	1.7	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	9066	Phenols	<1.10	mg/kg, dry	1.5	1.8	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment			surr: 1,2-Dichloroethane-d4	108	%			11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Fluorene	<730	ug/kg, dry	17	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Trichlorofluoromethane	<11.0	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Methyl-tert-butyl ether	<4.5	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Styrene	<4.5	ug/kg, dry	2.3	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Tetrachloroethene	<4.5	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Toluene	<4.5	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	trans-1,2-Dichloroethene	<4.5	ug/kg, dry	3.3	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Benzo[g,h,i]perylene	1400	ug/kg, dry	39	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Trichloroethene	<4.5	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	cis-1,3-Dichloropropene	<4.5	ug/kg, dry	2.3	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Vinyl chloride	<4.5	ug/kg, dry	3.3	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	Xylenes, Total	<9.0	ug/kg, dry	2.4	15	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Acenaphthene	<730	ug/kg, dry	22	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Acenaphthylene	<730	ug/kg, dry	16	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Anthracene	<730	ug/kg, dry	20	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8270D	Benzo[a]anthracene	960	ug/kg, dry	16	1200	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8260B	trans-1,3-Dichloropropene	<4.5	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	6010B	Manganese	750	mg/kg, dry	0.77	5.3	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	6010B	Boron	13	mg/kg, dry	2.5	26	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	6010B	Cadmium	<0.42	mg/kg, dry	0.19	1.1	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	6010B	Chromium	20	mg/kg, dry	2.6	5.3	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	6010B	Cobalt	8.3	mg/kg, dry	0.69	2.6	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	6010B	Copper	30	mg/kg, dry	1.5	5.3	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	6010B	Zinc	140	mg/kg, dry	4.6	11	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	6010B	Lead	23	mg/kg, dry	1.2	2.6	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	6010B	Arsenic	5.4	mg/kg, dry	1.8	5.3	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	6010B	Nickel	18	mg/kg, dry	1.5	5.3	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River												

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8081B	4,4'-DDD	<18.0	ug/kg, dry	1.2	31.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8081B	4,4'-DDE	<18.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8081B	Endrin	<18.0	ug/kg, dry	0.86	31.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8081B	Aldrin	<18.0	ug/kg, dry	2.6	31.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8081B	alpha-Chlordane	<18.0	ug/kg, dry	3.2	31.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8081B	beta-BHC	<18.0	ug/kg, dry	1.9	31.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8081B	Chlordane	<73	ug/kg, dry	12	125	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8081B	delta-BHC	<18.0	ug/kg, dry	2	31.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8081B	Dieldrin	<18.0	ug/kg, dry	0.85	31.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8081B	Endosulfan I	<18.0	ug/kg, dry	2.7	31.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8081B	Endosulfan II	<18.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8081B	Endosulfan sulfate	<18.0	ug/kg, dry	1.1	31.5	11/3/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-IEPA	9/23/2020	4:00:00 PM	Sediment	USEPA	8081B	4,4'-DDT	<18.0	ug/kg, dry	3.3	31.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	cis-1,2-Dichloroethene	<3.6	ug/kg, dry	2.1	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Acrolein	<720	ug/kg, dry	460	1500	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Acrylonitrile	<140	ug/kg, dry	53	300	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Benzene	<3.6	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Bromodichloromethane	<3.6	ug/kg, dry	1.5	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Bromofom	<3.6	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Bromomethane	<9.0	ug/kg, dry	7.1	19	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Carbon disulfide	<9.0	ug/kg, dry	3.9	19	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Carbon tetrachloride	<3.6	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Chlorobenzene	<3.6	ug/kg, dry	2.8	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Chloroethane	<9.0	ug/kg, dry	5.5	19	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Acetone	<36	ug/kg, dry	33	75	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Chloromethane	<9.0	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	1,2-Dichlorobenzene	<3.6	ug/kg, dry	2.8	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Chloroform	<3.6	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	1,2-Dichloroethane	<9.0	ug/kg, dry	5.8	19	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8270D	Benzo[a]pyrene	970	ug/kg, dry	24	1200	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8151A	2,4-D	<580	ug/kg, dry	56	2000	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Dibromochloromethane	<3.6	ug/kg, dry	2.4	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	1,1,2,2-Tetrachloroethane	<3.6	ug/kg, dry	2.4	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	1,1,2-Trichloroethane	<3.6	ug/kg, dry	3.2	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	1,1-Dichloroethane	<3.6	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	1,2-Dichloropropane	<3.6	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	1,2-Dibromo-3-Chloropropane	<9.0	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	4-Methyl-2-pentanone (MIBK)	<9.0	ug/kg, dry	5.5	19	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	1,1,1-Trichloroethane	<3.6	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	1,3-Dichlorobenzene	<3.6	ug/kg, dry	2.7	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	1,4-Dichlorobenzene	<3.6	ug/kg, dry	2.9	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	2-Butanone (MEK)	<9.0	ug/kg, dry	8.3	19	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	2-Chloroethyl vinyl ether	<9.0	ug/kg, dry	3.5	19	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	2-Hexanone	<9.0	ug/kg, dry	5.8	19	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	1,1-Dichloroethene	<3.6	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8270D	Indeno[1,2,3-cd]pyrene	<580	ug/kg, dry	32	1200	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8270D	Anthracene	<580	ug/kg, dry	20	1200	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8270D	Benzo[k]fluoranthene	<580	ug/kg, dry	36	1200	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8270D	Chrysene	1200	ug/kg, dry	33	1200	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8270D	Dibenzo[a,h]anthracene	<580	ug/kg, dry	24	1200	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8270D	Fluoranthene	2300	ug/kg, dry	23	1200	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8270D	Benzo[b]fluoranthene	1800	ug/kg, dry	26	1200	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8270D	Hexachlorobenzene	<1200	ug/kg, dry	28	1200	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8151A	2,4,5-TP	<580	ug/kg, dry	51	2000	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8270D	Naphthalene	<580	ug/kg, dry	19	1200	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8270D	Phenanthrene	920	ug/kg, dry	17	1200	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8270D	Pyrene	2000	ug/kg, dry	24	1200	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	9014	Cyanide	<0.37	mg/kg, dry	0.6	1.7	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	9066	Phenols	<0.77	mg/kg, dry	1.5	1.8	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	cis-1,3-Dichloropropene	<3.6	ug/kg, dry	2.3	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8270D	Fluorene	<580	ug/kg, dry	17	1200	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Trichloroethene	<3.6	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Methylene chloride	<9.0	ug/kg, dry	7.4	19	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Methyl-tert-butyl ether	<3.6	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Styrene	<3.6	ug/kg, dry	2.3	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Tetrachloroethene	<3.6	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Toluene	<3.6	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8270D	Benzo[g,h,i]perylene	620	ug/kg, dry	39	1200	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	trans-1,3-Dichloropropene	<3.6	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Ethylbenzene	<3.6	ug/kg, dry	3.6	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Trichlorofluoromethane	<9.0	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Vinyl chloride	<3.6	ug/kg, dry	3.3	7.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8260B	Xylenes, Total	<7.2	ug/kg, dry	2.4	15	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8270D	Acenaphthene	<580	ug/kg, dry	22	1200	

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	Endrin	<15.0	ug/kg, dry	0.86	31.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	Toxaphene	<150	ug/kg, dry	26	310	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8082A	PCB-1248	<30	ug/kg, dry	24	62	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8082A	PCB-1016	<30	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8082A	PCB-1221	<30	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8082A	PCB-1232	<30	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8082A	PCB-1242	<30	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8082A	PCB-1254	<30	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8082A	PCB-1260	<30	ug/kg, dry	31	62	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	Methoxychlor	<74	ug/kg, dry	1.2	155	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	4,4'-DDT	<15.0	ug/kg, dry	3.3	31.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	6010B	Zinc	160	mg/kg, dry	4.6	11	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	7471B	Mercury	160	ug/kg, dry	32	95	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	Endosulfan sulfate	<15.0	ug/kg, dry	1.1	31.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	4,4'-DDE	18	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment			surr: 1,2-Dichloroethane-d4	107	%			11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	Aldrin	<15.0	ug/kg, dry	2.6	31.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	alpha-BHC	<15.0	ug/kg, dry	1.6	31.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	alpha-Chlordane	<15.0	ug/kg, dry	3.2	31.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	beta-BHC	<15.0	ug/kg, dry	1.9	31.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	Chlordane	<60	ug/kg, dry	12	125	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	delta-BHC	<15.0	ug/kg, dry	2	31.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	Dieldrin	<15.0	ug/kg, dry	0.85	31.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	Endosulfan I	<15.0	ug/kg, dry	2.7	31.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	Endosulfan II	<15.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR2	HCCD-07	Skokie River	Non-IEPA	9/23/2020	4:40:00 PM	Sediment	USEPA	8081B	4,4'-DDD	20	ug/kg, dry	1.2	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	Acetone	<28	ug/kg, dry	33	75	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	Acrolein	<550	ug/kg, dry	460	1500	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	Acrylonitrile	<110	ug/kg, dry	53	300	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	Benzene	<2.8	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	Bromodichloromethane	<2.8	ug/kg, dry	1.5	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	Bromoform	<2.8	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	Bromomethane	<6.9	ug/kg, dry	7.1	19	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	Carbon disulfide	<6.9	ug/kg, dry	3.9	19	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	Carbon tetrachloride	<2.8	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	Chlorobenzene	<2.8	ug/kg, dry	2.8	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	Chloroethane	<6.9	ug/kg, dry	5.5	19	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	4-Methyl-2-pentanone (MIBK)	<6.9	ug/kg, dry	5.5	19	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	Chloromethane	<6.9	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	1,1-Dichloroethene	<2.8	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	Chloroform	<2.8	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8151A	2,4,5-TP	<450	ug/kg, dry	51	2000	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8270D	Acenaphthylene	<220	ug/kg, dry	16	600	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	cis-1,2-Dichloroethene	<2.8	ug/kg, dry	2.1	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	1,1,1-Trichloroethane	<2.8	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	1,1,2,2-Tetrachloroethane	<2.8	ug/kg, dry	2.4	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	1,1,2-Trichloroethane	<2.8	ug/kg, dry	3.2	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	1,2-Dichlorobenzene	<2.8	ug/kg, dry	2.8	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	1,2-Dibromo-3-Chloropropane	<6.9	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	2-Hexanone	<6.9	ug/kg, dry	5.8	19	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	1,2-Dichloroethane	<6.9	ug/kg, dry	5.8	19	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	1,2-Dichloropropane	<2.8	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	1,3-Dichlorobenzene	<2.8	ug/kg, dry	2.7	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	1,4-Dichlorobenzene	<2.8	ug/kg, dry	2.9	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	2-Butanone (MEK)	<6.9	ug/kg, dry	8.3	19	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	2-Chloroethyl vinyl ether	<6.9	ug/kg, dry	3.5	19	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	1,1-Dichloroethane	<2.8	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8270D	Fluoranthene	3800	ug/kg, dry	23	600	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8270D	Benzo[a]anthracene	1300	ug/kg, dry	16	600	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8270D	Benzo[a]pyrene	1400	ug/kg, dry	24	600	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8270D	Benzo[b]fluoranthene	2100	ug/kg, dry	26	600	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8270D	Benzo[g,h,i]perylene	680	ug/kg, dry	39	600	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8270D	Benzo[k]fluoranthene	500	ug/kg, dry	36	600	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	Xylenes, Total	<5.5	ug/kg, dry	2.4	15	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8270D	Dibenzo[a,h]anthracene	<220	ug/kg, dry	24	600	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8270D	Acenaphthene	<220	ug/kg, dry	22	600	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8270D	Fluorene	230	ug/kg, dry	17	600	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8270D	Hexachlorobenzene	<450	ug/kg, dry	28	600	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8270D	Indeno[1,2,3-cd]pyrene	600	ug/kg, dry	32	600	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8270D	Naphthalene	<220	ug/kg, dry	19	600	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8270D	Phenanthrene	2500	ug/kg, dry	17	600	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8082A	Polychlorinated biphenyls, Total	<23	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8270D	Chrysene	1600	ug/kg, dry	33	600	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8260B	trans-1,2-Dichloroethene	<2.8	ug/kg, dry	3.3	7.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River												

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment			surr: Nitrobenzene-d5	81	%			11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment			surr: Terphenyl-d14	98	%			11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment			surr: Tetrachloro-m-xylene	97	%			11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment			surr: Tetrachloro-m-xylene	98	%			11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment			surr: Toluene-d8	96	%			11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment			surr: DCAA	46	%			11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8082A	PCB-1016	<23	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	Endrin aldehyde	<12.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	Endrin ketone	<12.0	ug/kg, dry	1.4	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	gamma-BHC (Lindane)	<12.0	ug/kg, dry	1.3	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	Heptachlor	<12.0	ug/kg, dry	2.6	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	Heptachlor epoxide	<12.0	ug/kg, dry	2.2	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	Methoxychlor	<57	ug/kg, dry	1.2	155	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	Endrin	<12.0	ug/kg, dry	0.86	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	trans-Chlordane	<12.0	ug/kg, dry	1.6	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8082A	PCB-1248	<23	ug/kg, dry	24	62	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8082A	PCB-1221	<23	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8082A	PCB-1232	<23	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8082A	PCB-1242	<23	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	6010B	Strontium	16	mg/kg, dry	0.11	2.6	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8082A	PCB-1254	<23	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	APHA	SM 4500N	TKN	110	mg/kg, dry	105	140	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	Toxaphene	<110	ug/kg, dry	26	310	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	7471B	Mercury	<20	ug/kg, dry	32	95	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	6010B	Zinc	41	mg/kg, dry	4.6	11	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	4,4'-DDD	16	ug/kg, dry	1.2	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	4,4'-DDE	<12.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	4,4'-DDT	<12.0	ug/kg, dry	3.3	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	Aldrin	<12.0	ug/kg, dry	2.6	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	alpha-BHC	<12.0	ug/kg, dry	1.6	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	alpha-Chlordane	<12.0	ug/kg, dry	3.2	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	Chlordane	<46	ug/kg, dry	12	125	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	delta-BHC	<12.0	ug/kg, dry	2	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	Dieldrin	<12.0	ug/kg, dry	0.85	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	Endosulfan I	<12.0	ug/kg, dry	2.7	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	Endosulfan II	<12.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	Endosulfan sulfate	<12.0	ug/kg, dry	1.1	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	8081B	beta-BHC	<12.0	ug/kg, dry	1.9	31.5	11/3/2020
NBCRWW	Test America	SR3	HCCD-11	Skokie River	Non-IEPA	9/23/2020	5:20:00 PM	Sediment	USEPA	6010B	Vanadium	8.2	mg/kg, dry	0.62	2.6	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	cis-1,2-Dichloroethene	<3.7	ug/kg, dry	2.1	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	Acrylonitrile	<150	ug/kg, dry	53	300	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	Benzene	<3.7	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	Bromodichloromethane	<3.7	ug/kg, dry	1.5	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	Bromoform	<3.7	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	Bromomethane	<9.3	ug/kg, dry	7.1	19	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	Carbon disulfide	<9.3	ug/kg, dry	3.9	19	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	Carbon tetrachloride	<3.7	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	Chlorobenzene	<3.7	ug/kg, dry	2.8	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	Chloroethane	<9.3	ug/kg, dry	5.5	19	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	Chloromethane	<9.3	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	cis-1,3-Dichloropropene	<3.7	ug/kg, dry	2.3	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	Acrolein	<740	ug/kg, dry	460	1500	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	1,2-Dichlorobenzene	<3.7	ug/kg, dry	2.8	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	Chloroform	<3.7	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	1,1,1-Trichloroethane	<3.7	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	1,1,2,2-Tetrachloroethane	<3.7	ug/kg, dry	2.4	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	1,1,2-Trichloroethane	<3.7	ug/kg, dry	3.2	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	1,1-Dichloroethane	<3.7	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	1,1-Dichloroethene	<3.7	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	1,2-Dibromo-3-Chloropropane	<9.3	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	1,2-Dichloropropane	<3.7	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	1,2-Dichloroethane	<9.3	ug/kg, dry	5.8	19	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	Acetone	<37	ug/kg, dry	33	75	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	1,3-Dichlorobenzene	<3.7	ug/kg, dry	2.7	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	1,4-Dichlorobenzene	<3.7	ug/kg, dry	2.9	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	2-Butanone (MEK)	<9.3	ug/kg, dry	8.3	19	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	2-Chloroethyl vinyl ether	<9.3	ug/kg, dry	3.5	19	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	2-Hexanone	<9.3	ug/kg, dry	5.8	19	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	4-Methyl-2-pentanone (MIBK)	<9.3	ug/kg, dry	5.5	19	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8260B	Dibromochloromethane	<3.7	ug/kg, dry	2.4	7.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8270D	Hexachlorobenzene	<1200	ug/kg, dry	28	1200	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8270D	Benzo[b]fluoranthene	9700	ug/kg, dry	26	1200	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8270D	Benzo[g,h,i]perylene	3900	ug/kg, dry	39	1200	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8270D	Benzo[k]fluoranthene	2900	ug/kg, dry	36	1200	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8270D	Chrysene	8100	ug/kg, dry	33		

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	6010B	Sodium	310	mg/kg, dry	78	530	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	6010B	Strontium	44	mg/kg, dry	0.11	2.6	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	6010B	Copper	31	mg/kg, dry	1.5	5.3	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment			surr: Terphenyl-d14	89	%			11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8151A	2,4,5-TP	<610	ug/kg, dry	51	2000	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment			surr: 4-Bromofluorobenzene	100	%			11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment			surr: DCAA	46	%			11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment			surr: DCB Decachlorobiphenyl	73	%			11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment			surr: DCB Decachlorobiphenyl	74	%			11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment			surr: 1,2-Dichloroethane-d4	102	%			11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment			surr: Nitrobenzene-d5	78	%			11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	6010B	Beryllium	<0.65	mg/kg, dry	0.49	2.1	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment			surr: Tetrachloro-m-xylene	65	%			11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment			surr: Tetrachloro-m-xylene	79	%			11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment			surr: Toluene-d8	96	%			11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	APHA	SM 4500	Total Phosphorous	470	mg/kg, dry	13	305	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	APHA	SM 4500N	TKN	510	mg/kg, dry	105	140	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	6010B	Aluminum	9200	mg/kg, dry	43	110	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment			surr: Dibromofluoromethane	110	%			11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8082A	PCB-1242	<31	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	gamma-BHC (Lindane)	<16.0	ug/kg, dry	1.3	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	Heptachlor	<16.0	ug/kg, dry	2.6	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	Heptachlor epoxide	<16.0	ug/kg, dry	2.2	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	Methoxychlor	<77	ug/kg, dry	1.2	155	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	Toxaphene	<150	ug/kg, dry	26	310	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	Endrin ketone	<16.0	ug/kg, dry	1.4	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8082A	PCB-1232	<31	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	trans-Chlordane	<16.0	ug/kg, dry	1.6	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8082A	PCB-1248	<31	ug/kg, dry	24	62	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8082A	PCB-1254	<31	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8082A	PCB-1260	<31	ug/kg, dry	31	62	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	6010B	Zinc	130	mg/kg, dry	4.6	11	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	6010B	Arsenic	5.6	mg/kg, dry	1.8	5.3	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8082A	Polychlorinated biphenyls, Total	<31	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8082A	PCB-1016	<31	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	4,4'-DDE	25	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	7471B	Mercury	100	ug/kg, dry	32	95	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8082A	PCB-1221	<31	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	4,4'-DDD	24	ug/kg, dry	1.2	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	Endrin aldehyde	<16.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	4,4'-DDT	<16.0	ug/kg, dry	3.3	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	Aldrin	<16.0	ug/kg, dry	2.6	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	alpha-BHC	<16.0	ug/kg, dry	1.6	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	alpha-Chlordane	<16.0	ug/kg, dry	3.2	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	beta-BHC	<16.0	ug/kg, dry	1.9	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	Chlordane	<62	ug/kg, dry	12	125	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	delta-BHC	<16.0	ug/kg, dry	2	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	Dieldrin	<16.0	ug/kg, dry	0.85	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	Endosulfan I	<16.0	ug/kg, dry	2.7	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	Endosulfan II	<16.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	Endosulfan sulfate	<16.0	ug/kg, dry	1.1	31.5	11/3/2020
NBCRWW	Test America	SR4	HCCD-06	Skokie River	Non-IEPA	9/23/2020	6:15:00 PM	Sediment	USEPA	8081B	Endrin	<16.0	ug/kg, dry	0.86	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	Chloromethane	<9.1	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	Acrylonitrile	<150	ug/kg, dry	53	300	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	Benzene	<3.7	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	Bromodichloromethane	<3.7	ug/kg, dry	1.5	7.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	Bromoform	<3.7	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	Bromomethane	<9.1	ug/kg, dry	7.1	19	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	Carbon disulfide	<9.1	ug/kg, dry	3.9	19	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	Carbon tetrachloride	<3.7	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	Chlorobenzene	<3.7	ug/kg, dry	2.8	7.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	Dibromochloromethane	<3.7	ug/kg, dry	2.4	7.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	Chloroform	<3.7	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	Acrolein	<730	ug/kg, dry	460	1500	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	cis-1,2-Dichloroethene	<3.7	ug/kg, dry	2.1	7.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8151A	2,4-D	<590	ug/kg, dry	56	2000	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	Chloroethane	<9.1	ug/kg, dry	5.5	19	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	1,2-Dichloropropane	<3.7	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	1,1,1-Trichloroethane	<3.7	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	1,1,2-Trichloroethane	<3.7	ug/kg, dry	3.2	7.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	1,1-Dichloroethane	<3.7	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	1,1-Dichloroethene	<3.7	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	1,2-Dibromo-3-Chloropropane	<9.1	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	1,1,2,2-Tetrachloroethane	<3.7	ug/kg, dry	2.4	7.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	1,2-Dichloroethane	<9.1	ug/kg, dry	5.8	19	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	Acetone</					

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Iron	11000	mg/kg, dry	55	110	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Strontium	46	mg/kg, dry	0.11	2.6	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment			surr: 1,2-Dichloroethane-d4	102	%			11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Boron	11	mg/kg, dry	2.5	26	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Cadmium	<0.33	mg/kg, dry	0.19	1.1	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Chromium	13	mg/kg, dry	2.6	5.3	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8082A	Polychlorinated biphenyls, Total	<30	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Copper	25	mg/kg, dry	1.5	5.3	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Aluminum	6300	mg/kg, dry	43	110	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Lead	22	mg/kg, dry	1.2	2.6	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Manganese	390	mg/kg, dry	0.77	5.3	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Nickel	12	mg/kg, dry	1.5	5.3	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Potassium	1600	mg/kg, dry	94	260	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Silver	<0.83	mg/kg, dry	0.68	2.6	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Sodium	280	mg/kg, dry	78	530	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Cobalt	5.6	mg/kg, dry	0.69	2.6	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment			surr: Nitrobenzene-d5	71	%			11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8260B	Dichlorodifluoromethane	<9.1	ug/kg, dry	4.4	19	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment			surr: 2-Fluorobiphenyl	84	%			11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment			surr: 4-Bromofluorobenzene	106	%			11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment			surr: DCAA	52	%			11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment			surr: DCB Decachlorobiphenyl	101	%			11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Barium	39	mg/kg, dry	0.6	5.3	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment			surr: Dibromofluoromethane	102	%			11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Beryllium	<0.67	mg/kg, dry	0.49	2.1	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment			surr: Terphenyl-d14	80	%			11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment			surr: Tetrachloro-m-xylene	68	%			11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment			surr: Tetrachloro-m-xylene	75	%			11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment			surr: Toluene-d8	97	%			11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	APHA	SM 4500	Total Phosphorous	410	mg/kg, dry	13	305	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	APHA	SM 4500N	TKN	450	mg/kg, dry	105	140	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment			surr: DCB Decachlorobiphenyl	102	%			11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8082A	PCB-1221	<30	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	Endrin ketone	<15.0	ug/kg, dry	1.4	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	gamma-BHC (Lindane)	<15.0	ug/kg, dry	1.3	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	Heptachlor	<15.0	ug/kg, dry	2.6	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	Heptachlor epoxide	<15.0	ug/kg, dry	2.2	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8082A	PCB-1254	<30	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	Endrin aldehyde	<15.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8082A	PCB-1016	<30	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	Methoxychlor	<75	ug/kg, dry	1.2	155	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8082A	PCB-1232	<30	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8082A	PCB-1242	<30	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8082A	PCB-1248	<30	ug/kg, dry	24	62	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Vanadium	15	mg/kg, dry	0.62	2.6	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Arsenic	3.6	mg/kg, dry	1.8	5.3	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8082A	PCB-1260	<30	ug/kg, dry	31	62	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	Toxaphene	<150	ug/kg, dry	26	310	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	4,4'-DDD	36	ug/kg, dry	1.2	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	6010B	Zinc	94	mg/kg, dry	4.6	11	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	trans-Chlordane	<15.0	ug/kg, dry	1.6	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	7471B	Mercury	100	ug/kg, dry	32	95	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	Endrin	<15.0	ug/kg, dry	0.86	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	4,4'-DDE	25	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	4,4'-DDT	41	ug/kg, dry	3.3	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	Aldrin	<15.0	ug/kg, dry	2.6	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	alpha-BHC	<15.0	ug/kg, dry	1.6	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	beta-BHC	<15.0	ug/kg, dry	1.9	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	Chlordane	<61	ug/kg, dry	12	125	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	delta-BHC	<15.0	ug/kg, dry	2	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	Dieldrin	<15.0	ug/kg, dry	0.85	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	Endosulfan I	<15.0	ug/kg, dry	2.7	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	Endosulfan II	<15.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	Endosulfan sulfate	<15.0	ug/kg, dry	1.1	31.5	11/3/2020
NBCRWW	Test America	SR5	HCCD-02	Skokie River	Non-IEPA	9/23/2020	2:20:00 PM	Sediment	USEPA	8081B	alpha-Chlordane	<15.0	ug/kg, dry	3.2	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Chloromethane	<7.4	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Acrylonitrile	<120	ug/kg, dry	53	300	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Benzene	<3.0	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Bromodichloromethane	<3.0	ug/kg, dry	1.5	7.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Bromoform	<3.0	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Bromomethane	<7.4	ug/kg, dry	7.1	19	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Carbon disulfide	<7.4	ug/kg, dry	3.9	19	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Carbon tetrachloride	<3.0	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Chlorobenzene	<3.0	ug/kg, dry	2.8	7.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	cis-1,3-Dichloropropene	<3.0	ug/kg, dry	2.3	7.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Chloroform	<3.0	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020										

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Methyl-tert-butyl ether	<3.0	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Styrene	<3.0	ug/kg, dry	2.3	7.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Tetrachloroethene	<3.0	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8270D	Benzo[a]pyrene	2900	ug/kg, dry	24	1200	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	trans-1,2-Dichloroethene	<3.0	ug/kg, dry	3.3	7.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Dibromochloromethane	<3.0	ug/kg, dry	2.4	7.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Trichloroethene	<3.0	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Trichlorofluoromethane	<7.4	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Vinyl chloride	<3.0	ug/kg, dry	3.3	7.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Xylenes, Total	<5.9	ug/kg, dry	2.4	15	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8270D	Acenaphthene	<480	ug/kg, dry	22	1200	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8270D	Acenaphthylene	<480	ug/kg, dry	16	1200	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8260B	Toluene	<3.0	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Copper	18	mg/kg, dry	1.5	5.3	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	7471B	Mercury	67	ug/kg, dry	32	95	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Barium	21	mg/kg, dry	0.6	5.3	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Beryllium	<0.58	mg/kg, dry	0.49	2.1	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Boron	<7.2	mg/kg, dry	2.5	26	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Cadmium	0.31	mg/kg, dry	0.19	1.1	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Aluminum	3900	mg/kg, dry	43	110	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Cobalt	3.9	mg/kg, dry	0.69	2.6	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	APHA	SM 4500N	TKN	280	mg/kg, dry	105	700	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Iron	7200	mg/kg, dry	55	110	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Lead	16	mg/kg, dry	1.2	2.6	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Manganese	220	mg/kg, dry	0.77	5.3	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Nickel	8.2	mg/kg, dry	1.5	5.3	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Potassium	1000	mg/kg, dry	94	260	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Silver	<0.72	mg/kg, dry	0.68	2.6	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Chromium	9	mg/kg, dry	2.6	5.3	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment			surr: Dibromofluoromethane	103	%			11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	9014	Cyanide	<0.36	mg/kg, dry	0.6	1.7	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment			surr: 1,2-Dichloroethane-d4	102	%			11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment			surr: 2-Fluorobiphenyl	100	%			11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment			surr: 4-Bromofluorobenzene	108	%			11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment			surr: DCAA	65	%			11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Arsenic	2.2	mg/kg, dry	1.8	5.3	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment			surr: DCB Decachlorobiphenyl	88	%			11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Zinc	78	mg/kg, dry	4.6	11	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment			surr: Nitrobenzene-d5	87	%			11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment			surr: Terphenyl-d14	96	%			11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment			surr: Tetrachloro-m-xylene	84	%			11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment			surr: Tetrachloro-m-xylene	84	%			11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment			surr: Toluene-d8	96	%			11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	APHA	SM 4500	Total Phosphorous	280	mg/kg, dry	13	305	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment			surr: DCB Decachlorobiphenyl	104	%			11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8082A	PCB-1221	<24	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	gamma-BHC (Lindane)	<12.0	ug/kg, dry	1.3	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	Heptachlor	<12.0	ug/kg, dry	2.6	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	Heptachlor epoxide	<12.0	ug/kg, dry	2.2	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	Methoxychlor	<61	ug/kg, dry	1.2	155	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	Toxaphene	<120	ug/kg, dry	26	310	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	6010B	Sodium	210	mg/kg, dry	78	530	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8082A	PCB-1016	<24	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	Endrin	<12.0	ug/kg, dry	0.86	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8082A	PCB-1232	<24	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8082A	PCB-1242	<24	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8082A	PCB-1248	<24	ug/kg, dry	24	62	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8082A	PCB-1254	<24	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8082A	PCB-1260	<24	ug/kg, dry	31	62	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8082A	Polychlorinated biphenyls, Total	<24	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	trans-Chlordane	<12.0	ug/kg, dry	1.6	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	Chlordane	<49	ug/kg, dry	12	125	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8151A	2,4,5-TP	<490	ug/kg, dry	51	2000	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	4,4'-DDD	28	ug/kg, dry	1.2	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	4,4'-DDE	15	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	4,4'-DDT	17	ug/kg, dry	3.3	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	Aldrin	<12.0	ug/kg, dry	2.6	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	alpha-BHC	<12.0	ug/kg, dry	1.6	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	Endrin ketone	<12.0	ug/kg, dry	1.4	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	beta-BHC	<12.0	ug/kg, dry	1.9	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	Endrin aldehyde	<12.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	delta-BHC	<12.0	ug/kg, dry	2	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	Dieldrin	<12.0	ug/kg, dry	0.85	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	Endosulfan I	<12.0	ug/kg, dry	2.7	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	Endosulfan II	<12.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA	9/23/2020	1:51:00 PM	Sediment	USEPA	8081B	Endosulfan sulfate	<12.0	ug/kg, dry	1.1	31.5	11/3/2020
NBCRWW	Test America	SR6	HCCD-01	Skokie River	Non-IEPA											

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8270D	Benzo[b]fluoranthene	83	ug/kg, dry	26	120	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8270D	Hexachlorobenzene	<140	ug/kg, dry	28	120	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8270D	Benzo[a]pyrene	<69	ug/kg, dry	24	120	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8270D	Naphthalene	<69	ug/kg, dry	19	120	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8270D	Phenanthrene	<69	ug/kg, dry	17	120	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8270D	Pyrene	79	ug/kg, dry	24	120	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	9014	Cyanide	<0.57	mg/kg, dry	0.6	1.7	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	9066	Phenols	<0.91	mg/kg, dry	1.5	1.8	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment			surr: 1,2-Dichloroethane-d4	107	%			11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8270D	Fluorene	<69	ug/kg, dry	17	120	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8260B	Trichlorofluoromethane	<10.0	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8260B	Methyl-tert-butyl ether	<4.2	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8260B	Styrene	<4.2	ug/kg, dry	2.3	7.5	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8260B	Tetrachloroethene	<4.2	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8260B	Toluene	<4.2	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8260B	trans-1,2-Dichloroethene	<4.2	ug/kg, dry	3.3	7.5	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8270D	Benzo[g,h,i]perylene	<69	ug/kg, dry	39	120	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8260B	Trichloroethene	<4.2	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8260B	cis-1,3-Dichloropropene	<4.2	ug/kg, dry	2.3	7.5	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8260B	Vinyl chloride	<4.2	ug/kg, dry	3.3	7.5	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8260B	Xylenes, Total	<8.4	ug/kg, dry	2.4	15	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8270D	Acenaphthene	<69	ug/kg, dry	22	120	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8270D	Acenaphthylene	<69	ug/kg, dry	16	120	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8270D	Anthracene	<69	ug/kg, dry	20	120	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8270D	Benzo[a]anthracene	<69	ug/kg, dry	16	120	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8260B	trans-1,3-Dichloropropene	<4.2	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Manganese	220	mg/kg, dry	0.77	5.3	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Boron	13	mg/kg, dry	2.5	26	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Cadmium	0.49	mg/kg, dry	0.19	1.1	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Chromium	19	mg/kg, dry	2.6	5.3	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Cobalt	8.8	mg/kg, dry	0.69	2.6	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Copper	43	mg/kg, dry	1.5	5.3	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Zinc	65	mg/kg, dry	4.6	11	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Lead	20	mg/kg, dry	1.2	2.6	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Arsenic	4.8	mg/kg, dry	1.8	5.3	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Nickel	26	mg/kg, dry	1.5	5.3	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Potassium	2000	mg/kg, dry	94	260	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Silver	<0.93	mg/kg, dry	0.68	2.6	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Sodium	330	mg/kg, dry	78	530	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Strontium	54	mg/kg, dry	0.11	2.6	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Vanadium	30	mg/kg, dry	0.62	2.6	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Iron	15000	mg/kg, dry	55	110	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment			surr: Tetrachloro-m-xylene	117	%			11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8260B	Dichlorodifluoromethane	<10.0	ug/kg, dry	4.4	19	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment			surr: 4-Bromofluorobenzene	107	%			11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8151A	2,4,5-TP	<690	ug/kg, dry	51	2000	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment			surr: DCB Decachlorobiphenyl	135	%			11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment			surr: DCB Decachlorobiphenyl	81	%			11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment			surr: Dibromofluoromethane	104	%			11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Beryllium	0.98	mg/kg, dry	0.49	2.1	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment			surr: Terphenyl-d14	123	%			11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Barium	88	mg/kg, dry	0.6	5.3	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment			surr: Tetrachloro-m-xylene	69	%			11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment			surr: Toluene-d8	95	%			11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	APHA	SM 4500	Total Phosphorous	560	mg/kg, dry	13	610	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	APHA	SM 4500N	TKN	2800	mg/kg, dry	105	1400	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	6010B	Aluminum	13000	mg/kg, dry	43	110	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment			surr: DCAA	44	%			11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment			surr: Nitrobenzene-d5	88	%			11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8082A	PCB-1221	<34	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8081B	Endrin ketone	<17.0	ug/kg, dry	1.4	31.5	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8081B	gamma-BHC (Lindane)	<17.0	ug/kg, dry	1.3	31.5	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8081B	Heptachlor	<17.0	ug/kg, dry	2.6	31.5	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8081B	Heptachlor epoxide	<17.0	ug/kg, dry	2.2	31.5	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8081B	Methoxychlor	<84	ug/kg, dry	1.2	155	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8081B	Toxaphene	<170	ug/kg, dry	26	310	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8081B	Endrin aldehyde	<17.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8082A	PCB-1016	<34	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8082A	PCB-1260	<34	ug/kg, dry	31	62	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8082A	PCB-1232	<34	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8082A	PCB-1242	<34	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8082A	PCB-1248	<34	ug/kg, dry	24	62	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8082A	PCB-1254	<34	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8082A	Polychlorinated biphenyls, Total	<34	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment			surr: 2-Fluorobiphenyl	79	%			11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/24/2020	8:52:00 AM	Sediment	USEPA	8081B	trans-Chlordane	<17.0	ug/kg, dry	1.6	31.5	11/3/2020
NBCRWW	Test America	SR7	HCCD-04	Skokie River	Non-IEPA	9/										

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	1,1,2-Trichloroethane	<3.6	ug/kg, dry	3.2	7.5	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	2-Butanone (MEK)	<9.0	ug/kg, dry	8.3	19	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	2-Chloroethyl vinyl ether	<9.0	ug/kg, dry	3.5	19	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	2-Hexanone	<9.0	ug/kg, dry	5.8	19	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	4-Methyl-2-pentanone (MIBK)	<9.0	ug/kg, dry	5.5	19	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	Acetone	<36	ug/kg, dry	33	75	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	1,2-Dichlorobenzene	<3.6	ug/kg, dry	2.8	7.5	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Indeno[1,2,3-cd]pyrene	1200	ug/kg, dry	32	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Anthracene	580	ug/kg, dry	20	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Benzo[k]fluoranthene	1100	ug/kg, dry	36	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Chrysene	2700	ug/kg, dry	33	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Dibenzo[a,h]anthracene	<580	ug/kg, dry	24	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Fluoranthene	6200	ug/kg, dry	23	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Benzo[b]fluoranthene	3600	ug/kg, dry	26	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Hexachlorobenzene	<1200	ug/kg, dry	28	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	1,1,1-Trichloroethane	<3.6	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Naphthalene	<580	ug/kg, dry	19	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Phenanthrene	3500	ug/kg, dry	17	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Pyrene	5400	ug/kg, dry	24	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	9014	Cyanide	<0.54	mg/kg, dry	0.6	1.7	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	9066	Phenols	<0.90	mg/kg, dry	1.5	1.8	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8082A	Polychlorinated biphenyls, Total	<30	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Fluorene	<580	ug/kg, dry	17	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	Trichloroethene	<3.6	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	Methylene chloride	<9.0	ug/kg, dry	7.4	19	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	Methyl-tert-butyl ether	<3.6	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	Styrene	<3.6	ug/kg, dry	2.3	7.5	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	Tetrachloroethene	<3.6	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	Toluene	<3.6	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Benzo[g,h,i]perylene	1400	ug/kg, dry	39	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	trans-1,3-Dichloropropene	<3.6	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	Ethylbenzene	<3.6	ug/kg, dry	3.6	7.5	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	Trichlorofluoromethane	<9.0	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	Vinyl chloride	<3.6	ug/kg, dry	3.3	7.5	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	Xylenes, Total	<7.2	ug/kg, dry	2.4	15	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Acenaphthene	<580	ug/kg, dry	22	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Acenaphthylene	<580	ug/kg, dry	16	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8270D	Benzo[a]anthracene	2200	ug/kg, dry	16	1200	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8260B	trans-1,2-Dichloroethene	<3.6	ug/kg, dry	3.3	7.5	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Lead	38	mg/kg, dry	1.2	2.6	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Beryllium	<0.67	mg/kg, dry	0.49	2.1	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Boron	12	mg/kg, dry	2.5	26	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Cadmium	<0.34	mg/kg, dry	0.19	1.1	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Chromium	19	mg/kg, dry	2.6	5.3	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Cobalt	6	mg/kg, dry	0.69	2.6	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Vanadium	16	mg/kg, dry	0.62	2.6	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Iron	13000	mg/kg, dry	55	110	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Aluminum	7600	mg/kg, dry	43	110	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Manganese	380	mg/kg, dry	0.77	5.3	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Nickel	15	mg/kg, dry	1.5	5.3	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Potassium	1800	mg/kg, dry	94	260	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Silver	<0.84	mg/kg, dry	0.68	2.6	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Sodium	280	mg/kg, dry	78	530	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Strontium	34	mg/kg, dry	0.11	2.6	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Copper	36	mg/kg, dry	1.5	5.3	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment			surr: Terphenyl-d14	98	%			11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8151A	2,4-D	<590	ug/kg, dry	56	2000	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8151A	2,4,5-TP	<590	ug/kg, dry	51	2000	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment			surr: 2-Fluorobiphenyl	106	%			11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment			surr: DCAA	60	%			11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment			surr: DCB Decachlorobiphenyl	106	%			11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment			surr: DCB Decachlorobiphenyl	139	%			11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Barium	53	mg/kg, dry	0.6	5.3	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment			surr: Nitrobenzene-d5	86	%			11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	6010B	Arsenic	41	mg/kg, dry	1.8	5.3	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment			surr: Tetrachloro-m-xylene	82	%			11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment			surr: Tetrachloro-m-xylene	97	%			11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment			surr: Toluene-d8	97	%			11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	APHA	SM 4500	Total Phosphorous	760	mg/kg, dry	13	305	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	APHA	SM 4500N	TKN	460	mg/kg, dry	105	700	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment			surr: 4-Bromofluorobenzene	109	%			11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment			surr: Dibromofluoromethane	105	%			11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8082A	PCB-1221	<30	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8081B	Endrin ketone	<15.0	ug/kg, dry	1.4	31.5	11/3/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-IEPA	9/23/2020	12:45:00 PM	Sediment	USEPA	8081B	gamma-BHC (Lindane)	<15.0	ug/kg, dry	1.3	31.5	11/3/2020
NBCRWW																

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Endrin aldehyde	<23.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	4,4'-DDT	43	ug/kg, dry	3.3	31.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	PCB-1016	<45	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Boron	20	mg/kg, dry	2.5	26	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	Polychlorinated biphenyls, Total	<45	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	4,4'-DDD	170	ug/kg, dry	1.2	31.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	PCB-1254	<45	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	PCB-1248	<45	ug/kg, dry	24	62	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	PCB-1242	<45	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	PCB-1260	<45	ug/kg, dry	31	62	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	PCB-1221	<45	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Endrin ketone	<23.0	ug/kg, dry	1.4	31.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	trans-Chlordane	<23.0	ug/kg, dry	1.6	31.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Toxaphene	<220	ug/kg, dry	26	310	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Methoxychlor	<110	ug/kg, dry	1.2	155	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Heptachlor epoxide	<23.0	ug/kg, dry	2.2	31.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Heptachlor	<23.0	ug/kg, dry	2.6	31.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	gamma-BHC (Lindane)	<23.0	ug/kg, dry	1.3	31.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	PCB-1232	<45	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: Terphenyl-d14	110	%			11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Arsenic	6.8	mg/kg, dry	1.8	5.3	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Aluminum	15000	mg/kg, dry	43	110	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	APHA	SM 4500N	TKN	1100	mg/kg, dry	105	1400	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	APHA	SM 4500	Total Phosphorous	880	mg/kg, dry	13	305	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: Toluene-d8	95	%			11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Chromium	27	mg/kg, dry	2.6	5.3	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: Tetrachloro-m-xylene	56	%			11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Cadmium	<0.46	mg/kg, dry	0.19	1.1	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: Nitrobenzene-d5	97	%			11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: Dibromofluoromethane	105	%			11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: DCB Decachlorobiphenyl	95	%			11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: DCB Decachlorobiphenyl	75	%			11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8151A	2,4,5-TCB	<890	ug/kg, dry	51	2000	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Dichlorodifluoromethane	<13.0	ug/kg, dry	4.4	19	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: Tetrachloro-m-xylene	75	%			11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Manganese	600	mg/kg, dry	0.77	5.3	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	7471B	Mercury	210	ug/kg, dry	32	95	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Zinc	170	mg/kg, dry	4.6	11	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Vanadium	29	mg/kg, dry	0.62	2.6	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Strontium	44	mg/kg, dry	0.11	2.6	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Sodium	430	mg/kg, dry	78	530	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Silver	<1.20	mg/kg, dry	0.68	2.6	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Barium	90	mg/kg, dry	0.6	5.3	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Nickel	25	mg/kg, dry	1.5	5.3	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Beryllium	0.96	mg/kg, dry	0.49	2.1	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Lead	160	mg/kg, dry	1.2	2.6	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Iron	23000	mg/kg, dry	55	110	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Copper	50	mg/kg, dry	1.5	5.3	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Cobalt	11	mg/kg, dry	0.69	2.6	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: DCAA	56	%			11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: 4-Bromofluorobenzene	109	%			11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Potassium	3300	mg/kg, dry	94	260	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Trichlorofluoromethane	<13.0	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	cis-1,3-Dichloropropene	<5.4	ug/kg, dry	2.3	7.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8270D	Benzo[a]anthracene	1500	ug/kg, dry	16	1200	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8270D	Anthracene	<880	ug/kg, dry	20	1200	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8270D	Acenaphthylene	<880	ug/kg, dry	16	1200	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8270D	Acenaphthene	<880	ug/kg, dry	22	1200	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8270D	Benzo[b]fluoranthene	3400	ug/kg, dry	26	1200	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Vinyl chloride	<5.4	ug/kg, dry	3.3	7.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8270D	Benzo[g,h,i]perylene	1500	ug/kg, dry	39	1200	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Trichloroethene	<5.4	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	trans-1,3-Dichloropropene	<5.4	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	trans-1,2-Dichloroethene	<5.4	ug/kg, dry	3.3	7.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Toluene	<5.4	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Tetrachloroethene	<5.4	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Styrene	<5.4	ug/kg, dry	2.3	7.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Xylenes, Total	<11.0	ug/kg, dry	2.4	15	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8270D	Indeno[1,2,3-cd]pyrene	1300	ug/kg, dry	32	1200	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: 1,2-Dichloroethane-d4	108	%			11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	9066	Phenols	<1.30	mg/kg, dry	1.5	1.8	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	9066	Phenols	<1.30	mg/kg, dry	1.5	1.8	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	9014	Cyanide	<0.53	mg/kg, dry	0.6	1.7	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8270D	Pyrene	3800	ug/kg, dry	24	1200	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8270D	Benzo[a]pyrene	2200	ug/kg, dry	24	1200	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC													

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Chlorobenzene	<5.4	ug/kg, dry	2.8	7.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	alpha-Chlordane	<22.0	ug/kg, dry	3.2	31.5	11/3/2020
NBCRWW	Test America	MF16DUP	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: 2-Fluorobiphenyl	109	%			11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Endosulfan II	<22.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Endosulfan I	<22.0	ug/kg, dry	2.7	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Dieldrin	<22.0	ug/kg, dry	0.85	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	delta-BHC	<22.0	ug/kg, dry	2	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Endrin	<22.0	ug/kg, dry	0.86	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	beta-BHC	<22.0	ug/kg, dry	1.9	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Endrin aldehyde	<22.0	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	alpha-BHC	<22.0	ug/kg, dry	1.6	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Aldrin	<22.0	ug/kg, dry	2.6	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	4,4'-DDT	34	ug/kg, dry	3.3	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	4,4'-DDE	110	ug/kg, dry	1	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	4,4'-DDD	230	ug/kg, dry	1.2	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	Polychlorinated biphenyls, Total	<44	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Chlordane	<88	ug/kg, dry	12	125	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	trans-Chlordane	<22.0	ug/kg, dry	1.6	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	PCB-1260	<44	ug/kg, dry	31	62	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	PCB-1254	<44	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	PCB-1248	<44	ug/kg, dry	24	62	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	PCB-1242	<44	ug/kg, dry	12	62	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	PCB-1232	<44	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Endosulfan sulfate	<22.0	ug/kg, dry	1.1	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	PCB-1016	<44	ug/kg, dry	13	62	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Strontium	36	mg/kg, dry	0.11	2.6	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Toxaphene	<220	ug/kg, dry	26	310	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Methoxychlor	<110	ug/kg, dry	1.2	155	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Heptachlor epoxide	<22.0	ug/kg, dry	2.2	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Heptachlor	<22.0	ug/kg, dry	2.6	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	gamma-BHC (Lindane)	<22.0	ug/kg, dry	1.3	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8081B	Endrin ketone	<22.0	ug/kg, dry	1.4	31.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8082A	PCB-1221	<44	ug/kg, dry	16	62	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: Dibromofluoromethane	105	%			11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Zinc	120	mg/kg, dry	4.6	11	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	APHA	SM 4500	Total Phosphorous	1100	mg/kg, dry	13	305	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: Toluene-d8	94	%			11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: Tetrachloro-m-xylene	81	%			11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: Tetrachloro-m-xylene	126	%			11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Aluminum	8000	mg/kg, dry	43	110	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: Nitrobenzene-d5	88	%			11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Arsenic	4	mg/kg, dry	1.8	5.3	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: DCB Decachlorobiphenyl	89	%			11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: DCB Decachlorobiphenyl	123	%			11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: DCAA	56	%			11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: 4-Bromofluorobenzene	105	%			11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: 2-Fluorobiphenyl	100	%			11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: 1,2-Dichloroethane-d4	107	%			11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment			surr: Terphenyl-d14	96	%			11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Copper	36	mg/kg, dry	1.5	5.3	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Sodium	380	mg/kg, dry	78	530	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Silver	<1.20	mg/kg, dry	0.68	2.6	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Potassium	1900	mg/kg, dry	94	260	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Nickel	14	mg/kg, dry	1.5	5.3	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Manganese	430	mg/kg, dry	0.77	5.3	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	APHA	SM 4500N	TKN	1100	mg/kg, dry	105	1400	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Iron	14000	mg/kg, dry	55	110	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	7471B	Mercury	89	ug/kg, dry	32	95	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Cobalt	6.3	mg/kg, dry	0.69	2.6	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Chromium	16	mg/kg, dry	2.6	5.3	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Cadmium	<0.50	mg/kg, dry	0.19	1.1	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Boron	13	mg/kg, dry	2.5	26	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Beryllium	<1.00	mg/kg, dry	0.49	2.1	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Barium	57	mg/kg, dry	0.6	5.3	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	6010B	Lead	45	mg/kg, dry	1.2	2.6	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	trans-1,2-Dichloroethene	<5.3	ug/kg, dry	3.3	7.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8270D	Acenaphthylene	<870	ug/kg, dry	16	1200	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8270D	Acenaphthene	<870	ug/kg, dry	22	1200	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Xylenes, Total	<11.0	ug/kg, dry	2.4	15	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Vinyl chloride	<5.3	ug/kg, dry	3.3	7.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Trichlorofluoromethane	<13.0	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Dichlorodifluoromethane	<13.0	ug/kg, dry	4.4	19	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	trans-1,3-Dichloropropene	<5.3	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8270D	Benzo[a]pyrene	1800	ug/kg, dry	24	1200	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Toluene	<5.3	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Tetrachloroethene	<5.3	ug/kg, dry	2.5	7.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA</											

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	cis-1,3-Dichloropropene	<5.3	ug/kg, dry	2.3	7.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	cis-1,2-Dichloroethene	<5.3	ug/kg, dry	2.1	7.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Acetone	<53	ug/kg, dry	33	75	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Chloroform	<5.3	ug/kg, dry	2.6	7.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Chlorobenzene	<5.3	ug/kg, dry	2.8	7.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Carbon tetrachloride	<5.3	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Acrolein	<1100	ug/kg, dry	460	1500	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Bromomethane	<13.0	ug/kg, dry	7.1	19	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Bromoform	<5.3	ug/kg, dry	2.2	7.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Bromodichloromethane	<5.3	ug/kg, dry	1.5	7.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Benzene	<5.3	ug/kg, dry	1.9	7.5	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Acrylonitrile	<210	ug/kg, dry	53	300	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Carbon disulfide	<13.0	ug/kg, dry	3.9	19	11/3/2020
NBCRWW	Test America	MF16	HCCC-08	Middle Fork	Non-IEPA	9/23/2020	12:00:00 PM	Sediment	USEPA	8260B	Bromomethane	<13.0	ug/kg, dry	7.5	19	11/3/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Chloromethane	<14.0	ug/kg, dry	7.1	19	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Bromoform	<5.6	ug/kg, dry	2.2	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Bromodichloromethane	<5.6	ug/kg, dry	1.5	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Benzene	<5.6	ug/kg, dry	1.9	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Acrylonitrile	<230	ug/kg, dry	53	300	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Acetone	<56	ug/kg, dry	33	75	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	cis-1,3-Dichloropropene	<5.6	ug/kg, dry	2.3	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Acrolein	<1100	ug/kg, dry	460	1500	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Carbon disulfide	<14.0	ug/kg, dry	3.9	19	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Carbon tetrachloride	<5.6	ug/kg, dry	2.2	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Chlorobenzene	<5.6	ug/kg, dry	2.8	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Chloroethane	<14.0	ug/kg, dry	5.5	19	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Chloroform	<5.6	ug/kg, dry	2.6	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	cis-1,2-Dichloroethene	<5.6	ug/kg, dry	2.1	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	1,2-Dichloroethane	<14.0	ug/kg, dry	5.8	19	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Chloromethane	<14.0	ug/kg, dry	7.5	19	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	1,2-Dichlorobenzene	<5.6	ug/kg, dry	2.8	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Benzo[a]anthracene	1600	ug/kg, dry	16	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	1,1,1-Trichloroethane	<5.6	ug/kg, dry	2.5	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Dibromochloromethane	<5.6	ug/kg, dry	2.4	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	1,1,2-Trichloroethane	<5.6	ug/kg, dry	3.2	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	1,1-Dichloroethane	<5.6	ug/kg, dry	2.6	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	1,3-Dichlorobenzene	<5.6	ug/kg, dry	2.7	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	1,2-Dibromo-3-Chloropropane	<14.0	ug/kg, dry	7.5	19	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	4-Methyl-2-pentanone (MIBK)	<14.0	ug/kg, dry	5.5	19	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	1,2-Dichloropropane	<5.6	ug/kg, dry	1.9	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	1,1,2,2-Tetrachloroethane	<5.6	ug/kg, dry	2.4	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	1,4-Dichlorobenzene	<5.6	ug/kg, dry	2.9	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	2-Butanone (MEK)	<14.0	ug/kg, dry	8.3	19	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	2-Chloroethyl vinyl ether	<14.0	ug/kg, dry	3.5	19	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	2-Hexanone	<14.0	ug/kg, dry	5.8	19	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	1,1-Dichloroethene	<5.6	ug/kg, dry	2.6	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Hexachlorobenzene	<1800	ug/kg, dry	28	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Acenaphthylene	<910	ug/kg, dry	16	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Benzo[g,h,i]perylene	1600	ug/kg, dry	39	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Benzo[k]fluoranthene	1200	ug/kg, dry	36	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Chrysene	2500	ug/kg, dry	33	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Dibenzo[a,h]anthracene	<910	ug/kg, dry	24	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Benzo[a]pyrene	2300	ug/kg, dry	24	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Fluorene	<910	ug/kg, dry	17	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Anthracene	<910	ug/kg, dry	20	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Indeno[1,2,3-cd]pyrene	1300	ug/kg, dry	32	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Naphthalene	<910	ug/kg, dry	19	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Phenanthrene	2100	ug/kg, dry	17	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Pyrene	4200	ug/kg, dry	24	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	9014	Cyanide	<0.57	mg/kg, dry	0.6	1.7	11/3/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8082A	Polychlorinated biphenyls, Total	<47	ug/kg, dry	12	62	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Fluoranthene	5200	ug/kg, dry	23	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	trans-1,3-Dichloropropene	<5.6	ug/kg, dry	2.6	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Ethylbenzene	<5.6	ug/kg, dry	3.6	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Methylene chloride	<14.0	ug/kg, dry	7.4	19	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Methyl-tert-butyl ether	<5.6	ug/kg, dry	2.2	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Styrene	<5.6	ug/kg, dry	2.3	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Tetrachloroethene	<5.6	ug/kg, dry	2.5	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8270D	Benzo[b]fluoranthene	3700	ug/kg, dry	26	1200	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	trans-1,2-Dichloroethene	<5.6	ug/kg, dry	3.3	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Dichlorodifluoromethane	<14.0	ug/kg, dry	4.4	19	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Trichloroethene	<5.6	ug/kg, dry	2.5	7.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8260B	Trichlorofluoromethane	<14.0	ug/kg, dry	7.5	19	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020										

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	Heptachlor epoxide	<24.0	ug/kg, dry	2.2	31.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	Endrin	<24.0	ug/kg, dry	0.86	31.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	Toxaphene	<240	ug/kg, dry	26	310	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	Methoxychlor	<120	ug/kg, dry	1.2	155	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8082A	PCB-1016	<47	ug/kg, dry	13	62	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8082A	PCB-1221	<47	ug/kg, dry	16	62	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8082A	PCB-1232	<47	ug/kg, dry	16	62	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8082A	PCB-1242	<47	ug/kg, dry	12	62	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8082A	PCB-1248	<47	ug/kg, dry	24	62	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8082A	PCB-1260	<47	ug/kg, dry	31	62	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8082A	PCB-1254	<47	ug/kg, dry	13	62	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	4,4'-DDT	120	ug/kg, dry	3.3	31.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	6010B	Zinc	190	mg/kg, dry	4.6	11	11/3/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	trans-Chlordane	41	ug/kg, dry	1.6	31.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	Endosulfan sulfate	<24.0	ug/kg, dry	1.1	31.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	7471B	Mercury	230	ug/kg, dry	32	95	11/3/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	4,4'-DDE	210	ug/kg, dry	1	31.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	Aldrin	<24.0	ug/kg, dry	2.6	31.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	alpha-BHC	<24.0	ug/kg, dry	1.6	31.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	alpha-Chlordane	33	ug/kg, dry	3.2	31.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	beta-BHC	<24.0	ug/kg, dry	1.9	31.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	Chlordane	260	ug/kg, dry	12	125	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	delta-BHC	<24.0	ug/kg, dry	2	31.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	Dieldrin	<24.0	ug/kg, dry	0.85	31.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	Endosulfan I	<24.0	ug/kg, dry	2.7	31.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	Endosulfan II	<24.0	ug/kg, dry	1	31.5	10/28/2020
NBCRWW	Test America	MF17	HCCC-09	Middle Fork	Non-IEPA	9/23/2020	11:10:00 AM	Sediment	USEPA	8081B	4,4'-DDD	910	ug/kg, dry	1.2	157.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	cis-1,3-Dichloropropene	<3.6	ug/kg, dry	2.3	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	Bromomethane	<9.0	ug/kg, dry	7.1	19	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	Acrolein	<720	ug/kg, dry	460	1500	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	Acrylonitrile	<140	ug/kg, dry	53	300	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	Benzene	<3.6	ug/kg, dry	1.9	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	Bromodichloromethane	<3.6	ug/kg, dry	1.5	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	Bromoform	<3.6	ug/kg, dry	2.2	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	Carbon disulfide	<9.0	ug/kg, dry	3.9	19	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	Carbon tetrachloride	<3.6	ug/kg, dry	2.2	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	Chlorobenzene	<3.6	ug/kg, dry	2.8	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	Chloroethane	<9.0	ug/kg, dry	5.5	19	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	Chloroform	<3.6	ug/kg, dry	2.6	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	Chloromethane	<9.0	ug/kg, dry	7.5	19	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	9014	Cyanide	<0.50	mg/kg, dry	0.6	1.7	11/3/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	cis-1,2-Dichloroethene	<3.6	ug/kg, dry	2.1	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	1,2-Dichloropropane	<3.6	ug/kg, dry	1.9	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	1,1,1-Trichloroethane	<3.6	ug/kg, dry	2.5	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8270D	Acenaphthylene	<580	ug/kg, dry	16	1200	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	1,1,2,2-Tetrachloroethane	<3.6	ug/kg, dry	2.4	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	1,1-Dichloroethane	<3.6	ug/kg, dry	2.6	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	1,1-Dichloroethene	<3.6	ug/kg, dry	2.6	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	1,2-Dibromo-3-Chloropropane	<9.0	ug/kg, dry	7.5	19	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	1,1,2-Trichloroethane	<3.6	ug/kg, dry	3.2	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	1,2-Dichloroethane	<9.0	ug/kg, dry	5.8	19	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	Acetone	<36	ug/kg, dry	33	75	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	1,3-Dichlorobenzene	<3.6	ug/kg, dry	2.7	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	1,4-Dichlorobenzene	<3.6	ug/kg, dry	2.9	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	2-Butanone (MEK)	<9.0	ug/kg, dry	8.3	19	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	2-Chloroethyl vinyl ether	<9.0	ug/kg, dry	3.5	19	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	2-Hexanone	<9.0	ug/kg, dry	5.8	19	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	4-Methyl-2-pentanone (MIBK)	<9.0	ug/kg, dry	5.5	19	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	1,2-Dichlorobenzene	<3.9	ug/kg, dry	2.8	7.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8270D	Fluorene	<580	ug/kg, dry	17	1200	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8260B	Xylenes, Total	<7.2	ug/kg, dry	2.4	15	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8270D	Benzo[b]fluoranthene	5700	ug/kg, dry	26	1200	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8270D	Benzo[g,h,i]perylene	2200	ug/kg, dry	39	1200	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8270D	Benzo[k]fluoranthene	1400	ug/kg, dry	36	1200	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8270D	Chrysene	4300	ug/kg, dry	33	1200	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8270D	Benzo[a]anthracene	3300	ug/kg, dry	16	1200	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8270D	Fluoranthene	9400	ug/kg, dry	23	1200	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8270D	Anthracene	710	ug/kg, dry	20	1200	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8270D	Hexachlorobenzene	<1200	ug/kg, dry	28	1200	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8270D	Indeno[1,2,3-cd]pyrene	1900	ug/kg, dry	32	1200	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8270D	Naphthalene	<580	ug/kg, dry	19	1200	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8270D	Phenanthrene	5200	ug/kg, dry	17	1200	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8151A	2,4-D	<590	ug/kg, dry	56	2000	11/3/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	6010B	Vanadium	13	mg			

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collecton Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment			surr: Nitrobenzene-d5	78	%			10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment			surr: Terphenyl-d14	93	%			10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment			surr: Tetrachloro-m-xylene	107	%			10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment			surr: Tetrachloro-m-xylene	75	%			10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment			surr: Toluene-d8	94	%			10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	APHA	SM 4500 P	Total Phosphorous	530	mg/kg, dry	13	305	11/3/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment			surr: DCB Decachlorobiphenyl	115	%			10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8082A	PCB-1221	<29	ug/kg, dry	16	62	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	gamma-BHC (Lindane)	<15.0	ug/kg, dry	1.3	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	Heptachlor	<15.0	ug/kg, dry	2.6	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	Heptachlor epoxide	<15.0	ug/kg, dry	2.2	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	Methoxychlor	<73	ug/kg, dry	1.2	155	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	Toxaphene	<150	ug/kg, dry	26	310	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	6010B	Sodium	240	mg/kg, dry	78	530	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8082A	PCB-1016	<29	ug/kg, dry	13	62	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	Endrin	<15.0	ug/kg, dry	0.86	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8082A	PCB-1232	<29	ug/kg, dry	16	62	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8082A	PCB-1242	<29	ug/kg, dry	12	62	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8082A	PCB-1248	<29	ug/kg, dry	24	62	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8082A	PCB-1254	<29	ug/kg, dry	13	62	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8082A	PCB-1260	<29	ug/kg, dry	31	62	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8082A	Polychlorinated biphenyls, Total	<29	ug/kg, dry	12	62	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	trans-Chlordane	<15.0	ug/kg, dry	1.6	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	Chlordane	<59	ug/kg, dry	12	125	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8151A	2,4,5-TP	<590	ug/kg, dry	51	2000	11/3/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	4,4'-DDD	120	ug/kg, dry	1.2	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	4,4'-DDE	73	ug/kg, dry	1	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	4,4'-DDT	16	ug/kg, dry	3.3	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	Aldrin	<15.0	ug/kg, dry	2.6	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	alpha-BHC	<15.0	ug/kg, dry	1.6	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	Endrin ketone	<15.0	ug/kg, dry	1.4	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	beta-BHC	<15.0	ug/kg, dry	1.9	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	Endrin aldehyde	<15.0	ug/kg, dry	1	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	delta-BHC	<15.0	ug/kg, dry	2	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	Dieldrin	<15.0	ug/kg, dry	0.85	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	Endosulfan I	<15.0	ug/kg, dry	2.7	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	Endosulfan II	<15.0	ug/kg, dry	1	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	Endosulfan sulfate	<15.0	ug/kg, dry	1.1	31.5	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	6010B	Strontium	28	mg/kg, dry	0.11	2.6	10/28/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-IEPA	9/23/2020	10:30:00 AM	Sediment	USEPA	8081B	alpha-Chlordane	<15.0	ug/kg, dry	3.2	31.5	10/28/2020