

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-EPA	2/11/2020	7:17:00 AM	2/11/2020	11:00:00 AM	2/12/2020	11:00:00 AM	Water	APHA	SM 4500-CL-E		Chloride	Total	816	mg/L	0.85	5	2/12/2020
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-EPA	2/11/2020	7:17:00 AM	2/11/2020	11:00:00 AM	2/11/2020	7:17:00 AM	Water	APHA	SM 4500-O-G		Dissolved Oxygen	Total	9.54	mg/L		0.1	2/12/2020
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-EPA	2/11/2020	7:17:00 AM	2/11/2020	11:00:00 AM	2/11/2020	8:58:00 AM	Water	APHA	SM 9223 B		E. Coli	Total	325	CFU/100mL		1	2/12/2020
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-EPA	2/11/2020	7:17:00 AM	2/11/2020	11:00:00 AM	2/11/2020	1:13:00 PM	Water	APHA	SM 2540 D		Total Suspended Solids	Total	11	mg/L		1	2/13/2020
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-EPA	2/11/2020	7:17:00 AM	2/11/2020	11:00:00 AM	2/11/2020	7:17:00 AM	Water	APHA	SM 2550		Temperature	Total	1.5	deg C		0.1	2/12/2020
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-EPA	2/11/2020	7:17:00 AM	2/11/2020	11:00:00 AM	2/11/2020	7:17:00 AM	Water	APHA	SM 4500-H+ B		pH	Total	7.23	mg/L		0.1	2/12/2020
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-EPA	2/11/2020	7:17:00 AM	2/11/2020	11:00:00 AM	2/25/2020	3:18:00 PM	Water	APHA	SM 4500N org C		TKN	Total	<0.50	mg/L	0.091	0.4	2/26/2020
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-EPA	2/11/2020	7:17:00 AM	2/11/2020	11:00:00 AM	2/12/2020	11:40:00 AM	Water	APHA	SM 4500-NH3 D		Ammonia	Total	<0.10	mg/L	0.015	0.1	2/12/2020
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-EPA	2/11/2020	7:17:00 AM	2/11/2020	11:00:00 AM	2/11/2020	8:47:54 AM	Water	APHA	SM 5210 B		Biochemical Oxygen Demand	Total	<1	mg/L		2	2/17/2020
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-EPA	2/11/2020	7:17:00 AM	2/11/2020	11:00:00 AM	2/21/2020	12:36:00 PM	Water	USEPA	EPA 353.2 Rev 2.0		Total Nitrates	Dissolved	0.11	mg/L	0.046	0.1	2/21/2020
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-EPA	2/11/2020	7:17:00 AM	2/11/2020	11:00:00 AM	2/14/2020	2:24:00 PM	Water	USEPA	EPA 365.1 Rev 2.0		Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	2/17/2020
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-EPA	2/11/2020	7:17:00 AM	2/11/2020	11:00:00 AM	2/11/2020	7:17:00 AM	Water	APHA	SM 2510 B		Conductivity	Total	3340	umhos/cm		1	2/12/2020
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-EPA	2/11/2020	7:17:00 AM	2/11/2020	11:00:00 AM	2/11/2020	1:14:00 PM	Water	APHA	SM 2540 G		Volatile Suspended Solids	Total	<4	mg/L		1	2/13/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	2/11/2020	7:43:00 AM	2/11/2020	11:00:00 AM	2/21/2020	12:36:00 PM	Water	USEPA	EPA 353.2 Rev 2.0		Total Nitrates	Dissolved	0.18	mg/L	0.046	0.1	2/21/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	2/11/2020	7:43:00 AM	2/11/2020	11:00:00 AM	2/11/2020	7:17:00 AM	Water	APHA	SM 4500-H+ B		pH	Total	7.5	SU		0.1	2/12/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	2/11/2020	7:43:00 AM	2/11/2020	11:00:00 AM	2/11/2020	7:17:00 AM	Water	APHA	SM 2510 B		Conductivity	Total	2900	umhos/cm		1	2/12/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	2/11/2020	7:43:00 AM	2/11/2020	11:00:00 AM	2/11/2020	1:13:00 PM	Water	APHA	SM 2540 D		Total Suspended Solids	Total	6	mg/L		1	2/13/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	2/11/2020	7:43:00 AM	2/11/2020	11:00:00 AM	2/14/2020	2:24:00 PM	Water	USEPA	EPA 365.1 Rev 2.0		Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	2/17/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	2/11/2020	7:43:00 AM	2/11/2020	11:00:00 AM	2/11/2020	7:17:00 AM	Water	APHA	SM 2550		Temperature	Total	1	deg C		0.1	2/12/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	2/11/2020	7:43:00 AM	2/11/2020	11:00:00 AM	2/25/2020	3:18:00 PM	Water	APHA	SM 4500N org C		TKN	Total	<0.50	mg/L	0.091	0.4	2/26/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	2/11/2020	7:43:00 AM	2/11/2020	11:00:00 AM	2/11/2020	7:17:00 AM	Water	APHA	SM 4500-O-G		Dissolved Oxygen	Total	12.6	mg/L		0.1	2/12/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	2/11/2020	7:43:00 AM	2/11/2020	11:00:00 AM	2/11/2020	8:58:00 AM	Water	APHA	SM 9223 B		E. Coli	Total	59	CFU/100mL		1	2/12/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	2/11/2020	7:43:00 AM	2/11/2020	11:00:00 AM	2/12/2020	11:00:00 AM	Water	APHA	SM 4500-CL-E		Chloride	Total	674	mg/L	0.85	5	2/12/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	2/11/2020	7:43:00 AM	2/11/2020	11:00:00 AM	2/12/2020	11:40:00 AM	Water	APHA	SM 4500-NH3 D		Ammonia	Total	0.12	mg/L	0.015	0.1	2/12/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	2/11/2020	7:43:00 AM	2/11/2020	11:00:00 AM	2/11/2020	1:14:00 PM	Water	APHA	SM 2540 G		Volatile Suspended Solids	Total	<3	mg/L		1	2/13/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	2/11/2020	7:43:00 AM	2/11/2020	11:00:00 AM	2/11/2020	8:47:54 AM	Water	APHA	SM 5210 B		Biochemical Oxygen Demand	Total	<1	mg/L		2	2/17/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	2/11/2020	8:02:00 AM	2/11/2020	11:00:00 AM	2/12/2020	11:00:00 AM	Water	APHA	SM 4500-CL-E		Chloride	Total	551	mg/L	0.85	5	2/12/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	2/11/2020	8:02:00 AM	2/11/2020	11:00:00 AM	2/11/2020	1:13:00 PM	Water	APHA	SM 2540 D		Total Suspended Solids	Total	18	mg/L		1	2/13/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	2/11/2020	8:02:00 AM	2/11/2020	11:00:00 AM	2/25/2020	3:18:00 PM	Water	APHA	SM 4500N org C		TKN	Total	<0.50	mg/L	0.091	0.4	2/26/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	2/11/2020	8:02:00 AM	2/11/2020	11:00:00 AM	2/11/2020	7:17:00 AM	Water	APHA	SM 2510 B		Conductivity	Total	2440	umhos/cm		1	2/12/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	2/11/2020	8:02:00 AM	2/11/2020	11:00:00 AM	2/11/2020	1:14:00 PM	Water	APHA	SM 2540 G		Volatile Suspended Solids	Total	<4	mg/L		1	2/13/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	2/11/2020	8:02:00 AM	2/11/2020	11:00:00 AM	2/11/2020	7:17:00 AM	Water	APHA	SM 2550		Temperature	Total	1.2	deg C		0.1	2/12/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	2/11/2020	8:02:00 AM	2/11/2020	11:00:00 AM	2/12/2020	11:00:00 AM	Water	APHA	SM 4500-O-G		Dissolved Oxygen	Total	12.7	mg/L		0.1	2/12/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	2/11/2020	8:02:00 AM	2/11/2020	11:00:00 AM	2/11/2020	8:47:54 AM	Water	APHA	SM 5210 B		Biochemical Oxygen Demand	Total	<1	mg/L		2	2/17/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	2/11/2020	8:02:00 AM	2/11/2020	11:00:00 AM	2/11/2020	8:58:00 AM	Water	APHA	SM 9223 B		E. Coli	Total	115	CFU/100mL		1	2/12/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	2/11/2020	8:02:00 AM	2/11/2020	11:00:00 AM	2/21/2020	12:36:00 PM	Water	USEPA	EPA 353.2 Rev 2.0		Total Nitrates	Dissolved	0.21	mg/L	0.046	0.1	2/21/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	2/11/2020	8:02:00 AM	2/11/2020	11:00:00 AM	2/12/2020	11:40:00 AM	Water	APHA	SM 4500-NH3 D		Ammonia	Total	0.11	mg/L	0.015	0.1	2/12/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	2/11/2020	8:02:00 AM	2/11/2020	11:00:00 AM	2/11/2020	7:17:00 AM	Water	APHA	SM 4500-H+ B		pH	Total	7.62	SU		0.1	2/12/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	2/11/2020	8:02:00 AM	2/11/2020	11:00:00 AM	2/14/2020	2:24:00 PM	Water	USEPA	EPA 365.1 Rev 2.0		Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	2/17/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	2/11/2020	8:25:00 AM	2/11/2020	11:00:00 AM	2/21/2020	12:36:00 PM	Water	USEPA	EPA 353.2 Rev 2.0		Total Nitrates	Dissolved	0.26	mg/L	0.046	0.1	2/21/2020
NBCRWW	NSWRD	SR4DUP	HCCD-06	Skokie River	Non-EPA	2/11/2020	8:25:00 AM	2/11/2020	11:00:00 AM	2/11/2020	7:17:00 AM	Water	APHA	SM 2510 B		Conductivity	Total	2340	umhos/cm		1	2/12/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	2/11/2020	8:25:00 AM	2/11/2020	11:00:00 AM	2/11/2020	1:13:00 PM	Water	APHA	SM 2540 D		Total Suspended Solids	Total	8	mg/L		1	2/13/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	2/11/2020	8:25:00 AM	2/11/2020	11:00:00 AM	2/11/2020	7:17:00 AM	Water	APHA	SM 2550		Temperature	Total	1.1	deg C		0.1	2/12/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	2/11/2020	8:25:00 AM	2/11/2020	11:00:00 AM	2/11/2020	7:17:00 AM	Water	APHA	SM 4500-H+ B		pH	Total	7.83	SU		0.1	2/12/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	2/11/2020	8:25:00 AM	2/11/2020	11:00:00 AM	2/25/2020	3:18:00 PM	Water	APHA	SM 4500N org C		TKN	Total	<0.50	mg/L	0.091	0.4	2/26/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	2/11/2020	8:25:00 AM	2/11/2020	11:00:00 AM	2/12/2020	11:40:00 AM	Water	APHA	SM 4500-NH3 D		Ammonia	Total	<0.10	mg/L	0.015	0.1	2/12/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	2/11/2020	8:25:00 AM	2/11/2020	11:00:00 AM	2/11/2020	7:17:00 AM	Water	APHA	SM 4500-O-G		Dissolved Oxygen	Total	13.4	mg/L		0.1	2/12/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	2/11/2020	8:25:00 AM	2/11/2020	11:00:00 AM	2/11/2020	8:58:00 AM	Water	APHA	SM 9223 B		E. Coli	Total	325	CFU/100mL		1	2/12/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	2/11/2020	8:25:00 AM	2/11/2020	11:00:00 AM	2/14/2020	2:24:00 PM	Water	USEPA	EPA 365.1 Rev 2.0		Total Phosphorous	Total	<				

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	2/13/2020	9:28:00 AM	2/13/2020	11:47:00 AM	2/13/2020	7:47:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	14.1	mg/L		0.1	2/21/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	2/13/2020	9:28:00 AM	2/13/2020	11:47:00 AM	2/13/2020	8:18:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	93	CFU/100mL		1	2/14/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	2/13/2020	9:28:00 AM	2/13/2020	11:47:00 AM	2/21/2020	12:36:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	<0.10	mg/L	0.046	0.1	2/21/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	2/13/2020	9:28:00 AM	2/13/2020	11:47:00 AM	2/14/2020	2:24:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	<0.10	mg/L	0.011	0.041	2/17/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	2/13/2020	9:28:00 AM	2/13/2020	11:47:00 AM	2/21/2020	9:09:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	542	mg/L	0.85	5	2/21/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	2/13/2020	9:28:00 AM	2/13/2020	11:47:00 AM	2/18/2020	10:15:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	2/18/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	2/13/2020	9:50:00 AM	2/13/2020	11:47:00 AM	2/25/2020	3:18:00 PM	Water	APHA	SM 4500N org C	TKN	Total	2.1	mg/L	0.091	0.4	2/26/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	2/13/2020	9:50:00 AM	2/13/2020	11:47:00 AM	2/13/2020	7:47:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	8.08	SU		0.1	2/21/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	2/13/2020	9:50:00 AM	2/13/2020	11:47:00 AM	2/13/2020	7:47:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	2690	umhos/cm		1	2/21/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	2/13/2020	9:50:00 AM	2/13/2020	11:47:00 AM	2/13/2020	1:59:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	14	mg/L		1	2/14/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	2/13/2020	9:50:00 AM	2/13/2020	11:47:00 AM	2/13/2020	2:02:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	5	mg/L		1	2/14/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	2/13/2020	9:50:00 AM	2/13/2020	11:47:00 AM	2/18/2020	10:15:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	2/18/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	2/13/2020	9:50:00 AM	2/13/2020	11:47:00 AM	2/13/2020	7:47:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	14.1	mg/L		0.1	2/21/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	2/13/2020	9:50:00 AM	2/13/2020	11:47:00 AM	2/13/2020	2:00:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<2	mg/L		2	2/18/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	2/13/2020	9:50:00 AM	2/13/2020	11:47:00 AM	2/13/2020	8:18:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	147	CFU/100mL		2	2/14/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	2/13/2020	9:50:00 AM	2/13/2020	11:47:00 AM	2/21/2020	12:36:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	<0.10	mg/L	0.046	0.1	2/21/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	2/13/2020	9:50:00 AM	2/13/2020	11:47:00 AM	2/14/2020	2:24:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	<0.10	mg/L	0.011	0.041	2/17/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	2/13/2020	9:50:00 AM	2/13/2020	11:47:00 AM	2/21/2020	9:09:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	656	mg/L	0.85	5	2/21/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	2/13/2020	9:50:00 AM	2/13/2020	11:47:00 AM	2/13/2020	7:47:00 AM	Water	APHA	SM 2550	Temperature	Total	0.1	deg C		0.1	2/21/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	2/13/2020	10:10:00 AM	2/13/2020	11:47:00 AM	2/13/2020	1:59:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	11	mg/L		1	2/14/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	2/13/2020	10:10:00 AM	2/13/2020	11:47:00 AM	3/2/2020	2:04:00 PM	Water	USEPA	EPA 353.1 Rev 2.0	Total Phosphorus	Total	<0.10	mg/L	0.011	0.041	3/2/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	2/13/2020	10:10:00 AM	2/13/2020	11:47:00 AM	2/13/2020	7:47:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	2240	umhos/cm		1	2/21/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	2/13/2020	10:10:00 AM	2/13/2020	11:47:00 AM	2/13/2020	2:02:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3	mg/L		1	2/14/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	2/13/2020	10:10:00 AM	2/13/2020	11:47:00 AM	2/13/2020	7:47:00 AM	Water	APHA	SM 2550	Temperature	Total	0.2	deg C		0.1	2/21/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	2/13/2020	10:10:00 AM	2/13/2020	11:47:00 AM	2/21/2020	9:09:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	518	mg/L	0.85	5	2/21/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	2/13/2020	10:10:00 AM	2/13/2020	11:47:00 AM	2/18/2020	10:15:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	2/18/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	2/13/2020	10:10:00 AM	2/13/2020	11:47:00 AM	2/13/2020	7:47:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	14.7	mg/L		0.1	2/21/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	2/13/2020	10:10:00 AM	2/13/2020	11:47:00 AM	2/13/2020	2:00:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2	mg/L		2	2/18/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	2/13/2020	10:10:00 AM	2/13/2020	11:47:00 AM	2/13/2020	8:18:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	60	CFU/100mL		1	2/14/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	2/13/2020	10:10:00 AM	2/13/2020	11:47:00 AM	2/21/2020	12:36:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	<0.10	mg/L	0.046	0.1	2/21/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	2/13/2020	10:10:00 AM	2/13/2020	11:47:00 AM	2/13/2020	7:47:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	8.16	SU		0.1	2/21/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	2/13/2020	10:10:00 AM	2/13/2020	11:47:00 AM	2/25/2020	3:18:00 PM	Water	APHA	SM 4500N org C	TKN	Total	<0.50	mg/L	0.091	0.4	2/26/2020
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-EPA	2/13/2020	10:28:00 AM	2/13/2020	11:47:00 AM	2/13/2020	7:47:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	14.4	mg/L		0.1	2/21/2020
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-EPA	2/13/2020	10:28:00 AM	2/13/2020	11:47:00 AM	2/18/2020	10:15:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	2/18/2020
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-EPA	2/13/2020	10:28:00 AM	2/13/2020	11:47:00 AM	2/13/2020	7:47:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	2170	umhos/cm		1	2/21/2020
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-EPA	2/13/2020	10:28:00 AM	2/13/2020	11:47:00 AM	2/13/2020	1:59:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	29	mg/L		1	2/14/2020
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-EPA	2/13/2020	10:28:00 AM	2/13/2020	11:47:00 AM	2/13/2020	2:02:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	5	mg/L		1	2/14/2020
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-EPA	2/13/2020	10:28:00 AM	2/13/2020	11:47:00 AM	2/13/2020	7:47:00 AM	Water	APHA	SM 2550	Temperature	Total	0.2	deg C		0.1	2/21/2020
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-EPA	2/13/2020	10:28:00 AM	2/13/2020	11:47:00 AM	2/25/2020	3:18:00 PM	Water	APHA	SM 4500N org C	TKN	Total	0.91	mg/L	0.091	0.4	2/26/2020
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-EPA	2/13/2020	10:28:00 AM	2/13/2020	11:47:00 AM	2/13/2020	2:00:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<2	mg/L		2	2/18/2020
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-EPA	2/13/2020	10:28:00 AM	2/13/2020	11:47:00 AM	2/13/2020	8:18:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	308	CFU/100mL		1	2/14/2020
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-EPA	2/13/2020	10:28:00 AM	2/13/2020	11:47:00 AM	2/21/2020	12:36:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	<0.10	mg/L	0.046	0.1	2/21/2020
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-EPA	2/13/2020	10:28:00 AM	2/13/2020	11:47:00 AM	3/2/2020	2:04:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	<0.10	mg/L	0.011	0.041	3/2/2020
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-EPA	2/13/2020	10:28:00 AM	2/13/2020	11:47:00 AM	2/13/2020	7:47:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	8.12	SU		0.1	2/21/2020
NBCRWW	NSWRD	MF15	HCCC-03	Middle Fork	Non-EPA	2/13/2020	10:28:00 AM	2/13/2020	11:47:00 AM	2/21/2020	9:09:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	455	mg/L	0.85	5	2/21/2020
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-EPA	2/12/2020	9:16:00 AM	2/12/2020	11:11:00 AM	2/21/2020	9:09:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	317	mg/L	0.85	5	2/21/2020
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-EPA	2/12/2020	9:16:00 AM	2/12/2020	11:11:00 AM	2/12/2020	1:25:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	2	mg/L		1	2/13/2020
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-EPA	2/12/2020	9:16:00 AM	2/12/2020	11:11:00 AM	2/14/2020	2:24:00 PM	Water	USEPA	EPA 353.1 Rev 2.0	Total Phosphorus	Total	0.43	mg/L	0.011	0.041	2/17/2020
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-EPA	2/12/2020	9:16:00 AM	2/12/2020	11:11:00 AM	2/12/2020	7:36:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	1543	umhos/cm		1	2/12/2020
NBCRWW	NSWRD	MF16	HCCC-08	Middle Fork	Non-EPA	2/12/2020	9:16:00 AM	2/12/2020	11:11:00 AM	2/12/2020	3:39:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	21	mg/L			

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	2/12/2020	9:40:00 AM	2/12/2020	11:11:00 AM	2/13/2020	10:15:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.24	mg/L	0.015	0.1	2/13/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	2/12/2020	9:40:00 AM	2/12/2020	11:11:00 AM	2/12/2020	1:25:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	59	mg/L		1	2/13/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	2/12/2020	9:40:00 AM	2/12/2020	11:11:00 AM	2/12/2020	3:39:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	30	mg/L		1	2/13/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	2/12/2020	9:40:00 AM	2/12/2020	11:11:00 AM	2/12/2020	7:36:00 AM	Water	APHA	SM 2550	Temperature	Total	1.6	deg C		0.1	2/13/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	2/12/2020	9:40:00 AM	2/12/2020	11:11:00 AM	2/21/2020	9:09:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	941	mg/L	0.85	5	2/21/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	2/12/2020	9:40:00 AM	2/12/2020	11:11:00 AM	2/12/2020	7:36:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	8.02	SU		0.1	2/12/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	2/12/2020	9:40:00 AM	2/12/2020	11:11:00 AM	2/12/2020	7:36:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	12.9	mg/L		0.1	2/12/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	2/12/2020	9:40:00 AM	2/12/2020	11:11:00 AM	2/12/2020	1:56:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2	mg/L		2	2/17/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	2/12/2020	9:40:00 AM	2/12/2020	11:11:00 AM	2/12/2020	8:23:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	1050	CFU/100mL		1	2/13/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	2/12/2020	9:40:00 AM	2/12/2020	11:11:00 AM	2/14/2020	2:24:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.29	mg/L	0.011	0.041	2/17/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	2/12/2020	9:40:00 AM	2/12/2020	11:11:00 AM	2/12/2020	7:36:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	3300	umhos/cm		1	2/12/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	2/12/2020	9:40:00 AM	2/12/2020	11:11:00 AM	2/21/2020	12:36:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	2.5	mg/L	0.046	0.1	2/21/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	2/11/2020	7:27:00 AM	2/11/2020	11:00:00 AM	2/21/2020	12:36:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	<0.10	mg/L	0.046	0.1	2/21/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	2/11/2020	7:27:00 AM	2/11/2020	11:00:00 AM	2/14/2020	2:24:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	2/17/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	2/11/2020	7:27:00 AM	2/11/2020	11:00:00 AM	2/11/2020	1:13:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	<1	mg/L		1	2/13/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	2/11/2020	7:27:00 AM	2/11/2020	11:00:00 AM	2/11/2020	1:14:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<1	mg/L		1	2/13/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	2/11/2020	7:27:00 AM	2/11/2020	11:00:00 AM	2/12/2020	11:00:00 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	<5	mg/L	0.85	5	2/12/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	2/11/2020	7:27:00 AM	2/11/2020	11:00:00 AM	2/25/2020	3:18:00 PM	Water	APHA	SM 4500N org C	TKN	Total	<0.50	mg/L	0.091	0.4	2/26/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	2/11/2020	7:27:00 AM	2/11/2020	11:00:00 AM	2/12/2020	11:40:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	2/12/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	2/11/2020	7:27:00 AM	2/11/2020	11:00:00 AM	2/12/2020	8:47:54 AM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	2/17/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	2/11/2020	7:27:00 AM	2/11/2020	11:00:00 AM	2/11/2020	8:58:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	<1	CFU/100mL		1	2/12/2020
NBCRWW	NSWRD	SR6	HCCD-01	Skokie River	Non-EPA	5/12/2020	8:38:00 AM	5/12/2020	10:20:00 AM	5/12/2020	12:12:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	10.4	mg/L		0.1	5/12/2020
NBCRWW	NSWRD	SR6	HCCD-01	Skokie River	Non-EPA	5/12/2020	8:38:00 AM	5/12/2020	10:20:00 AM	5/29/2020	7:03:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.01	mg/L	0.091	0.4	6/1/2020
NBCRWW	NSWRD	SR6	HCCD-01	Skokie River	Non-EPA	5/12/2020	8:38:00 AM	5/12/2020	10:20:00 AM	5/12/2020	12:12:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	1262	umhos/cm		1	5/12/2020
NBCRWW	NSWRD	SR6	HCCD-01	Skokie River	Non-EPA	5/12/2020	8:38:00 AM	5/12/2020	10:20:00 AM	5/12/2020	2:55:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	11	mg/L		1	5/15/2020
NBCRWW	NSWRD	SR6	HCCD-01	Skokie River	Non-EPA	5/12/2020	8:38:00 AM	5/12/2020	10:20:00 AM	5/12/2020	2:55:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3	mg/L		1	5/15/2020
NBCRWW	NSWRD	SR6	HCCD-01	Skokie River	Non-EPA	5/12/2020	8:38:00 AM	5/12/2020	10:20:00 AM	5/12/2020	12:12:00 PM	Water	APHA	SM 2550	Temperature	Total	8.6	deg C		0.1	5/12/2020
NBCRWW	NSWRD	SR6	HCCD-01	Skokie River	Non-EPA	5/12/2020	8:38:00 AM	5/12/2020	10:20:00 AM	5/12/2020	12:12:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	7.71	SU		0.1	5/12/2020
NBCRWW	NSWRD	SR6	HCCD-01	Skokie River	Non-EPA	5/12/2020	8:38:00 AM	5/12/2020	10:20:00 AM	5/22/2020	1:54:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	272	mg/L	0.85	5	2/28/2020
NBCRWW	NSWRD	SR6	HCCD-01	Skokie River	Non-EPA	5/12/2020	8:38:00 AM	5/12/2020	10:20:00 AM	5/15/2020	12:02:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.11	mg/L	0.015	0.1	5/15/2020
NBCRWW	NSWRD	SR6	HCCD-01	Skokie River	Non-EPA	5/12/2020	8:38:00 AM	5/12/2020	10:20:00 AM	5/12/2020	12:12:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2	mg/L		2	5/18/2020
NBCRWW	NSWRD	SR6	HCCD-01	Skokie River	Non-EPA	5/12/2020	8:38:00 AM	5/12/2020	10:20:00 AM	5/12/2020	8:43:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	411	CFU/100mL		1	5/13/2020
NBCRWW	NSWRD	SR6	HCCD-01	Skokie River	Non-EPA	5/12/2020	8:38:00 AM	5/12/2020	10:20:00 AM	5/20/2020	10:13:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.29	mg/L	0.046	0.1	5/22/2020
NBCRWW	NSWRD	SR6	HCCD-01	Skokie River	Non-EPA	5/12/2020	8:38:00 AM	5/12/2020	10:20:00 AM	5/27/2020	8:35:15 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	5/28/2020
NBCRWW	NSWRD	SR6	HCCD-01	Skokie River	Non-EPA	5/12/2020	8:38:00 AM	5/12/2020	10:20:00 AM	5/27/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	4.1	ug/L		0.1	5/28/2020
NBCRWW	NSWRD	SR7	HCCD-04	Skokie River	Non-EPA	5/12/2020	8:55:00 AM	5/12/2020	10:20:00 AM	5/12/2020	12:12:00 PM	Water	APHA	SM 2550	Temperature	Total	12	deg C		0.1	5/12/2020
NBCRWW	NSWRD	SR7	HCCD-04	Skokie River	Non-EPA	5/12/2020	8:55:00 AM	5/12/2020	10:20:00 AM	5/27/2020	12:00:00 PM	Water	USEPA	10200-H	Chlorophyll a	Total	74	ug/L		0.1	5/28/2020
NBCRWW	NSWRD	SR7	HCCD-04	Skokie River	Non-EPA	5/12/2020	8:55:00 AM	5/12/2020	10:20:00 AM	5/12/2020	12:12:00 PM	Water	APHA	SM 4500-H+ B	pH	Total	8.42	SU		0.1	5/12/2020
NBCRWW	NSWRD	SR7	HCCD-04	Skokie River	Non-EPA	5/12/2020	8:55:00 AM	5/12/2020	10:20:00 AM	5/12/2020	12:12:00 PM	Water	APHA	SM 2510 B	Conductivity	Total	976	umhos/cm		1	5/12/2020
NBCRWW	NSWRD	SR7	HCCD-04	Skokie River	Non-EPA	5/12/2020	8:55:00 AM	5/12/2020	10:20:00 AM	5/12/2020	2:55:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	34	mg/L		1	5/15/2020
NBCRWW	NSWRD	SR7	HCCD-04	Skokie River	Non-EPA	5/12/2020	8:55:00 AM	5/12/2020	10:20:00 AM	5/12/2020	12:12:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	7	mg/L		2	5/18/2020
NBCRWW	NSWRD	SR7	HCCD-04	Skokie River	Non-EPA	5/12/2020	8:55:00 AM	5/12/2020	10:20:00 AM	5/12/2020	12:12:00 PM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	14.6	mg/L		0.1	5/12/2020
NBCRWW	NSWRD	SR7	HCCD-04	Skokie River	Non-EPA	5/12/2020	8:55:00 AM	5/12/2020	10:20:00 AM	5/15/2020	12:02:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.11	mg/L	0.015	0.1	5/15/2020
NBCRWW	NSWRD	SR7	HCCD-04	Skokie River	Non-EPA	5/12/2020	8:55:00 AM	5/12/2020	10:20:00 AM	5/12/2020	8:43:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	3	CFU/100mL		1	5/13/2020
NBCRWW	NSWRD	SR7	HCCD-04	Skokie River	Non-EPA	5/12/2020	8:55:00 AM	5/12/2020	10:20:00 AM	5/12/2020	2:55:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	8	mg/L		1	5/15/2020
NBCRWW	NSWRD	SR7	HCCD-04	Skokie River	Non-EPA	5/12/2020	8:55:00 AM	5/12/2020	10:20:00 AM	5/20/2020	10:13:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.64	mg/L	0.046	0.1	5/22/2020
NBCRWW	NSWRD	SR7	HCCD-04	Skokie River	Non-EPA	5/12/2020	8:55:00 AM	5/12/2020	10:20:00 AM	5/27/2020	8:35:15 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.13	mg/L	0.011	0.041	5/28/2020
NBCRWW	NSWRD	SR7	HCCD-04	Skokie River	Non-EPA	5/12/2020	8:55:00 AM	5/12/2020	10:20:00 AM	5/29/2020	7:03:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.4	mg/L	0.091	0.4	6/1/2020
NBCRWW	NSWRD	SR7	HCCD-04	Skokie River	Non-EPA	5/12/2020	8:55:00 AM	5/12/2020	10:20:00 AM	5/22/2020	1:54:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	165	mg/L	0.85	5	5/28/2020
NBCRWW	NSWRD	MF8	HCCC-16	Middle Fork	Non-EPA	5/14/2020	7:07:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	738	umhos/cm		1	5/14/2020
NBCRWW	NSWRD	MF8	HCCC-16	Middle Fork	Non-EPA	5/14/20															

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code	IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Northern Lakes	MF11	HCCC-13	Middle Fork	Non-EPA	5/14/2020	8:12:00 AM	5/14/2020	10:17:00 AM	5/27/2020	12:00:00 AM	Water	USEPA	10200-H		Chlorophyll a	Total	10	ug/L			5/28/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	5/14/2020	8:12:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 2510 B		Conductivity	Total	314	umhos/cm			5/14/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	5/14/2020	8:12:00 AM	5/14/2020	10:17:00 AM	5/14/2020	12:44:00 PM	Water	APHA	SM 2540 D		Total Suspended Solids	Total	230	mg/L			5/15/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	5/14/2020	8:12:00 AM	5/14/2020	10:17:00 AM	5/14/2020	12:50:00 PM	Water	APHA	SM 2540 G		Volatile Suspended Solids	Total	37	mg/L			5/15/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	5/14/2020	8:12:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 2550		Temperature	Total	12.5	deg C			5/14/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	5/14/2020	8:12:00 AM	5/14/2020	10:17:00 AM	5/20/2020	11:56:00 AM	Water	APHA	SM 4500-NH3 D		Ammonia	Total	0.16	mg/L	0.015		5/20/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	5/14/2020	8:12:00 AM	5/14/2020	10:17:00 AM	5/14/2020	9:31:00 AM	Water	APHA	SM 5210 B		Biochemical Oxygen Demand	Total	8	mg/L			6/3/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	5/14/2020	8:12:00 AM	5/14/2020	10:17:00 AM	5/14/2020	8:07:00 AM	Water	APHA	SM 9223 B		E. Coli	Total	4610	CFU/100mL			5/15/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	5/14/2020	8:12:00 AM	5/14/2020	10:17:00 AM	5/20/2020	10:13:00 PM	Water	USEPA	EPA 353.2 Rev 2.0		Total Nitrate	Dissolved	0.24	mg/L	0.046		5/22/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	5/14/2020	8:12:00 AM	5/14/2020	10:17:00 AM	5/27/2020	8:35:15 PM	Water	USEPA	EPA 365.1 Rev 2.0		Total Phosphorous	Total	0.42	mg/L	0.011	0.041	5/28/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	5/14/2020	8:12:00 AM	5/14/2020	10:17:00 AM	5/14/2020	4:36:00 PM	Water	APHA	SM 4500-CL-E		Chloride	Total	0.44	mg/L	0.85		5/28/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	5/14/2020	8:12:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 4500-H+ B		pH	Total	7.12	SU			5/14/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	5/14/2020	8:28:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 4500-O G		Dissolved Oxygen	Total	9.41	mg/L			5/14/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	5/14/2020	8:28:00 AM	5/14/2020	10:17:00 AM	5/29/2020	7:03:00 PM	Water	APHA	SM 4500N org C		TKN	Total	2.13	mg/L	0.091	0.4	6/1/2020
NBCRWW	Northern Lakes	MF12	HCCC-12	Middle Fork	Non-EPA	5/14/2020	8:28:00 AM	5/14/2020	10:17:00 AM	5/14/2020	12:00:00 AM	Water	USEPA	10200-H		Chlorophyll a	Total	10	ug/L			5/28/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	5/14/2020	8:28:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 2510 B		Conductivity	Total	411	umhos/cm			5/14/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	5/14/2020	8:28:00 AM	5/14/2020	10:17:00 AM	5/14/2020	12:44:00 PM	Water	APHA	SM 2540 D		Total Suspended Solids	Total	279	mg/L			5/15/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	5/14/2020	8:28:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 4500-H+ B		pH	Total	7.52	SU			5/14/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	5/14/2020	8:28:00 AM	5/14/2020	10:17:00 AM	5/14/2020	12:50:00 PM	Water	APHA	SM 2540 G		Volatile Suspended Solids	Total	38	mg/L			5/15/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	5/14/2020	8:28:00 AM	5/14/2020	10:17:00 AM	5/27/2020	8:35:15 PM	Water	USEPA	EPA 365.1 Rev 2.0		Total Phosphorous	Total	0.42	mg/L	0.011	0.041	5/28/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	5/14/2020	8:28:00 AM	5/14/2020	10:17:00 AM	5/14/2020	9:31:00 AM	Water	APHA	SM 5210 B		Biochemical Oxygen Demand	Total	8	mg/L			6/3/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	5/14/2020	8:28:00 AM	5/14/2020	10:17:00 AM	5/14/2020	8:07:00 AM	Water	APHA	SM 9223 B		E. Coli	Total	5480	CFU/100mL			5/15/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	5/14/2020	8:28:00 AM	5/14/2020	10:17:00 AM	5/20/2020	10:13:00 PM	Water	USEPA	EPA 353.2 Rev 2.0		Total Nitrate	Dissolved	0.24	mg/L	0.046		5/22/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	5/14/2020	8:28:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 2550		Temperature	Total	12.9	deg C			5/14/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	5/14/2020	8:28:00 AM	5/14/2020	10:17:00 AM	5/27/2020	4:36:00 PM	Water	APHA	SM 4500-CL-E		Chloride	Total	74	mg/L	0.85		5/28/2020
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	5/14/2020	8:28:00 AM	5/14/2020	10:17:00 AM	5/20/2020	11:56:00 AM	Water	APHA	SM 4500-NH3 D		Ammonia	Total	0.19	mg/L	0.015		5/20/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	5/14/2020	8:53:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 4500-O G		Dissolved Oxygen	Total	9.21	mg/L			5/14/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	5/14/2020	8:53:00 AM	5/14/2020	10:17:00 AM	5/29/2020	7:03:00 PM	Water	APHA	SM 4500N org C		TKN	Total	4.59	mg/L	0.091	0.4	6/1/2020
NBCRWW	Northern Lakes	MF13	HCCC-11	Middle Fork	Non-EPA	5/14/2020	8:53:00 AM	5/14/2020	10:17:00 AM	5/14/2020	12:00:00 AM	Water	USEPA	10200-H		Chlorophyll a	Total	7.5	ug/L			5/28/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	5/14/2020	8:53:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 2510 B		Conductivity	Total	448	umhos/cm			5/14/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	5/14/2020	8:53:00 AM	5/14/2020	10:17:00 AM	5/14/2020	12:44:00 PM	Water	APHA	SM 2540 D		Total Suspended Solids	Total	206	mg/L			5/15/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	5/14/2020	8:53:00 AM	5/14/2020	10:17:00 AM	5/14/2020	12:50:00 PM	Water	APHA	SM 2540 G		Volatile Suspended Solids	Total	23	mg/L			5/15/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	5/14/2020	8:53:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 2550		Temperature	Total	13.3	deg C			5/14/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	5/14/2020	8:53:00 AM	5/14/2020	10:17:00 AM	5/20/2020	11:56:00 AM	Water	APHA	SM 4500-NH3 D		Ammonia	Total	0.17	mg/L	0.015		5/20/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	5/14/2020	8:53:00 AM	5/14/2020	10:17:00 AM	5/14/2020	9:31:00 AM	Water	APHA	SM 5210 B		Biochemical Oxygen Demand	Total	6	mg/L			6/3/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	5/14/2020	8:53:00 AM	5/14/2020	10:17:00 AM	5/14/2020	8:07:00 AM	Water	APHA	SM 9223 B		E. Coli	Total	2610	CFU/100mL			5/15/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	5/14/2020	8:53:00 AM	5/14/2020	10:17:00 AM	5/20/2020	10:13:00 PM	Water	USEPA	EPA 353.2 Rev 2.0		Total Nitrate	Dissolved	0.17	mg/L	0.046		5/22/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	5/14/2020	8:53:00 AM	5/14/2020	10:17:00 AM	5/27/2020	8:35:15 PM	Water	USEPA	EPA 365.1 Rev 2.0		Total Phosphorous	Total	0.29	mg/L	0.011	0.041	5/28/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	5/14/2020	8:53:00 AM	5/14/2020	10:17:00 AM	5/27/2020	4:36:00 PM	Water	APHA	SM 4500-CL-E		Chloride	Total	74	mg/L	0.85		5/28/2020
NBCRWW	NSWRD	MF13	HCCC-11	Middle Fork	Non-EPA	5/14/2020	8:53:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 4500-H+ B		pH	Total	7.41	SU			5/14/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	5/14/2020	9:09:00 AM	5/14/2020	10:17:00 AM	5/27/2020	4:36:00 PM	Water	APHA	SM 4500-CL-E		Chloride	Total	71	mg/L	0.85		5/28/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	5/14/2020	9:09:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 2550		Temperature	Total	12.6	deg C			5/14/2020
NBCRWW	Northern Lakes	MF14	HCCC-10	Middle Fork	Non-EPA	5/14/2020	9:09:00 AM	5/14/2020	10:17:00 AM	5/27/2020	12:00:00 AM	Water	USEPA	10200-H		Chlorophyll a	Total	16	ug/L			5/28/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	5/14/2020	9:09:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 2510 B		Conductivity	Total	377	umhos/cm			5/14/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	5/14/2020	9:09:00 AM	5/14/2020	10:17:00 AM	5/20/2020	10:13:00 PM	Water	USEPA	EPA 353.2 Rev 2.0		Total Nitrate	Dissolved	0.22	mg/L	0.046		5/22/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	5/14/2020	9:09:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 4500-H+ B		pH	Total	7.2	SU			5/14/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	5/14/2020	9:09:00 AM	5/14/2020	10:17:00 AM	5/14/2020	12:50:00 PM	Water	APHA	SM 2540 G		Volatile Suspended Solids	Total	86	mg/L			5/15/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	5/14/2020	9:09:00 AM	5/14/2020	10:17:00 AM	5/29/2020	7:03:00 PM	Water	APHA	SM 4500N org C		TKN	Total	4.59	mg/L	0.091	0.4	6/1/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	5/14/2020	9:09:00 AM	5/14/2020	10:17:00 AM	5/20/2020	11:56:00 AM	Water	APHA	SM 4500-NH3 D		Ammonia	Total	0.18	mg/L	0.015		5/20/2020
NBCRWW	NSWRD	MF14	HCCC-10	Middle Fork	Non-EPA	5/14/2020	9:09:00 AM	5/14/2020	10:17:00 AM	5/14/2020	7:07:00 AM	Water	APHA	SM 4500-O G								

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	5/13/2020	7:53:00 AM	5/13/2020	10:49:00 AM	5/27/2020	8:35:15 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.91	mg/L	0.011	0.041	5/28/2020
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	5/13/2020	7:53:00 AM	5/13/2020	10:49:00 AM	5/20/2020	10:13:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	5.11	mg/L	0.046	0.1	5/22/2020
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	5/13/2020	7:53:00 AM	5/13/2020	10:49:00 AM	5/29/2020	7:03:00 PM	Water	APHA	SM 4500N org C	TKN	Total	2.42	mg/L	0.091	0.4	6/1/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-EPA	5/13/2020	8:15:00 AM	5/13/2020	10:49:00 AM	5/13/2020	11:54:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	11.3	mg/L		0.1	5/15/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-EPA	5/13/2020	8:15:00 AM	5/13/2020	10:49:00 AM	5/29/2020	7:03:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.67	mg/L	0.091	0.4	6/1/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-EPA	5/13/2020	8:15:00 AM	5/13/2020	10:49:00 AM	5/13/2020	11:54:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	1266	umhos/cm		1	5/15/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-EPA	5/13/2020	8:15:00 AM	5/13/2020	10:49:00 AM	5/6/2020	3:10:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	20	mg/L		1	5/14/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-EPA	5/13/2020	8:15:00 AM	5/13/2020	10:49:00 AM	5/13/2020	9:09:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	5	mg/L		1	5/14/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-EPA	5/13/2020	8:15:00 AM	5/13/2020	10:49:00 AM	5/13/2020	11:54:00 AM	Water	APHA	SM 2550	Temperature	Total	11.4	deg C		0.1	5/15/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-EPA	5/13/2020	8:15:00 AM	5/13/2020	10:49:00 AM	5/13/2020	11:54:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.76	SU		0.1	5/15/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-EPA	5/13/2020	8:15:00 AM	5/13/2020	10:49:00 AM	5/27/2020	4:36:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	252	mg/L	0.85	5	5/28/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-EPA	5/13/2020	8:15:00 AM	5/13/2020	10:49:00 AM	5/19/2020	10:18:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	5/19/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-EPA	5/13/2020	8:15:00 AM	5/13/2020	10:49:00 AM	5/13/2020	1:41:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	3	mg/L		2	5/18/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-EPA	5/13/2020	8:15:00 AM	5/13/2020	10:49:00 AM	5/13/2020	8:13:00 PM	Water	APHA	SM 9223 B	E. Coli	Total	35	CFU/100mL		1	5/14/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-EPA	5/13/2020	8:15:00 AM	5/13/2020	10:49:00 AM	5/20/2020	10:13:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	3.45	mg/L	0.046	0.1	5/22/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-EPA	5/13/2020	8:15:00 AM	5/13/2020	10:49:00 AM	5/27/2020	8:35:15 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.4	mg/L	0.011	0.041	5/28/2020
NBCRWW	Northern Lakes	WF23	HCCB-12	West Fork	Non-EPA	5/13/2020	8:15:00 AM	5/13/2020	10:49:00 AM	5/27/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	8.5	ug/L		1	5/28/2020
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-EPA	5/13/2020	8:32:00 AM	5/13/2020	10:49:00 AM	5/13/2020	11:54:00 AM	Water	APHA	SM 2550	Temperature	Total	10.8	deg C		0.1	5/15/2020
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-EPA	5/13/2020	8:32:00 AM	5/13/2020	10:49:00 AM	5/13/2020	11:54:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	9.72	mg/L		0.1	5/15/2020
NBCRWW	Northern Lakes	WF24	HCCB-11	West Fork	Non-EPA	5/13/2020	8:32:00 AM	5/13/2020	10:49:00 AM	5/27/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	7.2	ug/L		1	5/28/2020
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-EPA	5/13/2020	8:32:00 AM	5/13/2020	10:49:00 AM	5/13/2020	11:54:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	1339	umhos/cm		1	5/15/2020
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-EPA	5/13/2020	8:32:00 AM	5/13/2020	10:49:00 AM	5/13/2020	11:54:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.69	SU		0.1	5/15/2020
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-EPA	5/13/2020	8:32:00 AM	5/13/2020	10:49:00 AM	5/13/2020	9:09:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	5	mg/L		1	5/14/2020
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-EPA	5/13/2020	8:32:00 AM	5/13/2020	10:49:00 AM	5/19/2020	10:18:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.2	mg/L	0.015	0.1	5/19/2020
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-EPA	5/13/2020	8:32:00 AM	5/13/2020	10:49:00 AM	5/27/2020	8:35:15 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.25	mg/L	0.011	0.041	5/28/2020
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-EPA	5/13/2020	8:32:00 AM	5/13/2020	10:49:00 AM	5/13/2020	1:41:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	3	mg/L		2	5/18/2020
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-EPA	5/13/2020	8:32:00 AM	5/13/2020	10:49:00 AM	5/13/2020	8:13:00 PM	Water	APHA	SM 9223 B	E. Coli	Total	140	CFU/100mL		1	5/14/2020
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-EPA	5/13/2020	8:32:00 AM	5/13/2020	10:49:00 AM	5/20/2020	10:13:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	2.69	mg/L	0.046	0.1	5/22/2020
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-EPA	5/13/2020	8:32:00 AM	5/13/2020	10:49:00 AM	5/29/2020	7:03:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.53	mg/L	0.091	0.4	6/1/2020
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-EPA	5/13/2020	8:32:00 AM	5/13/2020	10:49:00 AM	5/6/2020	3:10:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	11	mg/L		1	5/14/2020
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-EPA	5/13/2020	8:32:00 AM	5/13/2020	10:49:00 AM	5/27/2020	4:36:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	279	mg/L	0.85	5	5/28/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	5/13/2020	9:12:00 AM	5/13/2020	10:49:00 AM	5/13/2020	8:13:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	201	CFU/100mL		1	5/14/2020
NBCRWW	Northern Lakes	WF25DUP	HCCB-01	West Fork	Non-EPA	5/13/2020	9:13:00 AM	5/13/2020	10:49:00 AM	5/27/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	5.6	ug/L		1	5/28/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	5/13/2020	9:12:00 AM	5/13/2020	10:49:00 AM	5/6/2020	3:10:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	7	mg/L		1	5/14/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	5/13/2020	9:12:00 AM	5/13/2020	10:49:00 AM	5/13/2020	9:09:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3	mg/L		1	5/14/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	5/13/2020	9:12:00 AM	5/13/2020	10:49:00 AM	5/13/2020	11:54:00 AM	Water	APHA	SM 2550	Temperature	Total	11.2	deg C		0.1	5/15/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	5/13/2020	9:12:00 AM	5/13/2020	10:49:00 AM	5/13/2020	11:54:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.74	SU		0.1	5/15/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	5/13/2020	9:12:00 AM	5/13/2020	10:49:00 AM	5/29/2020	7:03:00 PM	Water	APHA	SM 4500N org C	TKN	Total	0.94	mg/L	0.091	0.4	6/1/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	5/13/2020	9:12:00 AM	5/13/2020	10:49:00 AM	5/19/2020	10:18:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.18	mg/L	0.015	0.1	5/19/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	5/13/2020	9:12:00 AM	5/13/2020	10:49:00 AM	5/13/2020	1:41:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2	mg/L		2	5/18/2020
NBCRWW	NSWRD	WF25DUP	HCCB-01	West Fork	Non-EPA	5/13/2020	9:13:00 AM	5/13/2020	10:49:00 AM	5/6/2020	3:10:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	7	mg/L		1	5/14/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	5/13/2020	9:12:00 AM	5/13/2020	10:49:00 AM	5/27/2020	4:36:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	297	mg/L	0.85	5	5/28/2020
NBCRWW	Northern Lakes	WF25	HCCB-01	West Fork	Non-EPA	5/13/2020	9:12:00 AM	5/13/2020	10:49:00 AM	5/27/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	6.2	ug/L		1	5/28/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	5/13/2020	9:12:00 AM	5/13/2020	10:49:00 AM	5/13/2020	11:54:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	10.2	mg/L		0.1	5/15/2020
NBCRWW	NSWRD	WF25DUP	HCCB-01	West Fork	Non-EPA	5/13/2020	9:13:00 AM	5/13/2020	10:49:00 AM	5/13/2020	9:09:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<2	mg/L		1	5/14/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	5/13/2020	9:12:00 AM	5/13/2020	10:49:00 AM	5/20/2020	10:13:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	2.56	mg/L	0.046	0.1	5/22/2020
NBCRWW	NSWRD	WF25DUP	HCCB-01	West Fork	Non-EPA	5/13/2020	9:13:00 AM	5/13/2020	10:49:00 AM	5/13/2020	11:54:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	1334	umhos/cm		1	5/15/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	5/13/2020	9:12:00 AM	5/13/2020	10:49:00 AM	5/13/2020	11:54:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	1346	umhos/cm		1	5/15/2020
NBCRWW	NSWRD	WF25DUP	HCCB-01	West Fork	Non-EPA	5/13/2020	9:13:00 AM	5/13/2020	10:49:00 AM	5/13/2020	11:54:00 AM	Water	APHA	SM 2550	Temperature	Total	11	deg C		0.1	5/15/2020
NBCRWW	NSWRD	WF25DUP	HCCB-01	West Fork	Non-EPA	5/13/2020	9:13:00 AM	5/13/2020	10:49:00 AM	5/27/2020	4:36:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	300	mg/L	0.85	5	5/28/2020

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-EPA	7/21/2020	10:00:00 AM	7/21/2020	11:17:00 AM	7/21/2020	7:15:00 AM	Water	APHA	SM 2550		Temperature		23.5	deg C		0.1	7/21/2020
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-EPA	7/21/2020	10:00:00 AM	7/21/2020	11:17:00 AM	7/21/2020	7:15:00 AM	Water	APHA	SM 4500-O-G		Dissolved Oxygen		4.89	mg/L		0.1	7/21/2020
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-EPA	7/21/2020	10:00:00 AM	7/21/2020	11:17:00 AM	7/22/2020	1:26:00 PM	Water	USEPA	EPA 353.2 Rev 2.0		Total Nitrate	Dissolved	3.34	mg/L	0.046		7/23/2020
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-EPA	7/21/2020	10:00:00 AM	7/21/2020	11:17:00 AM	7/29/2020	7:19:00 AM	Water	USEPA	EPA 365.1 Rev 2.0		Total Phosphorus	Total	0.34	mg/L	0.011	0.041	7/29/2020
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-EPA	7/21/2020	10:00:00 AM	7/21/2020	11:17:00 AM	7/31/2020	9:26:00 AM	Water	APHA	SM 4500-CL-E		Chloride	Total	161	mg/L	0.85	25	8/24/2020
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-EPA	7/21/2020	10:00:00 AM	7/21/2020	11:17:00 AM	7/21/2020	1:33:00 PM	Water	APHA	SM 5210 B		Biochemical Oxygen Demand	Total	2	mg/L		2	7/27/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	7/21/2020	9:34:00 AM	7/21/2020	11:17:00 AM	7/29/2020	7:19:00 AM	Water	USEPA	EPA 365.1 Rev 2.0		Total Phosphorus	Total	0.32	mg/L	0.011	0.041	7/29/2020
NBCRWW	Northern Lakes	SR18	HCCD-10	Skokie River	Non-EPA	7/21/2020	9:34:00 AM	7/21/2020	11:17:00 AM	8/28/2020	12:00:00 AM	Water	USEPA	10200-H		Chlorophyll a	Total	18	ug/L			8/3/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	7/21/2020	9:34:00 AM	7/21/2020	11:17:00 AM	7/21/2020	7:15:00 AM	Water	APHA	SM 2510 B		Conductivity	Total	812	umhos/cm		1	7/21/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	7/21/2020	9:34:00 AM	7/21/2020	11:17:00 AM	7/31/2020	9:26:00 AM	Water	APHA	SM 4500-CL-E		Chloride	Total	144	mg/L	0.85	25	8/24/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	7/21/2020	9:34:00 AM	7/21/2020	11:17:00 AM	7/21/2020	1:33:00 PM	Water	APHA	SM 5210 B		Biochemical Oxygen Demand	Total	3	mg/L		2	7/27/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	7/21/2020	9:34:00 AM	7/21/2020	11:17:00 AM	7/21/2020	7:15:00 AM	Water	APHA	SM 4500-O-G		Dissolved Oxygen	Total	6.01	mg/L		0.1	7/21/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	7/21/2020	9:34:00 AM	7/21/2020	11:17:00 AM	7/21/2020	8:36:00 AM	Water	APHA	SM 9223 B		E. Coli	Total	365	CFU/100mL		1	7/22/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	7/21/2020	9:34:00 AM	7/21/2020	11:17:00 AM	7/22/2020	1:26:00 PM	Water	USEPA	EPA 353.2 Rev 2.0		Total Nitrate	Dissolved	6.58	mg/L	0.046		7/23/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	7/21/2020	9:34:00 AM	7/21/2020	11:17:00 AM	7/21/2020	7:15:00 AM	Water	APHA	SM 4500-H+ B		pH	Total	7.45	SU		0.1	7/21/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	7/21/2020	9:34:00 AM	7/21/2020	11:17:00 AM	7/21/2020	7:15:00 AM	Water	APHA	SM 2550		Temperature	Total	23.5	deg C		0.1	7/21/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	7/21/2020	10:18:00 AM	7/21/2020	11:17:00 AM	7/21/2020	7:15:00 AM	Water	APHA	SM 4500-H+ B		pH	Total	7.27	SU		0.1	7/21/2020
NBCRWW	Northern Lakes	MF19	HCC-10	Middle Fork	Non-EPA	7/21/2020	10:18:00 AM	7/21/2020	11:17:00 AM	8/28/2020	12:00:00 AM	Water	USEPA	10200-H		Chlorophyll a	Total	1.4	ug/L			8/3/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	7/21/2020	10:18:00 AM	7/21/2020	11:17:00 AM	7/21/2020	7:15:00 AM	Water	APHA	SM 2510 B		Conductivity	Total	842	umhos/cm		1	7/21/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	7/21/2020	10:18:00 AM	7/21/2020	11:17:00 AM	7/21/2020	7:15:00 AM	Water	APHA	SM 2550		Temperature	Total	24.4	deg C		0.1	7/21/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	7/21/2020	10:18:00 AM	7/21/2020	11:17:00 AM	7/31/2020	9:26:00 AM	Water	APHA	SM 4500-CL-E		Chloride	Total	174	mg/L	0.85	25	8/24/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	7/21/2020	10:18:00 AM	7/21/2020	11:17:00 AM	7/21/2020	1:33:00 PM	Water	APHA	SM 5210 B		Biochemical Oxygen Demand	Total	2	mg/L		2	7/27/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	7/21/2020	10:18:00 AM	7/21/2020	11:17:00 AM	7/21/2020	8:36:00 AM	Water	APHA	SM 9223 B		E. Coli	Total	178	CFU/100mL		1	7/22/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	7/21/2020	10:18:00 AM	7/21/2020	11:17:00 AM	7/21/2020	7:19:00 AM	Water	USEPA	EPA 365.1 Rev 2.0		Total Phosphorus	Total	0.37	mg/L	0.011	0.041	7/29/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	7/21/2020	10:18:00 AM	7/21/2020	11:17:00 AM	7/21/2020	7:15:00 AM	Water	APHA	SM 4500-O-G		Dissolved Oxygen	Total	5.16	mg/L		0.1	7/21/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	7/21/2020	10:18:00 AM	7/21/2020	11:17:00 AM	7/22/2020	1:26:00 PM	Water	USEPA	EPA 353.2 Rev 2.0		Total Nitrate	Dissolved	2.48	mg/L	0.046	0.1	7/23/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	7/21/2020	7:23:00 AM	7/21/2020	11:17:00 AM	7/22/2020	1:26:00 PM	Water	USEPA	EPA 353.2 Rev 2.0		Total Nitrate	Dissolved	<0.10	mg/L	0.046	0.1	7/23/2020
NBCRWW	Northern Lakes	Field Blank			Non-EPA	7/21/2020	7:23:00 AM	7/21/2020	11:17:00 AM	8/28/2020	12:00:00 AM	Water	USEPA	EPA 365.1 Rev 2.0		Total Phosphorus	Total	<0.10	mg/L	0.011	0.041	7/29/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	7/21/2020	7:23:00 AM	7/21/2020	11:17:00 AM	7/31/2020	9:26:00 AM	Water	APHA	SM 4500-CL-E		Chloride	Total	<5	mg/L	0.85	5	8/24/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	7/21/2020	7:23:00 AM	7/21/2020	11:17:00 AM	7/21/2020	1:33:00 PM	Water	APHA	SM 5210 B		Biochemical Oxygen Demand	Total	<1	mg/L			7/27/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	7/21/2020	7:23:00 AM	7/21/2020	11:17:00 AM	7/21/2020	8:36:00 AM	Water	APHA	SM 9223 B		E. Coli	Total	<1	CFU/100mL			7/22/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:08:00 AM	Water	USEPA	8081B		Aldrin	Total	<0.039	ug/L	0.0051	0.038	9/16/2020
NBCRWW	NSWRD	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	8/25/2020	8:09:00 AM	Water	APHA	SM 2550		Temperature	Total	22.6	deg C		0.1	8/25/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:13:00 PM	Water	USEPA	8260B		Chlorobenzene	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	9/1/2020	10:31:00 PM	Water	USEPA	8082A		PCB-1221	Total	<0.39	ug/L	0.19	0.38	9/16/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:13:00 PM	Water	USEPA	8082A		surr: Toluene-d8	Total	92	%			9/16/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	9/4/2020	7:34:00 AM	Water	USEPA	1631 E		Mercury, Low Level	Total	3.1	ng/L	0.14	0.5	9/16/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:08:00 AM	Water	USEPA	8081B		4,4'-DDD	Total	<0.039	ug/L	0.013	0.038	9/16/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:08:00 AM	Water	USEPA	8081B		4,4'-DDE	Total	<0.039	ug/L	0.0036	0.038	9/16/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:08:00 AM	Water	USEPA	8081B		4,4'-DDT	Total	<0.039	ug/L	0.0031	0.038	9/16/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	8/29/2020	6:07:00 AM	Water	USEPA	8081B		surr: Nitrobenzene-d5	Total	71	%			9/16/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	8/29/2020	6:07:00 AM	Water	USEPA	8081B		surr: Terphenyl-d14	Total	117	%			9/16/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:08:00 AM	Water	USEPA	8081B		Endrin ketone	Total	<0.039	ug/L	0.016	0.038	9/16/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	9/1/2020	10:31:00 PM	Water	USEPA	8082A		Polychlorinated biphenyls, Total	Total	<0.39	ug/L	0.19	0.38	9/16/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:08:00 AM	Water	USEPA	8081B		delta-BHC	Total	<0.039	ug/L	0.0099	0.038	9/16/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:08:00 AM	Water	USEPA	8081B		Dieldrin	Total	<0.039	ug/L	0.012	0.038	9/16/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	9/1/2020	10:31:00 PM	Water	USEPA	8082A		PCB-1016	Total	<0.39	ug/L	0.064	0.38	9/16/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:08:00 AM	Water	USEPA	8081B		Endosulfan II	Total	<0.039	ug/L	0.0027	0.038	9/16/2020
NBCRWW	Test America	SR1	HCCD-12	Skokie River	Non-EPA	8/25/2020	8:09:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:08:00 AM	Water	USEPA	8081B		beta-BHC	Total	<0.039	ug/L	0.0098	0.0	

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	8/25/2020	8:35:00 AM	8/25/2020	11:00:00 AM	9/4/2020	7:23:45 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	<0.10	mg/L	0.011	0.041	9/8/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	8/25/2020	8:35:00 AM	8/25/2020	11:00:00 AM	8/25/2020	1:51:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	9	mg/L		1	8/27/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	8/25/2020	8:35:00 AM	8/25/2020	11:00:00 AM	8/25/2020	8:09:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	936	umhos/cm		1	8/25/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	8/25/2020	8:35:00 AM	8/25/2020	11:00:00 AM	8/25/2020	3:11:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3	mg/L		1	8/27/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	8/25/2020	8:35:00 AM	8/25/2020	11:00:00 AM	8/25/2020	8:09:00 AM	Water	APHA	SM 2550	Temperature	Total	22.9	deg C		0.1	8/25/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	8/25/2020	8:35:00 AM	8/25/2020	11:00:00 AM	8/25/2020	8:09:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	5.07	mg/L		0.1	8/25/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	8/25/2020	8:35:00 AM	8/25/2020	11:00:00 AM	8/25/2020	3:27:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	8/31/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	8/25/2020	8:35:00 AM	8/25/2020	11:00:00 AM	8/25/2020	7:37:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	328	CFU/100mL		1	8/26/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	8/25/2020	8:35:00 AM	8/25/2020	11:00:00 AM	9/16/2020	3:29:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	0.13	mg/L	0.046	0.1	9/17/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	8/25/2020	8:35:00 AM	8/25/2020	11:00:00 AM	8/26/2020	6:15:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.16	mg/L	0.015	0.1	8/27/2020
NBCRWW	Northern Lakes	SR2	HCCD-07	Skokie River	Non-EPA	8/25/2020	8:35:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	2.4	ug/L		0.1	9/14/2020
NBCRWW	NSWRD	SR2	HCCD-07	Skokie River	Non-EPA	8/25/2020	8:35:00 AM	8/25/2020	11:00:00 AM	8/25/2020	8:09:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.45	SU		0.1	8/25/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	8/25/2020	8:47:00 AM	8/25/2020	11:00:00 AM	9/10/2020	3:15:00 PM	Water	APHA	SM 4500 org C	TKN	Total	0.6	mg/L	0.091	0.4	9/17/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	8/25/2020	8:47:00 AM	8/25/2020	11:00:00 AM	8/26/2020	6:15:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.14	mg/L	0.015	0.1	8/27/2020
NBCRWW	Northern Lakes	SR3	HCCD-11	Skokie River	Non-EPA	8/25/2020	8:47:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	2	ug/L		0.1	9/14/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	8/25/2020	8:47:00 AM	8/25/2020	11:00:00 AM	8/25/2020	8:09:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	888	umhos/cm		1	8/25/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	8/25/2020	8:47:00 AM	8/25/2020	11:00:00 AM	8/25/2020	1:51:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	8	mg/L		1	8/27/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	8/25/2020	8:47:00 AM	8/25/2020	11:00:00 AM	8/25/2020	3:11:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3	mg/L		1	8/27/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	8/25/2020	8:47:00 AM	8/25/2020	11:00:00 AM	9/3/2020	10:12:24 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	194	mg/L	0.85	5	9/3/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	8/25/2020	8:47:00 AM	8/25/2020	11:00:00 AM	8/25/2020	8:09:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	5.41	mg/L		0.1	8/25/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	8/25/2020	8:47:00 AM	8/25/2020	11:00:00 AM	8/25/2020	3:27:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	8/31/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	8/25/2020	8:47:00 AM	8/25/2020	11:00:00 AM	8/25/2020	7:37:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	361	CFU/100mL		1	8/26/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	8/25/2020	8:47:00 AM	8/25/2020	11:00:00 AM	9/16/2020	3:29:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	0.19	mg/L	0.046	0.1	9/17/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	8/25/2020	8:47:00 AM	8/25/2020	11:00:00 AM	9/4/2020	7:23:45 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	<0.10	mg/L	0.011	0.041	9/8/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	8/25/2020	8:47:00 AM	8/25/2020	11:00:00 AM	8/25/2020	8:09:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.48	SU		0.1	8/25/2020
NBCRWW	NSWRD	SR3	HCCD-11	Skokie River	Non-EPA	8/25/2020	8:47:00 AM	8/25/2020	11:00:00 AM	8/25/2020	8:09:00 AM	Water	APHA	SM 2550	Temperature	Total	22.5	deg C		0.1	8/25/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	8/25/2020	9:03:00 AM	8/25/2020	11:00:00 AM	8/25/2020	8:09:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	819	umhos/cm		1	8/25/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	8/25/2020	9:03:00 AM	8/25/2020	11:00:00 AM	9/3/2020	10:12:24 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	166	mg/L	0.85	5	9/3/2020
NBCRWW	Northern Lakes	SR4	HCCD-06	Skokie River	Non-EPA	8/25/2020	9:03:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	2.1	ug/L		0.1	9/14/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	8/25/2020	9:03:00 AM	8/25/2020	11:00:00 AM	8/25/2020	8:09:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.6	SU		0.1	8/25/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	8/25/2020	9:03:00 AM	8/25/2020	11:00:00 AM	8/25/2020	1:51:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	9	mg/L		1	8/27/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	8/25/2020	9:03:00 AM	8/25/2020	11:00:00 AM	8/25/2020	3:11:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	3	mg/L		1	8/27/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	8/25/2020	9:03:00 AM	8/25/2020	11:00:00 AM	8/25/2020	8:09:00 AM	Water	APHA	SM 2550	Temperature	Total	22.4	deg C		0.1	8/25/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	8/25/2020	9:03:00 AM	8/25/2020	11:00:00 AM	8/25/2020	8:09:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	6.18	mg/L		0.1	8/25/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	8/25/2020	9:03:00 AM	8/25/2020	11:00:00 AM	8/25/2020	3:27:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2	mg/L		2	8/31/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	8/25/2020	9:03:00 AM	8/25/2020	11:00:00 AM	8/25/2020	7:37:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	1120	CFU/100mL		1	8/26/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	8/25/2020	9:03:00 AM	8/25/2020	11:00:00 AM	9/4/2020	7:23:45 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	<0.10	mg/L	0.011	0.041	9/8/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	8/25/2020	9:03:00 AM	8/25/2020	11:00:00 AM	8/26/2020	6:15:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.12	mg/L	0.015	0.1	8/27/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	8/25/2020	9:03:00 AM	8/25/2020	11:00:00 AM	9/10/2020	3:15:00 PM	Water	APHA	SM 4500 org C	TKN	Total	0.72	mg/L	0.091	0.4	9/17/2020
NBCRWW	NSWRD	SR4	HCCD-06	Skokie River	Non-EPA	8/25/2020	9:03:00 AM	8/25/2020	11:00:00 AM	9/16/2020	3:29:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	0.28	mg/L	0.046	0.1	9/17/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	8/25/2020	9:20:00 AM	8/25/2020	11:00:00 AM	9/4/2020	7:23:45 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.13	mg/L	0.011	0.041	9/8/2020
NBCRWW	Northern Lakes	SR5	HCCD-02	Skokie River	Non-EPA	8/25/2020	9:20:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	3.1	ug/L		0.1	9/14/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	8/25/2020	9:20:00 AM	8/25/2020	11:00:00 AM	8/25/2020	8:09:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	759	umhos/cm		1	8/25/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	8/25/2020	9:20:00 AM	8/25/2020	11:00:00 AM	8/25/2020	1:51:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	5	mg/L		1	8/27/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	8/25/2020	9:20:00 AM	8/25/2020	11:00:00 AM	8/25/2020	3:11:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<3	mg/L		1	8/27/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	8/25/2020	9:20:00 AM	8/25/2020	11:00:00 AM	9/3/2020	10:12:24 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	139	mg/L	0.85	5	9/3/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	8/25/2020	9:20:00 AM	8/25/2020	11:00:00 AM	8/26/2020	6:15:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.16	mg/L	0.015	0.1	8/27/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	8/25/2020	9:20:00 AM	8/25/2020	11:00:00 AM	9/10/2020	3:15:00 PM	Water	APHA	SM 4500 org C	TKN	Total	0.88	mg/L	0.091	0.4	9/17/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	8/25/2020	9:20:00 AM	8/25/2020	11:00:00 AM	8/25/2020	8:09:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	4.1	mg/L		0.1	8/25/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	8/25/2020	9:20:00 AM	8/25/2020	11:00:00 AM	8/25/2020	3:27:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2	mg/L		2	8/31/2020
NBCRWW	NSWRD	SR5	HCC																		

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/31/2020	12:42:00 PM	Water	APHA	SM 3111 B		Calcium	Total	39	mg/L	0.027	0.5	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	9/2/2020	1:05:00 AM	Water	USEPA	8081B		Heptachlor epoxide	Total	<0.040	ug/L	0.013	0.038	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		1,2-Dichloroethane	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		1,2-Dichloropropane	Total	<1.0	ug/L	0.43	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		1,3-Dichlorobenzene	Total	<1.0	ug/L	0.4	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Benzene	Total	<0.50	ug/L	0.15	0.5	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		2-Butanone (MEK)	Total	<5.0	ug/L	2.1	5	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	7:48:00 AM	Water	USEPA	8270D		Benzo[a,h]perylene	Total	<0.77	ug/L	0.29	0.77	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	7:48:00 AM	Water	USEPA	8270D		Benzo[k]fluoranthene	Total	<0.15	ug/L	0.05	0.15	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		2-Hexanone	Total	<5.0	ug/L	1.6	5	9/16/2020
NBCRWW	Northern Lakes	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	9/2/2020	12:00:00 PM	Water	USEPA	10200-H		Chlorophyll a	Total	<5.0	ug/L	1.6	5	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		1,2-Dichlorobenzene	Total	<1.0	ug/L	0.33	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Acetone	Total	<10.0	ug/L	1.7	5	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		1,1,2-Trichloroethane	Total	<1.0	ug/L	0.35	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		1,4-Dichlorobenzene	Total	<1.0	ug/L	0.36	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Chloroform	Total	<2.0	ug/L	0.37	2	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		1,1,1-Trichloroethane	Total	<1.0	ug/L	0.38	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		cis-1,3-Dichloropropene	Total	<1.0	ug/L	0.42	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Bromomethane	Total	<3.0	ug/L	0.8	2	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Carbon tetrachloride	Total	<1.0	ug/L	0.38	1	9/16/2020
NBCRWW	NSWRD	MF8DUP	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:41:00 AM	8/26/2020	11:40:00 AM	8/26/2020	8:40:00 AM	Water	APHA	SM 4500-H-H		pH	Total	7.38	SU		0.1	8/26/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	9/2/2020	1:05:00 AM	Water	USEPA	8081B		Methoxychlor	Total	<0.081	ug/L	0.022	0.077	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Chloroethane	Total	<1.0	ug/L	0.51	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	7:48:00 AM	Water	USEPA	8270D		Benzo[b]fluoranthene	Total	<0.15	ug/L	0.062	0.15	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Tetrachloroethene	Total	<1.0	ug/L	0.37	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		cis-1,2-Dichloroethene	Total	<1.0	ug/L	0.41	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Styrene	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Dibromochloromethane	Total	<1.0	ug/L	0.49	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Dichlorodifluoromethane	Total	<3.0	ug/L	0.67	2	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Ethylbenzene	Total	<0.50	ug/L	0.18	0.5	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Chlorobenzene	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Trichlorofluoromethane	Total	<1.0	ug/L	0.43	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		1,1-Dichloroethane	Total	<1.0	ug/L	0.41	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Bromodichloromethane	Total	<1.0	ug/L	0.37	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	9/1/2020	11:19:00 PM	Water	USEPA	8082A		PCB-1248	Total	<0.40	ug/L	0.19	0.38	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	7:48:00 AM	Water	USEPA	8270D		Acenaphthylene	Total	<0.77	ug/L	0.21	0.77	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Toluene	Total	<0.50	ug/L	0.15	0.5	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Xylenes, Total	Total	<1.0	ug/L	0.22	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		trans-1,3-Dichloropropene	Total	<1.0	ug/L	0.36	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Methylene chloride	Total	<5.0	ug/L	1.6	5	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Carbon disulfide	Total	<2.0	ug/L	0.45	2	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	7:48:00 AM	Water	USEPA	8270D		Acenaphthene	Total	<0.77	ug/L	0.24	0.77	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		Methyl-tert-butyl ether	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	7:48:00 AM	Water	USEPA	8270D		Anthracene	Total	<0.77	ug/L	0.26	0.77	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	7:48:00 AM	Water	USEPA	8270D		Benzo[a]anthracene	Total	<0.15	ug/L	0.044	0.15	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	7:48:00 AM	Water	USEPA	8270D		Benzo[a]pyrene	Total	<0.15	ug/L	0.077	0.15	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	1:33:00 PM	Water	USEPA	8260B		trans-1,2-Dichloroethene	Total	<1.0	ug/L	0.35	1	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	7:48:00 AM	Water	USEPA	8270D		Pyrene	Total	<0.77	ug/L	0.33	0.77	9/16/2020
NBCRWW	Test America	MF8DUP	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:41:00 AM	8/26/2020	11:40:00 AM	8/29/2020	8:13:00 AM	Water	USEPA	8270D		Benzo[a]pyrene	Total					

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	MF8DUP	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:41:00 AM	8/26/2020	11:40:00 AM	8/29/2020	8:13:00 AM	Water	USEPA	8270D	Pyrene	Total	<0.81	ug/L	0.33	0.77	9/16/2020
NBCRWW	Test America	MF8DUP	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:41:00 AM	8/26/2020	11:40:00 AM	8/31/2020	12:45:00 PM	Water	USEPA	EPA 200.8	Arsenic	Total	<1.0	ug/L	0.23	1	9/16/2020
NBCRWW	Test America	MF8DUP	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:41:00 AM	8/26/2020	11:40:00 AM	8/28/2020	2:00:00 PM	Water	USEPA	8260B	Dibromochloromethane	Total	<1.0	ug/L	0.49	1	9/16/2020
NBCRWW	Test America	MF8DUP	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:41:00 AM	8/26/2020	11:40:00 AM	8/31/2020	12:45:00 PM	Water	USEPA	EPA 200.8	Barium	Total	<51	ug/L	0.73	2.5	9/16/2020
NBCRWW	Test America	MF8	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	7:48:00 AM	Water	USEPA	8270D	Dibenz[a,h]anthracene	Total	<0.23	ug/L	0.039	0.23	9/16/2020
NBCRWW	Test America	MF8DUP	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:41:00 AM	8/26/2020	11:40:00 AM	9/2/2020	1:24:00 AM	Water	USEPA	8081B	Endosulfan I	Total	<0.043	ug/L	0.0039	0.038	9/16/2020
NBCRWW	Test America	MF8DUP	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:41:00 AM	8/26/2020	11:40:00 AM	8/31/2020	12:45:00 PM	Water	USEPA	EPA 200.8	Chromium	Total	<5.0	ug/L	1.1	5	9/16/2020
NBCRWW	Test America	MF8DUP	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:41:00 AM	8/26/2020	11:40:00 AM	8/28/2020	2:00:00 PM	Water	USEPA	8260B	Methyl-tert-butyl ether	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	MF8DUP	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:41:00 AM	8/26/2020	11:40:00 AM	8/28/2020	2:00:00 PM	Water	USEPA	8260B	Trichloroethene	Total	<0.50	ug/L	0.16	0.5	9/16/2020
NBCRWW	Test America	MF8DUP	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:41:00 AM	8/26/2020	11:40:00 AM	8/31/2020	12:45:00 PM	Water	USEPA	EPA 200.8	Iron	Total	<360	ug/L	47	100	9/16/2020
NBCRWW	Test America	MF8DUP	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:41:00 AM	8/26/2020	11:40:00 AM	8/29/2020	8:13:00 AM	Water	USEPA	8270D	Fluorene	Total	<0.81	ug/L	0.19	0.77	9/16/2020
NBCRWW	Test America	MF8DUP	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:41:00 AM	8/26/2020	11:40:00 AM	8/31/2020	12:45:00 PM	Water	USEPA	EPA 200.8	Nickel	Total	<2.0	ug/L	0.63	2	9/16/2020
NBCRWW	Test America	MF8DUP	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:41:00 AM	8/26/2020	11:40:00 AM	8/31/2020	12:45:00 PM	Water	USEPA	EPA 200.8	Silver	Total	<0.50	ug/L	0.12	0.5	9/16/2020
NBCRWW	Test America	MF8DUP	HCCC-16	Middle Fork	Non-EPA	8/26/2020	8:41:00 AM	8/26/2020	11:40:00 AM	8/31/2020	12:45:00 PM	Water	USEPA	EPA 200.8	Zinc	Total	<20	ug/L	6.9	20	9/16/2020
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	8/26/2020	9:05:00 AM	8/26/2020	11:40:00 AM	8/26/2020	8:40:00 AM	Water	APHA	SM 4500-G	Dissolved Oxygen	Total	<4.82	mg/L		0.1	8/26/2020
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	8/26/2020	9:05:00 AM	8/26/2020	11:40:00 AM	8/26/2020	8:40:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	<7.41	SU		0.1	8/26/2020
NBCRWW	Northern Lakes	MF9	HCCC-15	Middle Fork	Non-EPA	8/26/2020	9:05:00 AM	8/26/2020	11:40:00 AM	9/2/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	<2.2	ug/L		1	9/14/2020
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	8/26/2020	9:05:00 AM	8/26/2020	11:40:00 AM	8/26/2020	8:40:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	<1515	umhos/cm		1	8/26/2020
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	8/26/2020	9:05:00 AM	8/26/2020	11:40:00 AM	8/26/2020	5:20:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	<3	mg/L		1	8/27/2020
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	8/26/2020	9:05:00 AM	8/26/2020	11:40:00 AM	8/26/2020	7:41:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<2	mg/L		1	8/27/2020
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	8/26/2020	9:05:00 AM	8/26/2020	11:40:00 AM	9/10/2020	3:15:00 PM	Water	APHA	SM 4500N org C	TKN	Total	<0.86	mg/L	0.091	0.4	9/17/2020
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	8/26/2020	9:05:00 AM	8/26/2020	11:40:00 AM	8/28/2020	5:35:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	8/31/2020
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	8/26/2020	9:05:00 AM	8/26/2020	11:40:00 AM	8/26/2020	4:02:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	8/31/2020
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	8/26/2020	9:05:00 AM	8/26/2020	11:40:00 AM	8/26/2020	12:24:00 PM	Water	APHA	SM 9223 B	E. Coli	Total	<33	CFU/100mL		1	8/27/2020
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	8/26/2020	9:05:00 AM	8/26/2020	11:40:00 AM	9/16/2020	3:29:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	<0.10	mg/L	0.046	0.1	9/17/2020
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	8/26/2020	9:05:00 AM	8/26/2020	11:40:00 AM	8/26/2020	8:40:00 AM	Water	APHA	SM 2550	Temperature	Total	<24.5	deg C		0.1	8/26/2020
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	8/26/2020	9:05:00 AM	8/26/2020	11:40:00 AM	9/4/2020	7:23:45 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.11	mg/L	0.011	0.041	9/8/2020
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	8/26/2020	9:05:00 AM	8/26/2020	11:40:00 AM	9/3/2020	10:12:24 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	<366	mg/L	0.85	5	9/3/2020
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	8/26/2020	9:20:00 AM	8/26/2020	11:40:00 AM	9/10/2020	3:15:00 PM	Water	APHA	SM 4500N org C	TKN	Total	<0.74	mg/L	0.091	0.4	9/17/2020
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	8/26/2020	9:20:00 AM	8/26/2020	11:40:00 AM	8/28/2020	5:35:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	<0.10	mg/L	0.015	0.1	8/31/2020
NBCRWW	Northern Lakes	MF10	HCCC-14	Middle Fork	Non-EPA	8/26/2020	9:20:00 AM	8/26/2020	11:40:00 AM	9/2/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	<1.2	ug/L		1	9/14/2020
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	8/26/2020	9:20:00 AM	8/26/2020	11:40:00 AM	8/26/2020	8:40:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	<1274	umhos/cm		1	8/26/2020
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	8/26/2020	9:20:00 AM	8/26/2020	11:40:00 AM	8/26/2020	5:20:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	<2	mg/L		1	8/27/2020
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	8/26/2020	9:20:00 AM	8/26/2020	11:40:00 AM	8/26/2020	7:41:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<2	mg/L		1	8/27/2020
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	8/26/2020	9:20:00 AM	8/26/2020	11:40:00 AM	9/3/2020	10:12:24 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	<266	mg/L	0.85	5	9/3/2020
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	8/26/2020	9:20:00 AM	8/26/2020	11:40:00 AM	8/26/2020	8:40:00 AM	Water	APHA	SM 4500-G	Dissolved Oxygen	Total	<6.29	mg/L		0.1	8/26/2020
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	8/26/2020	9:20:00 AM	8/26/2020	11:40:00 AM	8/26/2020	4:02:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	8/31/2020
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	8/26/2020	9:20:00 AM	8/26/2020	11:40:00 AM	8/26/2020	12:24:00 PM	Water	APHA	SM 9223 B	E. Coli	Total	<23	CFU/100mL		1	8/27/2020
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	8/26/2020	9:20:00 AM	8/26/2020	11:40:00 AM	9/16/2020	3:29:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	<0.10	mg/L	0.046	0.1	9/17/2020
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	8/26/2020	9:20:00 AM	8/26/2020	11:40:00 AM	9/4/2020	7:23:45 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	9/8/2020
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	8/26/2020	9:20:00 AM	8/26/2020	11:40:00 AM	8/26/2020	8:40:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	<7.48	SU		0.1	8/26/2020
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	8/26/2020	9:20:00 AM	8/26/2020	11:40:00 AM	8/26/2020	8:40:00 AM	Water	APHA	SM 2550	Temperature	Total	<24.3	deg C		0.1	8/26/2020
NBCRWW	Northern Lakes	MF11	HCCC-13	Middle Fork	Non-EPA	8/26/2020	9:35:00 AM	8/26/2020	11:40:00 AM	9/2/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	<0.4	ug/L		1	9/14/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	8/26/2020	9:35:00 AM	8/26/2020	11:40:00 AM	9/3/2020	10:12:24 AM	Water	APHA	SM 4500-CL-E	Chloride	Total	<150	mg/L	0.85	5	9/3/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	8/26/2020	9:35:00 AM	8/26/2020	11:40:00 AM	8/26/2020	8:40:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	<7.35	SU		0.1	8/26/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	8/26/2020	9:35:00 AM	8/26/2020	11:40:00 AM	8/26/2020	8:40:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	<849	umhos/cm		1	8/26/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	8/26/2020	9:35:00 AM	8/26/2020	11:40:00 AM	8/26/2020	5:20:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	<7	mg/L		1	8/27/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	8/26/2020	9:35:00 AM	8/26/2020	11:40:00 AM	8/26/2020	7:41:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<2	mg/L		1	8/27/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	8/26/2020	9:35:00 AM	8/26/2020	11:40:00 AM	8/26/2020	8:40:00 AM	Water	APHA	SM 2550	Temperature	Total	<24.6	deg C		0.1	8/26/2020
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	8/26/2020	9:35:00 AM	8/26/2020	11:40:00 AM	8/26/2020	4:02:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	8/31/2020
NBCRWW																					

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	1,2-Dibromo-3-Chloropropane	Total	<5.0	ug/L	2	5	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	1,2-Dichlorobenzene	Total	<1.0	ug/L	0.33	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	1,2-Dichloroethane	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	1,2-Dichloropropane	Total	<1.0	ug/L	0.43	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	1,3-Dichlorobenzene	Total	<1.0	ug/L	0.4	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Dibromochloromethane	Total	<1.0	ug/L	0.49	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	2-Butanone (MEK)	Total	<5.0	ug/L	2.1	5	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Styrene	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	2-Hexanone	Total	<5.0	ug/L	1.6	5	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Bromomethane	Total	<3.0	ug/L	0.8	2	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Acetone	Total	<10.0	ug/L	1.7	5	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	9/1/2020	11:52:00 PM	Water			surr: Tetrachloro-m-xylene	Total	76	%			9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Acrylonitrile	Total	<20.0	ug/L	4.5	20	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Bromodichloromethane	Total	<1.0	ug/L	0.37	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	1,4-Dichlorobenzene	Total	<1.0	ug/L	0.36	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	cis-1,2-Dichloroethene	Total	<1.0	ug/L	0.41	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	5:42:00 AM	Water	USEPA	8270D	Acenaphthylene	Total	<80.0	ug/L	0.21	0.77	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Ethylbenzene	Total	<0.50	ug/L	0.18	0.5	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Carbon tetrachloride	Total	<1.0	ug/L	0.38	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Chlorobenzene	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Chloroethane	Total	<1.0	ug/L	0.51	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	4-Methyl-2-pentanone (MIBK)	Total	<5.0	ug/L	2.2	5	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Chloromethane	Total	<1.0	ug/L	0.32	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Benzene	Total	<0.50	ug/L	0.15	0.5	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	cis-1,3-Dichloropropene	Total	<1.0	ug/L	0.42	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Tetrachloroethene	Total	<1.0	ug/L	0.37	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Dichlorodifluoromethane	Total	<3.0	ug/L	0.67	2	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Bromoform	Total	<1.0	ug/L	0.48	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Methylene chloride	Total	<5.0	ug/L	1.6	5	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Methyl-tert-butyl ether	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Chloroform	Total	<2.0	ug/L	0.37	2	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Trichloroethene	Total	<0.50	ug/L	0.16	0.5	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	5:42:00 AM	Water	USEPA	8270D	Benzo[a]anthracene	Total	<0.16	ug/L	0.044	0.15	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	2-Chloroethyl vinyl ether	Total	<2.0	ug/L	0.77	2	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	<1.0	ug/L	0.36	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Acrolein	Total	<100	ug/L	23	100	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	Xylenes, Total	Total	<1.0	ug/L	0.22	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	5:42:00 AM	Water	USEPA	8270D	Acenaphthene	Total	<80.0	ug/L	0.24	0.77	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/31/2020	12:49:00 PM	Water	USEPA	EPA 200.8	Barium	Total	29	ug/L	0.73	2.5	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	5:42:00 AM	Water	USEPA	8270D	Anthracene	Total	<80.0	ug/L	0.26	0.77	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/28/2020	11:19:00 AM	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	<1.0	ug/L	0.35	1	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	5:42:00 AM	Water	USEPA	8270D	Benzo[a]pyrene	Total	<0.16	ug/L	0.077	0.15	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	5:42:00 AM	Water	USEPA	8270D	Benzo[b]fluoranthene	Total	<0.16	ug/L	0.062	0.15	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	5:42:00 AM	Water	USEPA	8270D	Benzo[g,h,i]perylene	Total	<80.0	ug/L	0.29	0.77	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	5:42:00 AM	Water	USEPA	8270D	Benzo[k]fluoranthene	Total	<0.16	ug/L	0.05	0.15	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	5:42:00 AM	Water	USEPA	8270D	Chrysene	Total	<0.16	ug/L	0.053	0.15	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	5:42:00 AM	Water	USEPA	8270D	Dibenz[a,h]anthracene	Total	<0.24	ug/L	0.039	0.23	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	5:42:00 AM	Water	USEPA	8270D	Indeno[1,2,3-cd]pyrene	Total	<0.16	ug/L	0.058	0.15	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM	8/26/2020	11:40:00 AM	8/29/2020	5:42:00 AM	Water	USEPA	8270D	Pyrene	Total	<80.0	ug/L	0.33	0.77	9/16/2020
NBCRWW	Test America	MF15	HCCC-03	Middle Fork	Non-EPA	8/26/2020	10:40:00 AM														

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Bromoform	Total	<1.0	ug/L	0.48	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		2-Chloroethyl vinyl ether	Total	<2.0	ug/L	0.77	2	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Bromodichloromethane	Total	<1.0	ug/L	0.37	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Benzene	Total	<0.50	ug/L	0.15	0.5	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Acrylonitrile	Total	<20.0	ug/L	4.5	20	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Acetone	Total	<10.0	ug/L	1.7	5	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		1,1,2-Trichloroethane	Total	<1.0	ug/L	0.35	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		2-Hexanone	Total	<5.0	ug/L	1.6	5	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Chloroethane	Total	<1.0	ug/L	0.51	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Carbon tetrachloride	Total	<1.0	ug/L	0.38	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Chlorobenzene	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Chloroform	Total	<2.0	ug/L	0.37	2	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Chloromethane	Total	<1.0	ug/L	0.32	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		2-Butanone (MEK)	Total	<5.0	ug/L	2.1	5	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	9/1/2020	11:03:00 PM	Water	USEPA	8082A		PCB-1242	Total	<0.41	ug/L	0.19	0.38	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		cis-1,2-Dichloroethene	Total	<1.0	ug/L	0.41	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		4-Methyl-2-pentanone (MIBK)	Total	<5.0	ug/L	2.2	5	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Bromomethane	Total	<3.0	ug/L	0.8	2	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Trichloroethene	Total	<0.50	ug/L	0.16	0.5	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Trichlorofluoromethane	Total	<1.0	ug/L	0.43	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Ethylbenzene	Total	<0.50	ug/L	0.18	0.5	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Methylene chloride	Total	<5.0	ug/L	1.6	5	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Methyl-tert-butyl ether	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Styrene	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Tetrachloroethene	Total	<1.0	ug/L	0.37	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Toluene	Total	<0.50	ug/L	0.15	0.5	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/29/2020	7:22:00 AM	Water	USEPA	8270D		Pyrene	Total	<0.78	ug/L	0.33	0.77	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/29/2020	7:22:00 AM	Water	USEPA	8270D		Benzo[k]fluoranthene	Total	<0.16	ug/L	0.05	0.15	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Xylenes, Total	Total	<1.0	ug/L	0.22	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Dichlorodifluoromethane	Total	<3.0	ug/L	0.67	2	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Vinyl chloride	Total	<1.0	ug/L	0.2	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/29/2020	7:22:00 AM	Water	USEPA	8270D		Acenaphthene	Total	<0.78	ug/L	0.24	0.77	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/29/2020	7:22:00 AM	Water	USEPA	8270D		Anthracene	Total	<0.78	ug/L	0.26	0.77	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/29/2020	7:22:00 AM	Water	USEPA	8270D		Benzo[a]anthracene	Total	<0.16	ug/L	0.044	0.15	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/29/2020	7:22:00 AM	Water	USEPA	8270D		Benzo[a]pyrene	Total	<0.19	ug/L	0.077	0.15	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		1,1,1-Trichloroethane	Total	<1.0	ug/L	0.38	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		Acrolein	Total	<100	ug/L	23	100	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/28/2020	1:06:00 PM	Water	USEPA	8260B		trans-1,2-Dichloroethene	Total	<1.0	ug/L	0.35	1	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/29/2020	7:22:00 AM	Water	USEPA	8270D		Fluoranthene	Total	<0.78	ug/L	0.35	0.77	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/31/2020	12:38:00 PM	Water	USEPA	EPA 200.8		Cadmium	Total	<0.50	ug/L	0.17	0.5	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/31/2020	12:38:00 PM	Water	USEPA	EPA 200.8		Barium	Total	<25	ug/L	0.73	2.5	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/29/2020	7:22:00 AM	Water	USEPA	8270D		Acenaphthylene	Total	<0.78	ug/L	0.21	0.77	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:46:00 AM	Water	USEPA	8081B		Methoxychlor	Total	<0.082	ug/L	0.022	0.077	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/29/2020	7:22:00 AM	Water	USEPA	8270D		Chrysene	Total	<0.16	ug/L	0.053	0.15	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/29/2020	7:22:00 AM	Water	USEPA	8270D		Dibenzo[a,h]anthracene	Total	<0.23	ug/L	0.039	0.23	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/29/2020	7:22:00 AM	Water	USEPA	8270D		Fluorene	Total	<0.78	ug/L	0.19	0.77	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/29/2020	7:22:00 AM	Water	USEPA	8270D		Indeno[1,2,3-cd]pyrene	Total	<0.16	ug/L	0.058	0.17	9/16/2020
NBCRWW	Test America	SR18	HCCD-10	Skokie River	Non-EPA	8/25/2020	10:10:00 AM	8/25/2020	11:00:00 AM	8/29/2020	7:22:00 AM	Water	USEPA	8270D		Naphthalene	Total	<0.78	ug/L	0.24	0.77	9/16/2020
NBCRWW	Test America</																					

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code	EPA Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:54:00 PM	Water	USEPA	8270D	Chrysenes	Total	<0.16	ug/L	0.053	0.15	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:54:00 PM	Water	USEPA	8270D	Benzo[a]anthracene	Total	<0.16	ug/L	0.044	0.15	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:54:00 PM	Water	USEPA	8270D	Benzo[b]fluoranthene	Total	<0.16	ug/L	0.062	0.15	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:54:00 PM	Water	USEPA	8270D	Benzo[g,h,i]perylene	Total	<0.81	ug/L	0.29	0.77	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:54:00 PM	Water	USEPA	8270D	Benzo[k]fluoranthene	Total	<0.16	ug/L	0.05	0.15	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:54:00 PM	Water	USEPA	8270D	Acenaphthene	Total	<0.81	ug/L	0.24	0.77	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	9/1/2020	2:54:00 PM	Water	USEPA	8260B	1,4-Dichlorobenzene	Total	<1.0	ug/L	0.36	1.1	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:54:00 PM	Water	USEPA	8270D	Fluorene	Total	<0.81	ug/L	0.19	0.77	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:22:00 PM	Water	USEPA	EPA 200.8	Barium	Total	33	ug/L	0.73	2.5	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:22:00 PM	Water	USEPA	EPA 200.8	Copper	Total	2.1	ug/L	0.5	2	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:54:00 PM	Water	USEPA	8270D	Naphthalene	Total	<0.81	ug/L	0.24	0.77	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:54:00 PM	Water	USEPA	8270D	Pyrene	Total	<0.81	ug/L	0.33	0.77	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:22:00 PM	Water	USEPA	EPA 200.8	Cadmium	Total	<0.50	ug/L	0.17	0.5	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:22:00 PM	Water	USEPA	EPA 200.8	Arsenic	Total	2.9	ug/L	0.23	1	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:54:00 PM	Water	USEPA	8270D	Indeno[1,2,3-cd]pyrene	Total	<0.16	ug/L	0.058	0.15	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:54:00 PM	Water	USEPA	8270D	Fluoranthene	Total	<0.81	ug/L	0.35	0.77	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:22:00 PM	Water	USEPA	EPA 200.8	Chromium	Total	<5.0	ug/L	1.1	5	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:54:00 PM	Water	USEPA	8270D	Dibenzo[a,h]anthracene	Total	<0.24	ug/L	0.039	0.23	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:22:00 PM	Water	USEPA	EPA 200.8	Iron	Total	450	ug/L	47	100	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:22:00 PM	Water	USEPA	EPA 200.8	Lead	Total	1.2	ug/L	0.19	0.5	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:22:00 PM	Water	USEPA	EPA 200.8	Nickel	Total	2.5	ug/L	0.63	2	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:22:00 PM	Water	USEPA	EPA 200.8	Silver	Total	<0.50	ug/L	0.12	0.5	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	9/1/2020	2:54:00 PM	Water	USEPA	8260B	1,2-Dichlorobenzene	Total	<1.0	ug/L	0.33	1.1	9/22/2020
NBCRWW	Test America	MF19	HCC-10	Middle Fork	Non-EPA	8/27/2020	11:12:00 AM	8/27/2020	12:00:00 PM	9/2/2020	12:56:00 AM	Water	USEPA	8082A	PCB-1254	Total	<0.41	ug/L	0.19	0.38	9/22/2020
NBCRWW	Northern Lakes	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	9/2/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	3	ug/L			9/14/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	8/27/2020	12:39:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	17	mg/L		1	8/31/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	8/27/2020	12:39:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<2	mg/L		1	8/31/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	8/27/2020	9:00:00 AM	Water	APHA	SM 2550	Temperature	Total	23.2	deg C		1	8/27/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	9/4/2020	7:23:45 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.34	mg/L	0.011	0.041	9/8/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:12:00 PM	Water	APHA	SM 3111 B	Magnesium	Total	15	umhos/cm	0.019	0.5	9/22/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	8/27/2020	9:00:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	535	umhos/cm		1	8/27/2020
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:02:00 AM	Water	USEPA	8081B	4,4'-DDD	Total	<0.040	ug/L	0.013	0.038	9/22/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	9/10/2020	12:49:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	94	mg/L	0.85	5	9/10/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	8/27/2020	9:00:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.11	SU		0.1	8/27/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	9/10/2020	3:15:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.07	mg/L	0.091	0.4	9/17/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	8/28/2020	5:35:00 PM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.13	mg/L	0.015	0.1	8/31/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	8/27/2020	1:00:21 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	9/1/2020
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	9/2/2020	7:44:00 PM	Water			surr: Terphenyl-d14	Total	116	%			9/22/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:12:00 PM	Water	APHA	SM 3111 B	Calcium	Total	37	mg/L	0.027	0.5	9/22/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	8/27/2020	9:00:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	6.23	mg/L		0.1	8/27/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	8/27/2020	8:59:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	238	CFU/100ml		1	8/28/2020
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	9/1/2020	1:33:00 PM	Water	USEPA	8081B	surr: 1,2-Dichloroethane-d4	Total	113	%			9/22/2020
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:02:00 AM	Water	USEPA	8081B	delta-BHC	Total	<0.040	ug/L	0.0099	0.038	9/22/2020
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	9/2/2020	12:08:00 AM	Water	USEPA	8082A	PCB-1260	Total	<0.40	ug/L	0.067	0.38	9/22/2020
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	9/1/2020	1:33:00 PM	Water	USEPA	8081B	surr: 4-Bromofluorobenzene	Total	97	%			9/22/2020
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	9/2/2020	12:08:00 AM	Water	USEPA	8081B	surr: DCB Decachlorobiphenyl	Total	73	%			9/22/2020
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:02:00 AM	Water	USEPA	8081B	surr: Tetrachloro-m-xylene	Total	80	%			9/22/2020
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	9/1/2020	1:33:00 PM	Water	USEPA	8081B	surr: Dibromofluoromethane	Total	95	%			9/22/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:12:00 PM	Water	APHA	SM 3111 B	Sodium	Total	50	mg/L	0.22	0.5	9/22/2020
NBCRWW	Test America	WF20	HCCB-07	West Fork	Non-EPA	8/27/2020	9:00:00 AM	8/27/2020	12:00:00 PM	9/2/2020	12:08:00 AM	Water			surr: Tetrachloro-m-xylene	Total	76	%			9/22/2020
N																					

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-EPA	8/27/2020	9:20:00 AM	8/27/2020	12:00:00 PM	9/4/2020	7:23:45 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	0.28 mg/L	0.011	0.041	9/8/2020	
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-EPA	8/27/2020	9:20:00 AM	8/27/2020	12:00:00 PM	8/27/2020	9:00:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	6.99 SU		0.1	8/27/2020	
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-EPA	8/27/2020	9:20:00 AM	8/27/2020	12:00:00 PM	8/27/2020	12:39:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<2 mg/L			8/31/2020	
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-EPA	8/27/2020	9:20:00 AM	8/27/2020	12:00:00 PM	8/27/2020	9:00:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	2.46 mg/L		0.1	8/27/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/10/2020	3:15:00 PM	Water	APHA	SM 4500N org C	TKN	Total	1.57 mg/L	0.091	0.4	9/17/2020	
NBCRWW	Northern Lakes	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	12:00:00 PM	Water	USEPA	10200-H	Chlorophyll a	Total	4.1 ug/L			9/14/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	8/27/2020	9:00:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	964 umhos/cm		1	8/27/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	8/27/2020	12:39:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	14 mg/L		1	8/31/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	8/27/2020	12:39:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	3 mg/L		1	8/31/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/16/2020	3:29:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	8.23 mg/L	0.046	0.1	9/17/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:15:00 PM	Water	APHA	SM 3111 B	Calcium	Total	50 mg/L	0.027	0.5	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/1/2020	2:00:00 PM	Water	USEPA	8260B	surr: Dibromofluoromethane	Total	94 mg/L			9/22/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:15:00 PM	Water	APHA	SM 3111 B	Sodium	Total	110 mg/L	0.22	0.5	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	4,4'-DDT	Total	<0.037 ug/L	0.0031	0.038	9/22/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	8/27/2020	9:00:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.47 SU			8/27/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/1/2020	2:00:00 PM	Water	USEPA	8260B	1,2-Dibromo-3-Chloropropane	Total	<5.0 ug/L	2	5	9/22/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/1/2020	11:44:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.14 mg/L	0.015	0.1	9/1/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	8/27/2020	9:00:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	9.23 mg/L		0.1	8/27/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/10/2020	12:49:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	200 mg/L	0.85	5	9/10/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	surr: Tetrachloro-m-xylene	Total	80 mg/L			9/22/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	Aldrin	Total	<0.037 ug/L	0.0051	0.038	9/22/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/4/2020	7:23:45 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	1.66 mg/L	0.011	0.082	9/8/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/1/2020	2:00:00 PM	Water	USEPA	8260B	surr: 1,2-Dichloroethane-d4	Total	112 mg/L			9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:07:00 PM	Water	USEPA	8081B	surr: 2-Fluorobiphenyl	Total	82 mg/L			9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/1/2020	2:00:00 PM	Water	USEPA	8081B	surr: 4-Bromofluorobenzene	Total	96 mg/L			9/22/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	8/27/2020	8:59:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	130 CFU/100mL		1	8/28/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	APHA	SM 5210 B	surr: DCB Decachlorobiphenyl	Total	80 mg/L		2	9/1/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	8/27/2020	1:00:21 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1 mg/L			9/2/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:15:00 PM	Water	APHA	SM 3111 B	Magnesium	Total	20 mg/L	0.019	0.5	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	12:24:00 AM	Water	USEPA	8081B	surr: Tetrachloro-m-xylene	Total	83 mg/L			9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:00:00 PM	Water	USEPA	8081B	surr: Toluene-d8	Total	92 mg/L			9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/4/2020	6:55:00 AM	Water	USEPA	1631 E	Mercury, Low Level	Total	1.7 ng/L	0.14	0.5	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	12:24:00 AM	Water	USEPA	8082A	PCB-1016	Total	<0.37 ug/L	0.064	0.38	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	4,4'-DDE	Total	<0.037 ug/L	0.0036	0.038	9/22/2020	
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	8/27/2020	9:00:00 AM	Water	APHA	SM 2550	Temperature	Total	25.6 deg C		0.1	8/27/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:07:00 PM	Water	USEPA	8081B	surr: Nitrobenzene-d5	Total	79 mg/L			9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	alpha-Chlordane	Total	<0.037 ug/L	0.0042	0.038	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	Heptachlor epoxide	Total	<0.037 ug/L	0.013	0.038	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	beta-BHC	Total	<0.037 ug/L	0.0098	0.038	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	Chlordane	Total	<0.073 ug/L	0.038	0.077	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	Dieldrin	Total	<0.037 ug/L	0.012	0.038	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	Endosulfan II	Total	<0.037 ug/L	0.0027	0.038	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	Toxaphene	Total	<0.37 ug/L	0.19	0.38	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	Endrin	Total	<0.037 ug/L	0.014	0.038	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	12:24:00 AM	Water	USEPA	8082A	PCB-1248	Total	<0.37 ug/L	0.19	0.38	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	Endrin aldehyde	Total	<0.037 ug/L	0.0079	0.038	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	Endrin ketone	Total	<0.037 ug/L	0.016	0.038	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	gamma-BHC (Lindane)	Total	<0.037 ug/L	0.0054	0.038	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	Heptachlor	Total	<0.037 ug/L	0.013	0.038	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:22:00 AM	Water	USEPA	8081B	delta-BHC	Total	<0.037 ug/L	0.0099	0.038	9/22/2020	
NBCRWW	Test America	WF22	HCCB-03	West Fork	Non-EPA	8/27/2020	9:35:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:07:00 PM	Water	USEPA	8081B	surr: Terphenyl-d14	Total	117 mg/L			9/22/2020	
NBCRWW	Test America																				

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Northern Lakes	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	1	ug/L		1	9/14/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	8/27/2020	12:39:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	4	mg/L		1	8/31/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	8/27/2020	12:39:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<2	mg/L		1	8/31/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	8/27/2020	9:00:00 AM	Water	APHA	SM 2550	Temperature	Total	26.7	deg C		0.1	8/27/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/16/2020	3:29:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	0.85	mg/L	0.046	0.1	9/17/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	8/31/2020	6:19:00 PM	Water	APHA	SM 3111 B	Magnesium	Total	19	mg/L	0.019	0.5	9/22/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	8/27/2020	8:59:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	461	CFU/100mL		1	8/28/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/1/2020	2:27:00 PM	Water	USEPA	8260B	Carbon tetrachloride	Total	<1.0	ug/L	0.38	1	9/22/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	8/27/2020	9:00:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.28	SU		0.1	8/27/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/4/2020	6:55:00 AM	Water	USEPA	1631 E	Mercury, Low Level	Total	1.7	ng/L	0.14	0.5	9/22/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/1/2020	11:44:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.39	mg/L	0.015	0.1	9/1/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	8/27/2020	9:00:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	4.68	mg/L		0.1	8/27/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/10/2020	12:49:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	184	mg/L	0.85	5	9/10/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:31:00 PM	Water			surr: Terphenyl-d14	Total	110	%		0.041	9/22/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/4/2020	7:23:45 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.67	mg/L	0.011	0.041	9/8/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/1/2020	2:27:00 PM	Water			surr: 1,2-Dichloroethane-d4	Total	112	%		0.041	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:31:00 PM	Water			surr: 2-Fluorobiphenyl	Total	84	%		0.041	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/1/2020	2:27:00 PM	Water			surr: 4-Bromofluorobenzene	Total	95	%		0.041	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water			surr: DCB Decachlorobiphenyl	Total	61	%		0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	4,4'-DDE	Total	<0.039	ug/L	0.0036	0.038	9/22/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	12:40:00 AM	Water			surr: DCB Decachlorobiphenyl	Total	82	%		0.038	9/22/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	8/27/2020	1:00:21 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	9/1/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	alpha-Chlordane	Total	<0.039	ug/L	0.0042	0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water			surr: Tetrachloro-m-xylene	Total	70	%		0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	12:40:00 AM	Water			surr: Tetrachloro-m-xylene	Total	78	%		0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/1/2020	2:27:00 PM	Water			surr: Toluene-d8	Total	93	%		0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	trans-Chlordane	Total	<0.039	ug/L	0.0069	0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	4,4'-DDD	Total	<0.039	ug/L	0.013	0.038	9/22/2020
NBCRWW	NSWRD	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	9:00:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	867	umhos/cm		1	8/27/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/1/2020	2:27:00 PM	Water			surr: Dibromofluoromethane	Total	92	%		0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	Endosulfan II	Total	<0.039	ug/L	0.0027	0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	Methoxychlor	Total	<0.077	ug/L	0.022	0.077	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	Heptachlor	Total	<0.039	ug/L	0.013	0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	beta-BHC	Total	<0.039	ug/L	0.0098	0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	alpha-BHC	Total	<0.039	ug/L	0.0025	0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	delta-BHC	Total	<0.039	ug/L	0.0099	0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	Aldrin	Total	<0.039	ug/L	0.0051	0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	Endosulfan I	Total	<0.039	ug/L	0.0039	0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	Chlordane	Total	<0.077	ug/L	0.038	0.077	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	Endosulfan sulfate	Total	<0.039	ug/L	0.011	0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	Endrin	Total	<0.039	ug/L	0.014	0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	Endrin aldehyde	Total	<0.039	ug/L	0.0079	0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	Endrin ketone	Total	<0.039	ug/L	0.016	0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	gamma-BHC (Lindane)	Total	<0.039	ug/L	0.0054	0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	8:31:00 PM	Water			surr: Nitrobenzene-d5	Total	83	%		0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	Dieldrin	Total	<0.039	ug/L	0.012	0.038	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	12:40:00 AM	Water	USEPA	8082A	PCB-1254	Total	<0.39	ug/L	0.19	0.38	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	12:40:00 AM	Water	USEPA	8082A	PCB-1248	Total	<0.39	ug/L	0.19	0.38	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	2:41:00 AM	Water	USEPA	8081B	Toxaphene	Total	<0.39	ug/L	0.19	0.38	9/22/2020
NBCRWW	Test America	WF25	HCCB-01	West Fork	Non-EPA	8/27/2020	10:39:00 AM	8/27/2020	12:00:00 PM	9/2/2020	12:40:00 AM	Water	USEPA	8082A	PCB-1016	Total	&				

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	1,2-Dichloroethane	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:27:00 AM	Water	USEPA	8081B	alpha-Chlordane	Total	<0.039	ug/L	0.0042	0.038	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:27:00 AM	Water	USEPA	8081B	Endrin aldehyde	Total	<0.039	ug/L	0.0079	0.038	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:27:00 AM	Water	USEPA	8081B	gamma-BHC (Lindane)	Total	<0.039	ug/L	0.0054	0.038	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:27:00 AM	Water	USEPA	8081B	Heptachlor	Total	<0.039	ug/L	0.013	0.038	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:27:00 AM	Water	USEPA	8081B	Heptachlor epoxide	Total	<0.039	ug/L	0.013	0.038	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:27:00 AM	Water	USEPA	8081B	Methoxychlor	Total	<0.077	ug/L	0.022	0.077	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:27:00 AM	Water	USEPA	8081B	4,4'-DDT	Total	<0.039	ug/L	0.0031	0.038	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Acetone	Total	<1.0	ug/L	1.7	5	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:27:00 AM	Water	USEPA	8081B	Endrin	Total	<0.039	ug/L	0.014	0.038	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:27:00 AM	Water	USEPA	8081B	trans-Chlordane	Total	<0.039	ug/L	0.0069	0.038	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:27:00 AM	Water	USEPA	8081B	Aldrin	Total	<0.039	ug/L	0.0051	0.038	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/1/2020	10:47:00 PM	Water	USEPA	8082A	PCB-1232	Total	<0.39	ug/L	0.19	0.38	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/1/2020	10:47:00 PM	Water	USEPA	8082A	PCB-1242	Total	<0.39	ug/L	0.19	0.38	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/1/2020	10:47:00 PM	Water	USEPA	8082A	PCB-1248	Total	<0.39	ug/L	0.19	0.38	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/1/2020	10:47:00 PM	Water	USEPA	8082A	PCB-1254	Total	<0.39	ug/L	0.19	0.38	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:27:00 AM	Water	USEPA	8081B	delta-BHC	Total	<0.039	ug/L	0.0099	0.038	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/1/2020	10:47:00 PM	Water	USEPA	8082A	Polychlorinated biphenyls, Total	Total	<0.39	ug/L	0.19	0.38	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	1,1,1-Trichloroethane	Total	<1.0	ug/L	0.38	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	1,1,2,2-Tetrachloroethane	Total	<1.0	ug/L	0.4	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	1,1,2-Trichloroethane	Total	<1.0	ug/L	0.35	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	1,1-Dichloroethane	Total	<1.0	ug/L	0.41	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	1,1-Dichloroethane	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:27:00 AM	Water	USEPA	8081B	Toxaphene	Total	<0.39	ug/L	0.19	0.38	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	1,2-Dichlorobenzene	Total	<1.0	ug/L	0.33	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/1/2020	10:47:00 PM	Water	USEPA	8082A	PCB-1016	Total	<0.39	ug/L	0.064	0.38	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Tetrachloroethene	Total	<1.0	ug/L	0.37	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Carbon disulfide	Total	<2.0	ug/L	0.45	2	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Bromomethane	Total	<3.0	ug/L	0.8	2	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Bromoform	Total	<1.0	ug/L	0.48	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Bromodichloromethane	Total	<1.0	ug/L	0.37	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Benzene	Total	<0.50	ug/L	0.15	0.5	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Chlorobenzene	Total	<1.0	ug/L	0.39	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Acrolein	Total	<100	ug/L	23	100	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	2-Butanone (MEK)	Total	<5.0	ug/L	2.1	5	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	4-Methyl-2-pentanone (MIBK)	Total	<5.0	ug/L	2.2	5	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	2-Hexanone	Total	<5.0	ug/L	1.6	5	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	2-Chloroethyl vinyl ether	Total	<2.0	ug/L	0.77	2	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	1,4-Dichlorobenzene	Total	<1.0	ug/L	0.36	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/29/2020	5:17:00 AM	Water	USEPA	8270D	Dibenz[a,h]anthracene	Total	<0.23	ug/L	0.039	0.23	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/29/2020	5:17:00 AM	Water	USEPA	8270D	Benzo[k]fluoranthene	Total	<0.15	ug/L	0.05	0.15	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Dichlorodifluoromethane	Total	<3.0	ug/L	0.67	2	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	9/2/2020	12:27:00 AM	Water	USEPA	8081B	Endosulfan sulfate	Total	<0.039	ug/L	0.011	0.038	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Dibromochloromethane	Total	<1.0	ug/L	0.49	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Chloroethane	Total	<1.0	ug/L	0.51	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Chloroform	Total	<2.0	ug/L	0.37	2	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Chloromethane	Total	<1.0	ug/L	0.32	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	1,3-Dichlorobenzene	Total	<1.0	ug/L	0.4	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	cis-1,2-Dichloropropene	Total	<1.0	ug/L	0.42	1	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Acrylonitrile	Total	<20.0	ug/L	4.5	20	9/16/2020
NBCRWW	Test America	Field Blank			Non-EPA	8/25/2020	8:20:00 AM	8/25/2020	11:00:00 AM	8/28/2020	12:40:00 PM	Water	USEPA	8260B	Ethylbenzene	Total	<0.50	ug/L	0.18	0.5	9/16/2020
NBCRWW	Test America	Field Blank																			

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:53:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 2510 B	Conductivity		1042	umhos/cm		1	9/24/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:53:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 2550	Temperature		16.7	deg C		0.1	9/24/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:53:00 AM	9/24/2020	11:45:00 AM	9/30/2020	7:57:56 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	153	mg/L	0.85	0.1	10/1/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:53:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 4500-H+ B	pH		7.77	SU		25	9/24/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:53:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen		6.56	mg/L		0.1	9/24/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:53:00 AM	9/24/2020	11:45:00 AM	9/24/2020	1:02:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	9/29/2020
NBCRWW	NSWRD	SR5DUP	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:54:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 2510 B	Conductivity		1042	umhos/cm		1	9/24/2020
NBCRWW	NSWRD	SR5DUP	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:54:00 AM	9/24/2020	11:45:00 AM	9/30/2020	7:57:56 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	157	mg/L	0.85	25	10/1/2020
NBCRWW	NSWRD	SR5DUP	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:54:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 4500-H+ B	pH		7.8	SU		0.1	9/24/2020
NBCRWW	NSWRD	SR5DUP	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:54:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen		6.54	mg/L		0.1	9/24/2020
NBCRWW	NSWRD	SR5DUP	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:54:00 AM	9/24/2020	11:45:00 AM	9/24/2020	1:02:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	9/29/2020
NBCRWW	NSWRD	SR5DUP	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:54:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:29:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	411	CFU/100mL		1	9/25/2020
NBCRWW	NSWRD	SR5DUP	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:54:00 AM	9/24/2020	11:45:00 AM	10/1/2020	10:19:25 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	0.49	mg/L	0.046	0.1	10/1/2020
NBCRWW	NSWRD	SR5DUP	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:54:00 AM	9/24/2020	11:45:00 AM	9/25/2020	8:10:32 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	<0.10	mg/L	0.011	0.041	9/25/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:53:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:29:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	387	CFU/100mL		1	9/25/2020
NBCRWW	NSWRD	SR5	HCCD-02	Skokie River	Non-EPA	9/24/2020	8:53:00 AM	9/24/2020	11:45:00 AM	10/1/2020	10:19:25 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	0.53	mg/L	0.046	0.1	10/1/2020
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-EPA	9/24/2020	10:15:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:29:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	162	CFU/100mL		1	9/25/2020
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-EPA	9/24/2020	10:15:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 4500-H+ B	pH		7.46	SU		0.1	9/24/2020
NBCRWW	Northern Lakes	MF17	HCCC-09	Middle Fork	Non-EPA	9/24/2020	10:15:00 AM	9/24/2020	11:45:00 AM	10/14/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0.6	ug/L		1	10/29/2020
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-EPA	9/24/2020	10:15:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 2510 B	Conductivity		944	umhos/cm		1	9/24/2020
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-EPA	9/24/2020	10:15:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 2550	Temperature		18.3	deg C		0.1	9/24/2020
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-EPA	9/24/2020	10:15:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen		6.92	mg/L		0.1	9/24/2020
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-EPA	9/24/2020	10:15:00 AM	9/24/2020	11:45:00 AM	10/1/2020	10:19:25 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	13.7	mg/L	0.046	2	10/1/2020
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-EPA	9/24/2020	10:15:00 AM	9/24/2020	11:45:00 AM	9/25/2020	8:10:32 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.15	mg/L	0.011	0.041	9/28/2020
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-EPA	9/24/2020	10:15:00 AM	9/24/2020	11:45:00 AM	9/30/2020	7:57:56 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	140	mg/L	0.85	25	10/1/2020
NBCRWW	NSWRD	MF17	HCCC-09	Middle Fork	Non-EPA	9/24/2020	10:15:00 AM	9/24/2020	11:45:00 AM	9/24/2020	1:02:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2	mg/L		2	9/29/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	9/24/2020	9:48:00 AM	9/24/2020	11:45:00 AM	9/25/2020	8:10:32 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.2	mg/L	0.011	0.041	9/28/2020
NBCRWW	Northern Lakes	SR18	HCCD-10	Skokie River	Non-EPA	9/24/2020	9:48:00 AM	9/24/2020	11:45:00 AM	10/14/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	3.7	ug/L		1	10/29/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	9/24/2020	9:48:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 2510 B	Conductivity		884	umhos/cm		1	9/24/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	9/24/2020	9:48:00 AM	9/24/2020	11:45:00 AM	9/30/2020	7:57:56 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	121	mg/L	0.85	25	10/1/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	9/24/2020	9:48:00 AM	9/24/2020	11:45:00 AM	9/24/2020	1:02:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	9/29/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	9/24/2020	9:48:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen		7.02	mg/L		0.1	9/24/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	9/24/2020	9:48:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:29:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	512	CFU/100mL		1	9/25/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	9/24/2020	9:48:00 AM	9/24/2020	11:45:00 AM	10/1/2020	10:19:25 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	16.3	mg/L	0.046	2	10/1/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	9/24/2020	9:48:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 4500-H+ B	pH		7.62	SU		0.1	9/24/2020
NBCRWW	NSWRD	SR18	HCCD-10	Skokie River	Non-EPA	9/24/2020	9:48:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 2550	Temperature		18.8	deg C		0.1	9/24/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	9/24/2020	10:33:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 4500-H+ B	pH		7.58	SU		0.1	9/24/2020
NBCRWW	Northern Lakes	MF19	HCC-10	Middle Fork	Non-EPA	9/24/2020	10:33:00 AM	9/24/2020	11:45:00 AM	10/14/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0.7	ug/L		1	10/29/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	9/24/2020	10:33:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 2510 B	Conductivity		985	umhos/cm		1	9/24/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	9/24/2020	10:33:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 2550	Temperature		18.8	deg C		0.1	9/24/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	9/24/2020	10:33:00 AM	9/24/2020	11:45:00 AM	9/30/2020	7:57:56 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	157	mg/L	0.85	25	10/1/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	9/24/2020	10:33:00 AM	9/24/2020	11:45:00 AM	9/24/2020	1:02:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	3	mg/L		2	9/29/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	9/24/2020	10:33:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:29:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	613	CFU/100mL		1	9/25/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	9/24/2020	10:33:00 AM	9/24/2020	11:45:00 AM	9/25/2020	8:10:32 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.19	mg/L	0.011	0.041	9/28/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	9/24/2020	10:33:00 AM	9/24/2020	11:45:00 AM	9/24/2020	7:33:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen		7.23	mg/L		0.01	9/24/2020
NBCRWW	NSWRD	MF19	HCC-10	Middle Fork	Non-EPA	9/24/2020	10:33:00 AM	9/24/2020	11:45:00 AM	10/1/2020	10:19:25 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	8.79	mg/L	0.046	2	10/1/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	9/24/2020	7:41:00 AM	9/24/2020	11:45:00 AM	10/1/2020	10:19:25 AM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	<0.10	mg/L	0.046	0.1	10/1/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	9/24/2020	7:41:00 AM	9/24/2020	11:45:00 AM	9/25/2020	8:10:32 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	<0.10	mg/L	0.011	0.041	9/28/2020
NBCRWW	Northern Lakes	Field Blank			Non-EPA	9/24/2020	7:41:00 AM	9/24/2020	11:45:00 AM	10/14/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0	ug/L		1	10/29/2020
NBCRWW	NSWRD	Field Blank			Non-EPA	9/24/2020	7:41:00 AM	9/24/2020	11:45:00 AM	9/30/2020	7:57:56 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	<5	mg/L	0.85	5	10/1/2020
NBCRWW	NS																				

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	MF8	HCCC-16	Middle Fork	Non-EPA	10/14/2020	7:35:00 AM	10/14/2020	10:45:00 AM	10/21/2020	10:00:30 PM	Water	APHA	SM 4500N org C	TKN	Total	0.57	mg/L	0.091	0.4	10/22/2020	
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	10/14/2020	7:55:00 AM	10/14/2020	10:45:00 AM	10/14/2020	7:35:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	8.27	mg/L	0.091	0.1	10/14/2020	
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	10/14/2020	7:55:00 AM	10/14/2020	10:45:00 AM	10/21/2020	10:00:30 PM	Water	APHA	SM 4500N org C	TKN	Total	<0.50	mg/L	0.091	0.4	10/22/2020	
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	10/14/2020	7:55:00 AM	10/14/2020	10:45:00 AM	10/14/2020	7:35:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	1140	umhos/cm		1	10/14/2020	
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	10/14/2020	7:55:00 AM	10/14/2020	10:45:00 AM	10/14/2020	1:11:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	38	mg/L		1	10/15/2020	
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	10/14/2020	7:55:00 AM	10/14/2020	10:45:00 AM	10/14/2020	1:11:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<5	mg/L		1	10/15/2020	
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	10/14/2020	7:55:00 AM	10/14/2020	10:45:00 AM	10/14/2020	7:35:00 AM	Water	APHA	SM 2550	Temperature	Total	9.2	deg C		0.1	10/14/2020	
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	10/14/2020	7:55:00 AM	10/14/2020	10:45:00 AM	10/14/2020	7:35:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.21	SU		0.1	10/14/2020	
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	10/14/2020	7:55:00 AM	10/14/2020	10:45:00 AM	11/5/2020	2:17:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	228	mg/L	0.85	5	11/6/2020	
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	10/14/2020	7:55:00 AM	10/14/2020	10:45:00 AM	10/27/2020	9:31:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.13	mg/L	0.015	0.1	10/27/2020	
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	10/14/2020	7:55:00 AM	10/14/2020	10:45:00 AM	10/14/2020	2:20:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	1	mg/L		2	10/19/2020	
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	10/14/2020	7:55:00 AM	10/14/2020	10:45:00 AM	10/14/2020	8:37:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	58	CFU/100mL		1	10/15/2020	
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	10/14/2020	7:55:00 AM	10/14/2020	10:45:00 AM	10/15/2020	12:02:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	<0.10	mg/L	0.046	0.1	10/15/2020	
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	10/14/2020	7:55:00 AM	10/14/2020	10:45:00 AM	10/16/2020	12:52:37 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	11/5/2020	
NBCRWW	NSWRD	MF9	HCCC-15	Middle Fork	Non-EPA	10/14/2020	7:55:00 AM	10/14/2020	10:45:00 AM	10/28/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	2.1	ug/L		0.041	10/29/2020	
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	10/14/2020	8:13:00 AM	10/14/2020	10:45:00 AM	10/14/2020	7:35:00 AM	Water	APHA	SM 2550	Temperature	Total	10	deg C		0.1	10/14/2020	
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	10/14/2020	8:13:00 AM	10/14/2020	10:45:00 AM	10/14/2020	7:35:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.38	SU		0.1	10/14/2020	
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	10/14/2020	8:13:00 AM	10/14/2020	10:45:00 AM	10/28/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0.4	ug/L		0.1	10/29/2020	
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	10/14/2020	8:13:00 AM	10/14/2020	10:45:00 AM	10/14/2020	7:35:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	1059	umhos/cm		1	10/14/2020	
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	10/14/2020	8:13:00 AM	10/14/2020	10:45:00 AM	10/14/2020	1:11:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	3	mg/L		1	10/15/2020	
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	10/14/2020	8:13:00 AM	10/14/2020	10:45:00 AM	10/14/2020	1:11:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	1	mg/L		1	10/15/2020	
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	10/14/2020	8:13:00 AM	10/14/2020	10:45:00 AM	10/27/2020	9:31:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.11	mg/L	0.015	0.1	10/27/2020	
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	10/14/2020	8:13:00 AM	10/14/2020	10:45:00 AM	10/14/2020	7:35:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	6.69	mg/L		0.1	10/14/2020	
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	10/14/2020	8:13:00 AM	10/14/2020	10:45:00 AM	10/14/2020	2:20:00 PM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	<1	mg/L		2	10/19/2020	
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	10/14/2020	8:13:00 AM	10/14/2020	10:45:00 AM	10/14/2020	8:37:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	29	CFU/100mL		1	10/15/2020	
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	10/14/2020	8:13:00 AM	10/14/2020	10:45:00 AM	10/15/2020	12:02:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	<0.10	mg/L	0.046	0.1	10/15/2020	
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	10/14/2020	8:13:00 AM	10/14/2020	10:45:00 AM	10/21/2020	10:00:30 PM	Water	APHA	SM 4500N org C	TKN	Total	0.7	mg/L	0.091	0.4	10/22/2020	
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	10/14/2020	8:13:00 AM	10/14/2020	10:45:00 AM	11/5/2020	2:17:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	190	mg/L	0.85	5	11/6/2020	
NBCRWW	NSWRD	MF10	HCCC-14	Middle Fork	Non-EPA	10/14/2020	8:13:00 AM	10/14/2020	10:45:00 AM	10/16/2020	12:52:37 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	11/5/2020	
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	10/14/2020	8:32:00 AM	10/14/2020	10:45:00 AM	10/14/2020	7:35:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	8.66	mg/L		0.1	10/14/2020	
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	10/14/2020	8:32:00 AM	10/14/2020	10:45:00 AM	10/21/2020	10:00:30 PM	Water	APHA	SM 4500N org C	TKN	Total	1.13	mg/L	0.091	0.4	10/22/2020	
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	10/14/2020	8:32:00 AM	10/14/2020	10:45:00 AM	10/28/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0	ug/L		0.1	10/29/2020	
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	10/14/2020	8:32:00 AM	10/14/2020	10:45:00 AM	10/14/2020	7:35:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	981	umhos/cm		1	10/14/2020	
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	10/14/2020	8:32:00 AM	10/14/2020	10:45:00 AM	10/14/2020	1:11:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	1	mg/L		1	10/15/2020	
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	10/14/2020	8:32:00 AM	10/14/2020	10:45:00 AM	10/14/2020	1:11:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<1	mg/L		1	10/15/2020	
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	10/14/2020	8:32:00 AM	10/14/2020	10:45:00 AM	10/27/2020	9:31:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.1	mg/L	0.015	0.1	10/27/2020	
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	10/14/2020	8:32:00 AM	10/14/2020	10:45:00 AM	10/14/2020	8:37:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	162	CFU/100mL		1	10/15/2020	
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	10/14/2020	8:32:00 AM	10/14/2020	10:45:00 AM	10/15/2020	12:02:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrate	Dissolved	<0.10	mg/L	0.046	0.1	10/15/2020	
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	10/14/2020	8:32:00 AM	10/14/2020	10:45:00 AM	10/16/2020	12:52:37 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	11/5/2020	
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	10/14/2020	8:32:00 AM	10/14/2020	10:45:00 AM	11/5/2020	2:17:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	179	mg/L	0.85	5	11/6/2020	
NBCRWW	NSWRD	MF11	HCCC-13	Middle Fork	Non-EPA	10/14/2020	8:32:00 AM	10/14/2020	10:45:00 AM	10/14/2020	7:35:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.92	SU		0.1	10/14/2020	
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	10/14/2020	9:03:00 AM	10/14/2020	10:45:00 AM	10/14/2020	7:35:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen	Total	6.09	mg/L		0.1	10/14/2020	
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	10/14/2020	9:03:00 AM	10/14/2020	10:45:00 AM	10/21/2020	10:00:30 PM	Water	APHA	SM 4500N org C	TKN	Total	0.96	mg/L	0.091	0.4	10/22/2020	
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	10/14/2020	9:03:00 AM	10/14/2020	10:45:00 AM	10/28/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	0.4	ug/L		0.1	10/29/2020	
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	10/14/2020	9:03:00 AM	10/14/2020	10:45:00 AM	10/14/2020	7:35:00 AM	Water	APHA	SM 2510 B	Conductivity	Total	1040	umhos/cm		1	10/14/2020	
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	10/14/2020	9:03:00 AM	10/14/2020	10:45:00 AM	10/14/2020	1:11:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	1	mg/L		1	10/15/2020	
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	10/14/2020	9:03:00 AM	10/14/2020	10:45:00 AM	10/14/2020	7:35:00 AM	Water	APHA	SM 4500-H+ B	pH	Total	7.58	SU		0.1	10/14/2020	
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	10/14/2020	9:03:00 AM	10/14/2020	10:45:00 AM	10/16/2020	12:52:37 PM	Water	USEPA	EPA 365.1 Rev 2.0	Volatile Suspended Solids	Total	<1	mg/L		1	10/15/2020	
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	10/14/2020	9:03:00 AM	10/14/2020	10:45:00 AM	10/16/2020	12:52:37 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorous	Total	<0.10	mg/L	0.011	0.041	11/5/2020	
NBCRWW	NSWRD	MF12	HCCC-12	Middle Fork	Non-EPA	10/14/2020	9															

Submitting Source	Laboratory Name	NBCRWW Station Code	IL EPA Station Code	Waterbody Name	Surface Water Monitoring Program	Sample Collection Date	Sample Collection Time	Sample Receipt Date	Sample Receipt Time	Sample Analysis Date	Sample Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Method Detection Limit	Minimum Practical Quantitation Limit	Date Results Released
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-IEPA	10/15/2020	7:54:00 AM	10/15/2020	11:27:00 AM	10/15/2020	10:41:00 AM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	3	mg/L		2	10/28/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-IEPA	10/15/2020	7:54:00 AM	10/15/2020	11:27:00 AM	10/15/2020	8:50:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	34	CFU/100mL		1	10/16/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-IEPA	10/15/2020	7:54:00 AM	10/15/2020	11:27:00 AM	10/29/2020	3:55:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.29	mg/L	0.046	0.1	10/30/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-IEPA	10/15/2020	7:54:00 AM	10/15/2020	11:27:00 AM	10/16/2020	12:52:37 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.4	mg/L	0.011	0.041	11/5/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-IEPA	10/15/2020	7:54:00 AM	10/15/2020	11:27:00 AM	10/15/2020	7:54:00 AM	Water	APHA	SM 4500-H+ B	pH		6.8	SU		0.1	10/15/2020
NBCRWW	NSWRD	WF20	HCCB-07	West Fork	Non-IEPA	10/15/2020	7:54:00 AM	10/15/2020	11:27:00 AM	10/15/2020	7:54:00 AM	Water	APHA	SM 2550	Temperature		12.2	deg C		0.1	10/15/2020
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-IEPA	10/15/2020	8:12:00 AM	10/15/2020	11:27:00 AM	10/15/2020	7:54:00 AM	Water	APHA	SM 4500-H+ B	pH		6.97	SU		0.1	10/15/2020
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-IEPA	10/15/2020	8:12:00 AM	10/15/2020	11:27:00 AM	10/15/2020	7:54:00 AM	Water	APHA	SM 2510 B	Conductivity		624	umhos/cm		1	10/15/2020
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-IEPA	10/15/2020	8:12:00 AM	10/15/2020	11:27:00 AM	11/5/2020	2:17:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	88	mg/L	0.85	5	11/6/2020
NBCRWW	Northern Lakes	WF21	HCCB-06	West Fork	Non-IEPA	10/15/2020	8:12:00 AM	10/15/2020	11:27:00 AM	10/28/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	1.1	ug/L		1	10/29/2020
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-IEPA	10/15/2020	8:12:00 AM	10/15/2020	11:27:00 AM	10/15/2020	2:11:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	1	mg/L		1	10/16/2020
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-IEPA	10/15/2020	8:12:00 AM	10/15/2020	11:27:00 AM	10/15/2020	2:30:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	<1	mg/L		1	10/16/2020
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-IEPA	10/15/2020	8:12:00 AM	10/15/2020	11:27:00 AM	10/15/2020	7:54:00 AM	Water	APHA	SM 2550	Temperature		12.8	deg C		0.1	10/15/2020
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-IEPA	10/15/2020	8:12:00 AM	10/15/2020	11:27:00 AM	10/15/2020	7:54:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen		5.68	mg/L		0.1	10/15/2020
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-IEPA	10/15/2020	8:12:00 AM	10/15/2020	11:27:00 AM	10/15/2020	10:41:00 AM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	3	mg/L		2	10/28/2020
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-IEPA	10/15/2020	8:12:00 AM	10/15/2020	11:27:00 AM	10/15/2020	8:50:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	>2420	CFU/100mL		1	10/16/2020
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-IEPA	10/15/2020	8:12:00 AM	10/15/2020	11:27:00 AM	10/21/2020	10:00:30 PM	Water	APHA	SM 4500N org C	TKN	Total	2.64	mg/L	0.091	0.4	10/22/2020
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-IEPA	10/15/2020	8:12:00 AM	10/15/2020	11:27:00 AM	10/16/2020	12:52:37 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	<0.10	mg/L	0.011	0.041	11/5/2020
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-IEPA	10/15/2020	8:12:00 AM	10/15/2020	11:27:00 AM	10/29/2020	3:55:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	0.11	mg/L	0.046	0.1	10/30/2020
NBCRWW	NSWRD	WF21	HCCB-06	West Fork	Non-IEPA	10/15/2020	8:12:00 AM	10/15/2020	11:27:00 AM	10/28/2020	9:30:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.17	mg/L	0.015	0.1	11/2/2020
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-IEPA	10/15/2020	8:28:00 AM	10/15/2020	11:27:00 AM	10/21/2020	10:00:30 PM	Water	APHA	SM 4500N org C	TKN	Total	3.72	mg/L	0.091	0.4	10/22/2020
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-IEPA	10/15/2020	8:28:00 AM	10/15/2020	11:27:00 AM	10/28/2020	9:30:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.16	mg/L	0.015	0.1	11/2/2020
NBCRWW	Northern Lakes	WF22	HCCB-03	West Fork	Non-IEPA	10/15/2020	8:28:00 AM	10/15/2020	11:27:00 AM	10/28/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	2.8	ug/L		1	10/29/2020
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-IEPA	10/15/2020	8:28:00 AM	10/15/2020	11:27:00 AM	10/15/2020	7:54:00 AM	Water	APHA	SM 2510 B	Conductivity		842	umhos/cm		1	10/15/2020
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-IEPA	10/15/2020	8:28:00 AM	10/15/2020	11:27:00 AM	10/15/2020	2:11:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	4	mg/L		1	10/16/2020
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-IEPA	10/15/2020	8:28:00 AM	10/15/2020	11:27:00 AM	10/15/2020	2:30:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	1	mg/L		1	10/16/2020
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-IEPA	10/15/2020	8:28:00 AM	10/15/2020	11:27:00 AM	11/5/2020	2:17:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	133	mg/L	0.85	5	11/6/2020
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-IEPA	10/15/2020	8:28:00 AM	10/15/2020	11:27:00 AM	10/15/2020	7:54:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen		4.55	mg/L		0.1	10/15/2020
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-IEPA	10/15/2020	8:28:00 AM	10/15/2020	11:27:00 AM	10/15/2020	10:41:00 AM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	4	mg/L		2	10/28/2020
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-IEPA	10/15/2020	8:28:00 AM	10/15/2020	11:27:00 AM	10/15/2020	8:50:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	411	CFU/100mL		1	10/16/2020
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-IEPA	10/15/2020	8:28:00 AM	10/15/2020	11:27:00 AM	10/29/2020	3:55:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	13.8	mg/L	0.046	0.1	10/30/2020
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-IEPA	10/15/2020	8:28:00 AM	10/15/2020	11:27:00 AM	11/4/2020	3:02:00 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	2.5	mg/L	0.011	0.205	11/4/2020
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-IEPA	10/15/2020	8:28:00 AM	10/15/2020	11:27:00 AM	10/15/2020	7:54:00 AM	Water	APHA	SM 4500-H+ B	pH		6.98	SU		0.1	10/15/2020
NBCRWW	NSWRD	WF22	HCCB-03	West Fork	Non-IEPA	10/15/2020	8:28:00 AM	10/15/2020	11:27:00 AM	10/15/2020	7:54:00 AM	Water	APHA	SM 2550	Temperature		13.8	deg C		0.1	10/15/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-IEPA	10/15/2020	8:48:00 AM	10/15/2020	11:27:00 AM	10/16/2020	12:52:37 PM	Water	USEPA	EPA 365.1 Rev 2.0	Total Phosphorus	Total	0.94	mg/L	0.011	0.041	11/5/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-IEPA	10/15/2020	8:48:00 AM	10/15/2020	11:27:00 AM	11/5/2020	2:17:00 PM	Water	APHA	SM 4500-CL-E	Chloride	Total	167	mg/L	0.85	5	11/6/2020
NBCRWW	Northern Lakes	WF23	HCCB-12	West Fork	Non-IEPA	10/15/2020	8:48:00 AM	10/15/2020	11:27:00 AM	10/28/2020	12:00:00 AM	Water	USEPA	10200-H	Chlorophyll a	Total	2.5	ug/L		1	10/29/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-IEPA	10/15/2020	8:48:00 AM	10/15/2020	11:27:00 AM	10/15/2020	7:54:00 AM	Water	APHA	SM 2550	Temperature		12.8	deg C		0.1	10/15/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-IEPA	10/15/2020	8:48:00 AM	10/15/2020	11:27:00 AM	10/21/2020	10:00:30 PM	Water	APHA	SM 4500N org C	TKN	Total	1.87	mg/L	0.091	0.4	10/22/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-IEPA	10/15/2020	8:48:00 AM	10/15/2020	11:27:00 AM	10/15/2020	7:54:00 AM	Water	APHA	SM 2510 B	Conductivity		935	umhos/cm		1	10/15/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-IEPA	10/15/2020	8:48:00 AM	10/15/2020	11:27:00 AM	10/15/2020	2:30:00 PM	Water	APHA	SM 2540 G	Volatile Suspended Solids	Total	4	mg/L		1	10/16/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-IEPA	10/15/2020	8:48:00 AM	10/15/2020	11:27:00 AM	10/15/2020	7:54:00 AM	Water	APHA	SM 4500-O G	Dissolved Oxygen		7.36	mg/L		0.1	10/15/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-IEPA	10/15/2020	8:48:00 AM	10/15/2020	11:27:00 AM	10/15/2020	10:41:00 AM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	2	mg/L		2	10/28/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-IEPA	10/15/2020	8:48:00 AM	10/15/2020	11:27:00 AM	10/29/2020	3:55:00 PM	Water	USEPA	EPA 353.2 Rev 2.0	Total Nitrates	Dissolved	5.33	mg/L	0.046	0.1	10/30/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-IEPA	10/15/2020	8:48:00 AM	10/15/2020	11:27:00 AM	10/28/2020	9:30:00 AM	Water	APHA	SM 4500-NH3 D	Ammonia	Total	0.26	mg/L	0.015	0.1	11/2/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-IEPA	10/15/2020	8:48:00 AM	10/15/2020	11:27:00 AM	10/15/2020	7:54:00 AM	Water	APHA	SM 4500-H+ B	pH		7.42	SU		0.1	10/15/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-IEPA	10/15/2020	8:48:00 AM	10/15/2020	11:27:00 AM	10/15/2020	8:50:00 AM	Water	APHA	SM 9223 B	E. Coli	Total	365	CFU/100mL		1	10/16/2020
NBCRWW	NSWRD	WF23	HCCB-12	West Fork	Non-IEPA	10/15/2020	8:48:00 AM	10/15/2020	11:27:00 AM	10/15/2020	2:11:00 PM	Water	APHA	SM 2540 D	Total Suspended Solids	Total	20	mg/L		1	10/16/2020
NBCRWW	NSWRD	WF24	HCCB-11	West Fork	Non-IEPA	10/15/2020	9:03:00 AM	10/15/2020	11:27:00 AM	10/15/2020	10:41:00 AM	Water	APHA	SM 5210 B	Biochemical Oxygen Demand	Total	3	mg/L		2	10/28/2020
NBCRWW	Northern Lakes	WF24	H																		